


	[kg]	Article n°
Frami Xlife panel 0.90x1.20m	39.0	588401500
Frami Xlife panel 0.75x1.20m	33.5	588447500
Frami Xlife panel 0.60x1.20m	29.5	588463500
Frami Xlife panel 0.45x1.20m	24.0	588404500
Frami Xlife panel 0.30x1.20m	19.5	588405500
Frami Xlife panel 0.90x1.50m	46.5	588406500
Frami Xlife panel 0.75x1.50m	41.3	588448500
Frami Xlife panel 0.60x1.50m	35.5	588464500
Frami Xlife panel 0.45x1.50m	28.9	588409500
Frami Xlife panel 0.30x1.50m	24.8	588410500
Frami Xlife panel 0.90x2.70m	79.2	588481500
Frami Xlife panel 0.75x2.70m	69.5	588449500
Frami Xlife panel 0.60x2.70m	60.5	588465500
Frami Xlife panel 0.45x2.70m	49.5	588482500
Frami Xlife panel 0.30x2.70m	40.3	588483500
Frami Xlife panel 0.90x3.00m	86.5	588411500
Frami Xlife panel 0.75x3.00m	76.5	588412500
Frami Xlife panel 0.60x3.00m	65.0	588413500
Frami Xlife panel 0.45x3.00m	54.3	588414500
Frami Xlife panel 0.30x3.00m	45.0	588415500
Frami Xlife-Element		


Galvanised

Custom sizes on enquiry!



Frami Xlife universal panel 0.75x1.20m	39.0	588402500
Frami Xlife universal panel 0.75x1.50m	49.5	588407500
Frami Xlife universal panel 0.75x2.70m	83.5	588484500
Frami Xlife universal panel 0.75x3.00m	93.0	588416500
Frami Xlife-Uni-Element 0,75m		

Galvanised




Frami Xlife universal panel 0.90x1.20m	49.0	588423500
Frami Xlife universal panel 0.90x1.50m	61.0	588424500
Frami Xlife universal panel 0.90x2.70m	106.4	588427500
Frami Xlife universal panel 0.90x3.00m	117.5	588428500
Frami Xlife-Uni-Element 0,90m		

Galvanised




Frami inside corner 1.20m 20cm	25.3	588471000
Frami inside corner 1.50m 20cm	30.7	588472000
Frami inside corner 2.70m 20cm	51.6	588485000
Frami inside corner 3.00m 20cm	57.4	588417000
Frami-Innenecke		

Galvanised



	[kg]	Article n°
Frami outside corner 1.20m	11.0	588459000
Frami outside corner 1.50m	12.9	588460000
Frami outside corner 2.70m	23.8	588461000
Frami outside corner 3.00m	25.0	588418000
Frami-Außenecke		

Galvanised



Frami hinged inside corner I galv. 1.20m	34.1	588425500
Frami hinged inside corner I galv. 1.50m	40.8	588426500
Frami-Scharnierecke I verzinkt		

Galvanised



Frami hinged outside corner A galv. 1.20m	12.9	588419000
Frami hinged outside corner A galv. 1.50m	16.0	588420000
Frami-Scharnierecke A verzinkt		

Galvanised



Frami circular forming plate 0.20x1.50m	21.5	588486000
Frami circular forming plate 0.25x1.50m	22.5	588487000
Frami circular forming plate 0.30x1.50m	23.5	588488000
Frami-Bogenblech		

Powder-coated, blue




Frami anchor waling 0.40m	4.4	588489000
Frami-Ankerriegel 0,40m		

Painted blue



Frami fitting timber 10x9cm 1.50m	6.0	176035000
Frami fitting timber 5x9cm 1.50m	3.0	176034000
Frami fitting timber 3x9cm 1.50m	1.9	176033000
Frami fitting timber 2x9cm 1.50m	1.2	176032000
Frami fitting timber 10x9cm 2.70m	12.3	176083000
Frami fitting timber 5x9cm 2.70m	6.1	176082000
Frami fitting timber 3x9cm 2.70m	3.7	176081000
Frami fitting timber 2x9cm 2.70m	2.5	176080000
Frami-Passholz		

Varnished yellow



Frami plywood support 27mm	2.0	588473000
Frami plywood support 21mm	2.1	588474000
Frami plywood support 18mm	2.2	588499000
Frami-Schalhautwinkel		

Galvanised
Height: 56 cm



	[kg]	Article n°
Framax stripping corner I 2.70m	171.0	588675000
Framax stripping corner I 1.35m	90.0	588614000
Framax stripping corner I 3.30m	209.9	588676000
Framax-Ausschalecke I		

Galvanised, powder-coated



Framax stripping spindle I	3.2	588618000
Framax-Ausschalspindel I		

Galvanised
Height: 25 cm



Framax stripping spindle I with ratchet	5.5	588653000
Framax-Ausschalspindel I mit Ratsche		

Galvanised
Height: 24.8 cm



Extension set Framax stripping spindle I	0.89	588947000
Erweiterungsset Framax-Ausschalspindel I		

Galvanised
Height: 2.5 cm



Dismantling tool Framax stripping spindle I	4.0	588948000
Lösewerkzeug Framax-Ausschalspindel I		

Galvanised
Height: 27.5 cm



Frami tie-adapter for stripping corner I	0.47	588492000
Frami-Ankeradapter für Ausschalecke I		

Galvanised
Height: 11 cm



Frami profile adapter for stripping corner I	0.60	588491000
Frami-Profiladapter für Ausschalecke I		

Galvanised
Height: 8 cm



Framax quick acting clamp RU	3.3	588153400
Framax-Schnellspanner RU		

Galvanised
Length: 20 cm



Frami panel shoe	1.3	588490000
Frami-Elementschuh		

Galvanised
Length: 16 cm



Frami clamp	1.2	588433000
Frami-Spanner		

Galvanised
Length: 11 cm



	[kg]	Article n°
Frami aligning clamp	3.2	588435000
Frami-Richtspanner		

Galvanised
Length: 62 cm



Frami adjustable clamp	3.6	588436000
Frami-Ausgleichsspanner		

Galvanised
Length: 40 cm



Frami universal waling 0.70m	3.7	588439000
Frami universal waling 1.25m	6.4	588440000
Frami-Klemmschiene		

Painted blue



Frami wedge clamp	1.1	588441000
Frami-Klemme		

Galvanised
Length: 16 cm




Frami universal fixing bolt 5-12cm	0.43	588479000
Frami-Universalverbinder 5-12cm		

Galvanised
Length: 23 cm




Frami profile connector 5-18cm	0.80	588493000
Frami-Profilverbinder 5-18cm		

Galvanised
Length: 33 cm



Frami stop-end waler tie 15-45cm	8.8	588498000
Frami-Stirnabschalzwinge 15-45cm		

Galvanised
Length: 85 cm




Wall-formwork support angle	6.6	588967000
Auflagewinkel Wandschalung		

Galvanised
Length: 15.8 cm
Width: 12 cm
Height: 11.2 cm



Frami lifting hook	7.5	588438000
Frami-Umsetzbügel		

Galvanised
Width: 15 cm
Height: 21 cm
Follow the directions in the "Operating Instructions"!




CE

Plumbing strut 260 IB	12.8	588437500
Justierstütze 260 IB		

Galvanised
Length: 146.8 - 256.7 cm



	[kg]	Article n°
Panel strut 340 IB Elementstütze 340 IB consisting of:	24.3	580365000
(A) Plumbing strut 340 IB Galvanised Length: 190.8 - 341.8 cm	16.7	588696000
(B) Adjusting strut 120 IB Galvanised Length: 81.5 - 130.6 cm	7.6	588248500



Galvanised
Delivery condition: folded closed

Strut head EB Strebenkopf EB	1.4	588945000
--	-----	------------------




Galvanised
Width: 9 cm
Height: 14 cm

Frami connection profile EB Frami-Anschlussprofil EB	10.1	588462000
--	------	------------------



Painted blue
Height: 125 cm

Universal dismantling tool Universal-Lösewerkzeug	3.7	582768000
---	-----	------------------



Galvanised
Length: 75.5 cm

Doka express anchor 16x125mm Doka-Expressanker 16x125mm	0.31	588631000
---	------	------------------



Galvanised
Length: 18 cm
Follow fitting instructions!

Doka coil 16mm Doka-Coil 16mm	0.009	588633000
---	-------	------------------



Galvanised
Diameter: 1.6 cm

Gauge for Doka express anchor 16x125mm Lehre Doka-Expressanker 16x125mm	0.03	588632000
---	------	------------------




Black
Length: 3 cm
Diameter: 2 cm

	[kg]	Article n°
Frami bracket 60 Frami-Konsole 60	7.7	588442000



Galvanised
Length: 98 cm
Height: 157 cm

Bracket planking 60/270cm Konsolenbelag 60/270cm	52.5	583030000
--	------	------------------



Steel parts galvanised
Timber parts varnished yellow

Bracket railing 240-270cm Konsolengeländer 240-270cm	22.5	583032000
--	------	------------------



Galvanised

Handrail post XP 1.20m Geländersteher XP 1,20m	4.1	586460000
--	-----	------------------



Galvanised
Height: 118 cm

Toeboard holder XP 1.20m Fußwehrhalter XP 1,20m	0.64	586461000
---	------	------------------



Galvanised
Height: 21 cm


Railing clamp XP 40cm Geländerzwinge XP 40cm	7.7	586456000
--	-----	------------------



Galvanised
Height: 73 cm

Protective grating XP 2.70x1.20m	22.2	586450000
Protective grating XP 2.50x1.20m	20.5	586451000
Protective grating XP 2.00x1.20m	17.4	586452000
Protective grating XP 1.20x1.20m	12.0	586453000
Schutzgitter XP		


Galvanised





Velcro fastener 30x380mm Klettverschluss 30x380mm	0.02	586470000
---	------	------------------





Yellow


	[kg]	Article n°
Frami adapter XP Frami-Adapter XP	10.0	586477000
 Galvanised Height: 91.5 cm		


Handrail clamp S Schutzgeländerzwinde S	11.5	580470000
 Galvanised Height: 123 - 171 cm		


Frami adjustment frame Frami-Standkonsole	14.3	588451000
 Galvanised Length: 103 cm Height: 94 - 143 cm		


Handrail post 1.00m Geländer 1,00m	3.8	584335000
 Galvanised Length: 124 cm		


Scaffold tube 48.3mm 0.50m	1.7	682026000
Scaffold tube 48.3mm 1.00m	3.6	682014000
Scaffold tube 48.3mm 1.50m	5.4	682015000
Scaffold tube 48.3mm 2.00m	7.2	682016000
Scaffold tube 48.3mm 2.50m	9.0	682017000
Scaffold tube 48.3mm 3.00m	10.8	682018000
Scaffold tube 48.3mm 3.50m	12.6	682019000
Scaffold tube 48.3mm 4.00m	14.4	682021000
Scaffold tube 48.3mm 4.50m	16.2	682022000
Scaffold tube 48.3mm 5.00m	18.0	682023000
Scaffold tube 48.3mm 5.50m	19.8	682024000
Scaffold tube 48.3mm 6.00m	21.6	682025000
Scaffold tube 48.3mmm	3.6	682001000
Gerüstrohr 48,3mm		
 Galvanised		


Scaffold tube connection Gerüstrohranschluss	0.27	584375000
 Galvanised Height: 7 cm		


Screw-on coupler 48mm 50 Anschraubkupplung 48mm 50	0.84	682002000
 Galvanised Width-across: 22 mm Follow fitting instructions!		


Frami frame hole plug Frami-Ankerstopfen	0.002	588444000
 Blue Diameter: 2.5 cm		


	[kg]	Article n°
Frami plug Frami-Abdeckstopfen	0.003	588445000
 Yellow Diameter: 2 cm		


Framax triangular ledge 2.70m Framax-Dreikantleiste 2,70m	0.38	588170000
		


Frami frontal triangular ledge 2.70m Frami frontal triangular ledge 3.00m Frami-Stirndreikantleiste	1.5 1.7	588496000 588497000
 Grey		


Box-out clamp 24cm Box-out clamp 25cm Box-out clamp 30cm Ausparungsklemme	3.3 3.4 3.8	580063000 580064000 580065000
 Galvanised Leg length: 10 cm		


Box-out clamp type 1cm Box-out clamp type 2cm Ausparungsklemmecm	20.0 17.4	580066000 580067000
 Painted blue Leg length: 10 cm		

Frami tie-holder bracket Frami-Ankerhaltewinkel	0.58	588453000
 Galvanised		

Frami flat tie rod 10-80cm Frami-Flachanker 10-80cm	2.1	588475000
 Galvanised Length: 97 cm		

Frami clip Frami-Stecker	0.26	588434000
 Galvanised Width: 3 cm Height: 12 cm		


Frami floor fixing plate Frami-Bodenhalter	0.53	588495000
 Galvanised Length: 12.7 cm Width: 6.7 cm		

Frami foundation clamp Frami-Fundamentspanner	1.6	588452000
 Galvanised Height: 9 cm		

Doka perforated tape 50x2.0mm 25m 17.0 **588206000**
 Doka-Lochband 50x2,0mm 25m



Supporting construction 10.7 **588477000**
 Abstützwinkel



Galvanised
 Length: 66 cm
 Width: 37 cm
 Height: 91 cm

Doka 4-part chain 3.20m 15.0 **588620000**
 Doka-Vierstrangkette 3,20m



Follow the directions in the
 "Operating Instructions"!

CE

Frami transport hook 0.56 **588494000**
 Frami-Transporthaken



Galvanised
 Length: 17.5 cm
 Follow the directions in the
 "Operating Instructions"!

CE

Dokamatic lifting strap 13.00m 10.5 **586231000**
 Dokamatic-Umsetzgurt 13,00m



Green
 Follow the directions in the
 "Operating Instructions"!

CE

Double scraper Xlife 100/150mm 1.40m 2.8 **588674000**
 Doppelschaber Xlife 100/150mm 1,40m




Wheel-around scaffold DF 44.0 **586157000**
 Mobilgerüst DF



Aluminium
 Length: 185 cm
 Width: 80 cm
 Height: 255 cm
 Delivery condition: folded
 closed

Wheel-around scaffold DF accessory set 13.3 **586164000**
 Zubehörset Mobilgerüst DF



Aluminium
 Timber parts varnished yellow
 Length: 189 cm