	[kg]	Article n°

Cantilever bracket D15 K 136.4 **580630000**
Sperrenkonsole D15 K



Painted blue
Width: 166 cm
Delivery condition: railing included

Cantilever bracket D15/3 170.0 **580631000**
Sperrenkonsole D15/3



Painted blue
Width: 215 cm
Delivery condition: railing included

Retraction set D15 21.0 **580637000**
Rückfahrset D15

Galvanised
Length: 114 cm

Vertical waling D15 3.00m U120 87.6 **580632000**
Vertical waling D15 3.50m U140 119.7 **580638000**
Sperrenriegel D15

Painted blue



Spindle strut D15 3.00m 38.0 **580633000**
Spindelstrebe D15 3,00m

Painted blue
Length: 211 - 252 cm

Swivel bearing plate D15 20.8 **580634000**
Gelenkaufsatz D15

Painted blue
Length: 43.5 cm
Height: 22.8 cm

Swivel bearing plate D15 S 18.5 **580635000**
Gelenkaufsatz D15 S

Painted blue
Length: 36.8 cm
Height: 22.4 cm

	[kg]	Article n°

Suspension profile D15/D22 28.6 **580621000**
Hängeprofil D15/D22

Galvanised
Height: 260 cm

Screw-on access bracket MF75 19.0 **580669000**
Anschraubbühne MF75

Galvanised
Length: 113 cm
Height: 152 cm

Manhole B 70/60cm 22.0 **581530000**
Bühnendurchstieg B 70/60cm



Steel parts galvanised
Timber parts varnished yellow
Length: 81 cm
Width: 71 cm

Swivel plate MF 4.5 **580672000**
Schwenkplatte MF

Galvanised
Length: 29 cm
Height: 20 cm

Handrail clamp S 11.5 **580470000**
Schutzgeländerzwinge S

Galvanised
Height: 123 - 171 cm

Wind bracing MF/150F/K 6.00m 4.7 **580665000**
Windabspannung MF/150F/K 6,00m

Galvanised



Waling-to-bracket holder 9-15cm 2.7 **580625000**
Riegelhalter 9-15cm

Galvanised

Framax supporting construct. frame bolt 36cm 0.62 **580505000**
Framax-Bockschraube 36cm

Galvanised

Starter block unit D15 48.2 **580636000**
Grundblockriegel D15

Painted blue
Length: 145 cm



	[kg]	Article n°
Anchor waling 1.95m	76.3	**580545000**
Anchor waling 2.95m	110.0	**580546000**

Ankerriegel



Painted blue

	[kg]	Article n°
Scaffold tube 48.3mm 0.50m	1.7	**682026000**
Scaffold tube 48.3mm 1.00m	3.6	**682014000**
Scaffold tube 48.3mm 1.50m	5.4	**682015000**
Scaffold tube 48.3mm 2.00m	7.2	**682016000**
Scaffold tube 48.3mm 2.50m	9.0	**682017000**
Scaffold tube 48.3mm 3.00m	10.8	**682018000**
Scaffold tube 48.3mm 3.50m	12.6	**682019000**
Scaffold tube 48.3mm 4.00m	14.4	**682021000**
Scaffold tube 48.3mm 4.50m	16.2	**682022000**
Scaffold tube 48.3mm 5.00m	18.0	**682023000**
Scaffold tube 48.3mm 5.50m	19.8	**682024000**
Scaffold tube 48.3mm 6.00m	21.6	**682025000**
Scaffold tube 48.3mm .....m	3.6	**682001000**

Gerüstrohr 48,3mm

Galvanised



	[kg]	Article n°
Screw-on coupler 48mm 50	0.84	**682002000**
Screw-on coupler 48mm 95	0.88	**586013000**

Anschraubkupplung



Galvanised
Width-across: 22 mm
Follow fitting instructions!

	[kg]	Article n°
Swivel coupler 48mm	1.5	**582560000**

Drehkupplung 48mm

Galvanised
Width-across: 22 mm
Follow fitting instructions!

	[kg]	Article n°
Screw-on coupler 48mm 135	0.92	**582892000**

Anschraubkupplung 48mm 135

Galvanised
Width-across: 22 mm
Follow fitting instructions!

	[kg]	Article n°
Lifting beam 110kN 6.00m	136.5	**586359000**

Umsetzbalken 110kN 6,00m

Galvanised
Length: 626 cm
Follow the directions in the "Operating Instructions"!

CE

	[kg]	Article n°
Warning sign "No entry" 300x300mm	0.70	**581575000**

Verbotsschild "Zutritt Verboten" 300x300mm

	[kg]	Article n°
Doka personal fall-arrest set	3.6	**583022000**

Doka-Auffanggurt

Follow the directions in the "Operating Instructions"!

CE

	[kg]	Article n°
Ratchet MF 3/4" SW50	3.8	**580648000**

Antriebsknarre MF 3/4" SW50

Galvanised

	[kg]	Article n°
Tool box GF	6.5	**580390000**

GF-Werkzeugbox
included in scope of supply:

(A)	**Reversible ratchet 1/2"** Galvanised Length: 30 cm	0.73	**580580000**
(B)	**Fork wrench 13/17**	0.08	**580577000**
(C)	**Fork wrench 22/24**	0.22	**580587000**
(D)	**Fork wrench 30/32**	0.80	**580897000**
(E)	**Ring spanner 17/19**	0.27	**580590000**
(F)	**Extension 11cm 1/2"**	0.20	**580581000**
(G)	**Extension 22cm 1/2"**	0.31	**580582000**
(H)	**Universal joint coupling 1/2"**	0.16	**580583000**
(I)	**Box nut 19 1/2" L**	0.16	**580598000**
(J)	**Box nut 13 1/2"**	0.06	**580576000**
(K)	**Box nut 24 1/2"**	0.12	**580584000**
(L)	**Box nut 30 1/2"**	0.20	**580575000**



	[kg]	Article n°
Additional tools MF	4.1	**580682000**

Zusatzwerkzeuge MF
consisting of:

(A)	**Reversible ratchet 3/4"** Galvanised Length: 50 cm	1.5	**580894000**
(B)	**Box nut 17 1/2"**	0.07	**580685000**
(C)	**Box nut 50 3/4"**	0.81	**581449000**
(D)	**Extension 20cm 3/4"**	0.68	**580683000**
(E)	**Transition piece A 1/2"x3/4"**	0.18	**580684000**
(F)	**Universal cone spanner 15.0/20.0** Galvanised Length: 9 cm Width-across: 50 mm	0.90	**581448000**



	[kg]	Article n°
Mounting tool for form-ply protector	0.96	**580222000**

Montagewerkzeug Schalhautschutz



Galvanised
Width: 12 cm
Height: 12 cm

	[kg]	Article n°

Cantilever bracket D22 K 190.0 **580610000**
Sperrenkonsole D22 K



Painted blue
Width: 189 cm
Delivery condition: railing included

Cantilever bracket D22 F 203.0 **580611000**
Sperrenkonsole D22 F



Painted blue
Width: 237 cm
Delivery condition: railing included

Vertical waling D22 3.00m U160 115.5 **580613000**
Vertical waling D22 4.00m U160 154.5 **580615000**
Sperrenriegel D



Painted blue

Spindle strut D22 3.00m 52.6 **580616000**
Spindelstrebe D22 3,00m



Painted blue
Length: 215 - 258 cm

Spindle strut D22 4.00m 55.4 **580617000**
Spindelstrebe D22 4,00m

Painted blue
Length: 258 - 301 cm

Swivel bearing plate D22 30.0 **580618000**
Gelenkaufsatz D22

Painted blue
Length: 52 cm
Height: 27 cm

Swivel bearing plate D22 S 26.0 **580624000**
Gelenkaufsatz D22 S

Painted blue
Length: 45 cm
Height: 27 cm

	[kg]	Article n°

Screw-on handrail post 1.50m 10.0 **540451080**
Anschraubgeländer 1,50m



Galvanised

Handrail clamp S 11.5 **580470000**
Schutzgeländerzwinge S

Galvanised
Height: 123 - 171 cm

Suspension profile D15/D22 28.6 **580621000**
Hängeprofil D15/D22

Galvanised
Height: 260 cm

Screw-on access bracket MF75 19.0 **580669000**
Anschraubbühne MF75

Galvanised
Length: 113 cm
Height: 152 cm

Swivel plate MF 4.5 **580672000**
Schwenkplatte MF

Galvanised
Length: 29 cm
Height: 20 cm

Wind bracing MF/150F/K 6.00m 4.7 **580665000**
Windabspannung MF/150F/K 6,00m



Galvanised

Starter block unit D22 80.0 **580622000**
Grundblockriegel D22



Painted blue
Length: 147 cm

Anchor waling 1.95m 76.3 **580545000**
Anchor waling 2.95m 110.0 **580546000**
Ankerriegel



Painted blue

	[kg]	Article n°

Travelling profile D22 20.0 **580619000**
Fahrprofil D22



Galvanised
Length: 114 cm

Waling-to-bracket holder 9-24cm 2.9 **580639000**
Riegelhalter 9-24cm

Galvanised

Scaffold tube 48.3mm 0.50m	1.7	**682026000**
Scaffold tube 48.3mm 1.00m	3.6	**682014000**
Scaffold tube 48.3mm 1.50m	5.4	**682015000**
Scaffold tube 48.3mm 2.00m	7.2	**682016000**
Scaffold tube 48.3mm 2.50m	9.0	**682017000**
Scaffold tube 48.3mm 3.00m	10.8	**682018000**
Scaffold tube 48.3mm 3.50m	12.6	**682019000**
Scaffold tube 48.3mm 4.00m	14.4	**682021000**
Scaffold tube 48.3mm 4.50m	16.2	**682022000**
Scaffold tube 48.3mm 5.00m	18.0	**682023000**
Scaffold tube 48.3mm 5.50m	19.8	**682024000**
Scaffold tube 48.3mm 6.00m	21.6	**682025000**
Scaffold tube 48.3mm .....m	3.6	**682001000**

Gerüstrohr 48,3mm

Galvanised



Screw-on coupler 48mm 50 0.84 **682002000**
Screw-on coupler 48mm 95 0.88 **586013000**
Anschraubkupplung



Galvanised
Width-across: 22 mm
Follow fitting instructions!

Screw-on coupler 48mm 135 0.92 **582892000**
Anschraubkupplung 48mm 135

Galvanised
Width-across: 22 mm
Follow fitting instructions!

Swivel coupler 48mm 1.5 **582560000**
Drehkupplung 48mm

Galvanised
Width-across: 22 mm
Follow fitting instructions!

Lifting beam 110kN 6.00m 136.5 **586359000**
Umsetzbalken 110kN 6,00m



Galvanised
Length: 626 cm
Follow the directions in the "Operating Instructions"!

CE

Warning sign "No entry" 300x300mm 0.70 **581575000**
Verbotsschild "Zutritt Verboten" 300x300mm

Ratchet MF 3/4" SW50 3.8 **580648000**
Antriebsknarre MF 3/4" SW50

Galvanised

	[kg]	Article n°

Tool box GF 6.5 **580390000**
GF-Werkzeugbox
included in scope of supply:

(A)	**Reversible ratchet 1/2"** Galvanised Length: 30 cm	0.73	**580580000**
(B)	**Fork wrench 13/17**	0.08	**580577000**
(C)	**Fork wrench 22/24**	0.22	**580587000**
(D)	**Fork wrench 30/32**	0.80	**580897000**
(E)	**Ring spanner 17/19**	0.27	**580590000**
(F)	**Extension 11cm 1/2"**	0.20	**580581000**
(G)	**Extension 22cm 1/2"**	0.31	**580582000**
(H)	**Universal joint coupling 1/2"**	0.16	**580583000**
(I)	**Box nut 19 1/2" L**	0.16	**580598000**
(J)	**Box nut 13 1/2"**	0.06	**580576000**
(K)	**Box nut 24 1/2"**	0.12	**580584000**
(L)	**Box nut 30 1/2"**	0.20	**580575000**



Additional tools MF 4.1 **580682000**
Zusatzwerkzeuge MF
consisting of:

(A)	**Reversible ratchet 3/4"** Galvanised Length: 50 cm	1.5	**580894000**
(B)	**Box nut 17 1/2"**	0.07	**580685000**
(C)	**Box nut 50 3/4"**	0.81	**581449000**
(D)	**Extension 20cm 3/4"**	0.68	**580683000**
(E)	**Transition piece A 1/2"x3/4"**	0.18	**580684000**
(F)	**Universal cone spanner 15.0/20.0** Galvanised Length: 9 cm Width-across: 50 mm	0.90	**581448000**



Form-ply protector 32mm 0.38 **580220000**
Schalhautschutz 32mm



Galvanised
Width-across: 70 mm

Mounting tool for form-ply protector 0.96 **580222000**
Montagewerkzeug Schalhautschutz



Galvanised
Width: 12 cm
Height: 12 cm

	[kg]	Article n°
Horizontal profile D35 Horizontalprofil D35 Painted blue Length: 282 cm	205.8	**583170000**
Vertical profile D35 Vertikalprofil D35 Painted blue Height: 350 cm	122.6	**583171000**
Pressure strut D35 Druckstrebe D35 Painted blue Height: 350 cm	97.0	**583172000**
Vertical waling D35 5.00m Sperrenriegel D35 5,00m Painted blue Width: 102 cm Height: 495 cm	411.4	**583174000**
Strut shoe D35 Strebenschuh D35 Painted blue Width: 32 cm Height: 44 cm	32.2	**583176000**
Spindle strut D35 5.00m Spindelstrebe D35 5,00m Painted blue Length: 229-269 cm	118.9	**583175000**
Strengthening profile D35 Verstärkungsprofil D35 Painted blue Length: 111 cm	17.2	**583179000**

	[kg]	Article n°
Swivel bearing plate D35 Gelenkaufsatz D35 Painted blue Length: 62 cm Height: 37 cm	65.2	**583173000**
Screw-on handrail post 1.50m Anschraubgeländer 1,50m Galvanised	10.0	**540451080**
Handrail clamp S Schutzgeländerzwinge S Galvanised Height: 123 - 171 cm	11.5	**580470000**
Suspension profile D15/D22 Hängeprofil D15/D22 Galvanised Height: 260 cm	28.6	**580621000**
Screw-on access bracket MF75 Anschraubbühne MF75 Galvanised Length: 113 cm Height: 152 cm	19.0	**580669000**
Swivel plate MF Schwenkplatte MF Galvanised Length: 29 cm Height: 20 cm	4.5	**580672000**
Waling-to-bracket holder 9-24cm Riegelhalter 9-24cm Galvanised	2.9	**580639000**
Framax supporting construct. frame bolt 36cm Framax-Bockschraube 36cm Galvanised	0.62	**580505000**

	[kg]	Article n°
Scaffold tube 48.3mm 0.50m	1.7	**682026000**
Scaffold tube 48.3mm 1.00m	3.6	**682014000**
Scaffold tube 48.3mm 1.50m	5.4	**682015000**
Scaffold tube 48.3mm 2.00m	7.2	**682016000**
Scaffold tube 48.3mm 2.50m	9.0	**682017000**
Scaffold tube 48.3mm 3.00m	10.8	**682018000**
Scaffold tube 48.3mm 3.50m	12.6	**682019000**
Scaffold tube 48.3mm 4.00m	14.4	**682021000**
Scaffold tube 48.3mm 4.50m	16.2	**682022000**
Scaffold tube 48.3mm 5.00m	18.0	**682023000**
Scaffold tube 48.3mm 5.50m	19.8	**682024000**
Scaffold tube 48.3mm 6.00m	21.6	**682025000**
Scaffold tube 48.3mm .....m	3.6	**682001000**

Gerüstrohr 48,3mm



Galvanised

Screw-on coupler 48mm 50	0.84	**682002000**
Screw-on coupler 48mm 95	0.88	**586013000**

Anschraubkupplung



Galvanised
Width-across: 22 mm
Follow fitting instructions!

Swivel coupler 48mm	1.5	**582560000**

Drehkupplung 48mm

Galvanised
Width-across: 22 mm
Follow fitting instructions!

Lifting beam 110kN 6.00m	136.5	**586359000**

Umsetzbalken 110kN 6,00m

Galvanised
Length: 626 cm
Follow the directions in the "Operating Instructions"!

CE

Warning sign "No entry" 300x300mm	0.70	**581575000**

Verbotsschild "Zutritt Verboten" 300x300mm

Doka personal fall-arrest set	3.6	**583022000**

Doka-Auffanggurt

Follow the directions in the "Operating Instructions"!

CE

	[kg]	Article n°
Tool box GF	6.5	**580390000**

GF-Werkzeugbox
included in scope of supply:

(A)	**Reversible ratchet 1/2"** Galvanised Length: 30 cm	0.73	**580580000**
(B)	**Fork wrench 13/17**	0.08	**580577000**
(C)	**Fork wrench 22/24**	0.22	**580587000**
(D)	**Fork wrench 30/32**	0.80	**580897000**
(E)	**Ring spanner 17/19**	0.27	**580590000**
(F)	**Extension 11cm 1/2"**	0.20	**580581000**
(G)	**Extension 22cm 1/2"**	0.31	**580582000**
(H)	**Universal joint coupling 1/2"**	0.16	**580583000**
(I)	**Box nut 19 1/2" L**	0.16	**580598000**
(J)	**Box nut 13 1/2"**	0.06	**580576000**
(K)	**Box nut 24 1/2"**	0.12	**580584000**
(L)	**Box nut 30 1/2"**	0.20	**580575000**



Additional tools MF	4.1	**580682000**

Zusatzwerkzeuge MF
consisting of:

(A)	**Reversible ratchet 3/4"** Galvanised Length: 50 cm	1.5	**580894000**
(B)	**Box nut 17 1/2"**	0.07	**580685000**
(C)	**Box nut 50 3/4"**	0.81	**581449000**
(D)	**Extension 20cm 3/4"**	0.68	**580683000**
(E)	**Transition piece A 1/2"x3/4"**	0.18	**580684000**
(F)	**Universal cone spanner 15.0/20.0** Galvanised Length: 9 cm Width-across: 50 mm	0.90	**581448000**



Box nut 55 3/4"	1.4	**581659000**

Stecknuss 55 3/4"

chrome-plated
Length: 8 cm
Width-across: 55 mm

Cone spanner SCP 20.0	1.42.3	**581657000**

Konusschlüssel SCP 20,0

Galvanised
Length: 7 cm