



	[kg]	Article n°
Cantilever bracket D12 Sperrkonsole D12	81.9	583185000
	Painted blue Width: 167 cm	

Vertical waling D12 2.00m Sperrriegel D12 2,00m	79.7	583188000
	Painted blue	

Spindle strut D12 2.00m Spindelstrebe D12 2,00m	34.5	583186000
	Painted blue Length: 170-207 cm	

Spindle strut D15 3.00m Spindelstrebe D15 3,00m	38.0	580633000
	Painted blue Length: 211 - 252 cm	

Swivel bearing plate D12 Gelenkaufsatz D12	23.7	583187000
	Painted blue Length: 33 cm Height: 22 cm	


Screw-on handrail post 1.50m Anschraubgeländer 1,50m	10.0	540451080
	Galvanised	

Handrail clamp S Schutzgeländerzwinge S	11.5	580470000
	Galvanised Height: 123 - 171 cm	

Suspension profile D15/D22 Hängeprofil D15/D22	28.6	580621000
	Galvanised Height: 260 cm	

Screw-on access bracket MF75 Anschraubbühne MF75	19.0	580669000
	Galvanised Length: 113 cm Height: 152 cm	


Swivel plate MF Schwenkplatte MF	4.5	580672000
	Galvanised Length: 29 cm Height: 20 cm	


Wind bracing MF/150F/K 6.00m Windabspannung MF/150F/K 6,00m	4.7	580665000
	Galvanised	

Waling-to-bracket holder 9-15cm Riegelhalter 9-15cm	2.7	580625000
	Galvanised	

Framax supporting construct. frame bolt 36cm Framax-Bockschraube 36cm	0.62	580505000
	Galvanised	

Scaffold tube 48.3mm 0.50m	1.7	682026000
Scaffold tube 48.3mm 1.00m	3.6	682014000
Scaffold tube 48.3mm 1.50m	5.4	682015000
Scaffold tube 48.3mm 2.00m	7.2	682016000
Scaffold tube 48.3mm 2.50m	9.0	682017000
Scaffold tube 48.3mm 3.00m	10.8	682018000
Scaffold tube 48.3mm 3.50m	12.6	682019000
Scaffold tube 48.3mm 4.00m	14.4	682021000
Scaffold tube 48.3mm 4.50m	16.2	682022000
Scaffold tube 48.3mm 5.00m	18.0	682023000
Scaffold tube 48.3mm 5.50m	19.8	682024000
Scaffold tube 48.3mm 6.00m	21.6	682025000
Scaffold tube 48.3mmm	3.6	682001000
Gerüstrohr 48,3mm		

	Galvanised	
---	------------	--

Screw-on coupler 48mm 50	0.84	682002000
Screw-on coupler 48mm 95	0.88	586013000
Anschraubkupplung		
	Galvanised Width-across: 22 mm Follow fitting instructions!	


	[kg]	Article n°
Screw-on coupler 48mm 135 Anschraubkupplung 48mm 135	0.92	582892000
	Galvanised Width-across: 22 mm Follow fitting instructions!	

Swivel coupler 48mm Drehkupplung 48mm	1.5	582560000
	Galvanised Width-across: 22 mm Follow fitting instructions!	


Warning sign "No entry" 300x300mm Verbotsschild "Zutritt Verboten" 300x300mm	0.70	581575000
		


Doka personal fall-arrest set Doka-Auffanggurt	3.6	583022000
	Follow the directions in the "Operating Instructions"!	CE


Tool box GF GF-Werkzeugbox	6.5	580390000
included in scope of supply:		
(A) Reversible ratchet 1/2" Galvanised Length: 30 cm	0.73	580580000
(B) Fork wrench 13/17	0.08	580577000
(C) Fork wrench 22/24	0.22	580587000
(D) Fork wrench 30/32	0.80	580897000
(E) Ring spanner 17/19	0.27	580590000
(F) Extension 11cm 1/2"	0.20	580581000
(G) Extension 22cm 1/2"	0.31	580582000
(H) Universal joint coupling 1/2"	0.16	580583000
(I) Box nut 19 1/2" L	0.16	580598000
(J) Box nut 13 1/2"	0.06	580576000
(K) Box nut 24 1/2"	0.12	580584000
(L) Box nut 30 1/2"	0.20	580575000




Additional tools MF Zusatzwerkzeuge MF	4.1	580682000
consisting of:		
(A) Reversible ratchet 3/4" Galvanised Length: 50 cm	1.5	580894000
(B) Box nut 17 1/2"	0.07	580685000
(C) Box nut 50 3/4"	0.81	581449000
(D) Extension 20cm 3/4"	0.68	580683000
(E) Transition piece A 1/2"x3/4"	0.18	580684000
(F) Universal cone spanner 15.0/20.0 Galvanised Length: 9 cm Width-across: 50 mm	0.90	581448000



Mounting tool for form-ply protector Montagewerkzeug Schalhautschutz	0.96	580222000
	Galvanised Width: 12 cm Height: 12 cm	

	[kg]	Article n°
Cantilever bracket D15 K Sperrkonsole D15 K	136.4	580630000
	Painted blue Width: 166 cm Delivery condition: railing included	

Cantilever bracket D15/3 Sperrkonsole D15/3	170.0	580631000
	Painted blue Width: 215 cm Delivery condition: railing included	

Retraction set D15 Rückfahrset D15	21.0	580637000
	Galvanised Length: 114 cm	

Vertical waling D15 3.00m U120 Vertical waling D15 3.50m U140 Sperrriegel D15	87.6 119.7	580632000 580638000
	Painted blue	


Spindle strut D15 3.00m Spindelstrebe D15 3,00m	38.0	580633000
	Painted blue Length: 211 - 252 cm	

Swivel bearing plate D15 Gelenkaufsatz D15	20.8	580634000
	Painted blue Length: 43.5 cm Height: 22.8 cm	

Swivel bearing plate D15 S Gelenkaufsatz D15 S	18.5	580635000
	Painted blue Length: 36.8 cm Height: 22.4 cm	


Suspension profile D15/D22 Hängeprofil D15/D22	28.6	580621000
	Galvanised Height: 260 cm	

Screw-on access bracket MF75 Anschräubbühne MF75	19.0	580669000
	Galvanised Length: 113 cm Height: 152 cm	

Manhole B 70/60cm Bühnendurchstieg B 70/60cm	22.0	581530000
	Steel parts galvanised Timber parts varnished yellow Length: 81 cm Width: 71 cm	


Swivel plate MF Schwenkplatte MF	4.5	580672000
	Galvanised Length: 29 cm Height: 20 cm	

Handrail clamp S Schutzgeländerzwinge S	11.5	580470000
	Galvanised Height: 123 - 171 cm	


Wind bracing MF/150F/K 6.00m Windabspannung MF/150F/K 6,00m	4.7	580665000
	Galvanised	

Waling-to-bracket holder 9-15cm Riegelhalter 9-15cm	2.7	580625000
	Galvanised	

Framax supporting construct. frame bolt 36cm Framax-Bockschraube 36cm	0.62	580505000
	Galvanised	


Starter block unit D15 Grundblockriegel D15	48.2	580636000
	Painted blue Length: 145 cm	

	[kg]	Article n°
Anchor waling 1.95m	76.3	580545000
Anchor waling 2.95m	110.0	580546000
Ankerriegel		




Painted blue

Scaffold tube 48.3mm 0.50m	1.7	682026000
Scaffold tube 48.3mm 1.00m	3.6	682014000
Scaffold tube 48.3mm 1.50m	5.4	682015000
Scaffold tube 48.3mm 2.00m	7.2	682016000
Scaffold tube 48.3mm 2.50m	9.0	682017000
Scaffold tube 48.3mm 3.00m	10.8	682018000
Scaffold tube 48.3mm 3.50m	12.6	682019000
Scaffold tube 48.3mm 4.00m	14.4	682021000
Scaffold tube 48.3mm 4.50m	16.2	682022000
Scaffold tube 48.3mm 5.00m	18.0	682023000
Scaffold tube 48.3mm 5.50m	19.8	682024000
Scaffold tube 48.3mm 6.00m	21.6	682025000
Scaffold tube 48.3mmm	3.6	682001000
Gerüstrohr 48,3mm		



Galvanised

Screw-on coupler 48mm 50	0.84	682002000
Screw-on coupler 48mm 95	0.88	586013000
Anschraubkupplung		



Galvanised

Width-across: 22 mm

Follow fitting instructions!

Swivel coupler 48mm	1.5	582560000
Drehkupplung 48mm		



Galvanised

Width-across: 22 mm

Follow fitting instructions!

Screw-on coupler 48mm 135	0.92	582892000
Anschraubkupplung 48mm 135		



Galvanised

Width-across: 22 mm

Follow fitting instructions!

Lifting beam 110kN 6.00m	136.5	586359000
Umsetzbalken 110kN 6,00m		



Galvanised

Length: 626 cm

Follow the directions in the "Operating Instructions"!



Warning sign "No entry" 300x300mm	0.70	581575000
Verbotsschild "Zutritt Verboten" 300x300mm		



Doka personal fall-arrest set	3.6	583022000
Doka-Auffanggurt		



Follow the directions in the "Operating Instructions"!



	[kg]	Article n°
Ratchet MF 3/4" SW50	3.8	580648000
Antriebsknarre MF 3/4" SW50		

Galvanised




Tool box GF	6.5	580390000
--------------------	-----	------------------

GF-Werkzeugbox

included in scope of supply:

(A) Reversible ratchet 1/2"	0.73	580580000
Galvanised		
Length: 30 cm		
(B) Fork wrench 13/17	0.08	580577000
(C) Fork wrench 22/24	0.22	580587000
(D) Fork wrench 30/32	0.80	580897000
(E) Ring spanner 17/19	0.27	580590000
(F) Extension 11cm 1/2"	0.20	580581000
(G) Extension 22cm 1/2"	0.31	580582000
(H) Universal joint coupling 1/2"	0.16	580583000
(I) Box nut 19 1/2" L	0.16	580598000
(J) Box nut 13 1/2"	0.06	580576000
(K) Box nut 24 1/2"	0.12	580584000
(L) Box nut 30 1/2"	0.20	580575000




Additional tools MF	4.1	580682000
----------------------------	-----	------------------

Zusatzwerkzeuge MF

consisting of:

(A) Reversible ratchet 3/4"	1.5	580894000
Galvanised		
Length: 50 cm		
(B) Box nut 17 1/2"	0.07	580685000
(C) Box nut 50 3/4"	0.81	581449000
(D) Extension 20cm 3/4"	0.68	580683000
(E) Transition piece A 1/2"x3/4"	0.18	580684000
(F) Universal cone spanner 15.0/20.0	0.90	581448000
Galvanised		
Length: 9 cm		
Width-across: 50 mm		




Mounting tool for form-ply protector	0.96	580222000
---	------	------------------







Montagewerkzeug Schalhautschutz



Galvanised

Width: 12 cm


Height: 12 cm




	[kg]	Article n°			
Cantilever bracket D22 K Sperrkonsole D22 K 	190.0	580610000	Painted blue Width: 189 cm Delivery condition: railing in- cluded	Screw-on handrail post 1.50m Anschraubgeländer 1,50m 	10.0 540451080 Galvanised
Cantilever bracket D22 F Sperrkonsole D22 F 	203.0	580611000	Painted blue Width: 237 cm Delivery condition: railing in- cluded	Handrail clamp S Schutzgeländerzwinge S 	11.5 580470000 Galvanised Height: 123 - 171 cm
Vertical waling D22 3.00m U160 Vertical waling D22 4.00m U160 Sperrriegel D 	115.5 580613000 154.5 580615000		Painted blue	Suspension profile D15/D22 Hängeprofil D15/D22 	28.6 580621000 Galvanised Height: 260 cm
Spindle strut D22 3.00m Spindelstrebe D22 3,00m 	52.6	580616000	Painted blue Length: 215 - 258 cm	Screw-on access bracket MF75 Anschraubbühne MF75 	19.0 580669000 Galvanised Length: 113 cm Height: 152 cm
Spindle strut D22 4.00m Spindelstrebe D22 4,00m 	55.4	580617000	Painted blue Length: 258 - 301 cm	Swivel plate MF Schwenkplatte MF 	4.5 580672000 Galvanised Length: 29 cm Height: 20 cm
Swivel bearing plate D22 Gelenkaufsatz D22 	30.0	580618000	Painted blue Length: 52 cm Height: 27 cm	Wind bracing MF/150F/K 6.00m Windabspannung MF/150F/K 6,00m 	4.7 580665000 Galvanised
Swivel bearing plate D22 S Gelenkaufsatz D22 S 	26.0	580624000	Painted blue Length: 45 cm Height: 27 cm	Starter block unit D22 Grundblockriegel D22 	80.0 580622000 Painted blue Length: 147 cm
				Anchor waling 1.95m Anchor waling 2.95m Ankerriegel 	76.3 580545000 110.0 580546000 Painted blue

	[kg]	Article n°
Travelling profile D22 Fahrrprofil D22	20.0	580619000
 Galvanised Length: 114 cm		
Waling-to-bracket holder 9-24cm Riegelhalter 9-24cm	2.9	580639000
 Galvanised		
Scaffold tube 48.3mm 0.50m	1.7	682026000
Scaffold tube 48.3mm 1.00m	3.6	682014000
Scaffold tube 48.3mm 1.50m	5.4	682015000
Scaffold tube 48.3mm 2.00m	7.2	682016000
Scaffold tube 48.3mm 2.50m	9.0	682017000
Scaffold tube 48.3mm 3.00m	10.8	682018000
Scaffold tube 48.3mm 3.50m	12.6	682019000
Scaffold tube 48.3mm 4.00m	14.4	682021000
Scaffold tube 48.3mm 4.50m	16.2	682022000
Scaffold tube 48.3mm 5.00m	18.0	682023000
Scaffold tube 48.3mm 5.50m	19.8	682024000
Scaffold tube 48.3mm 6.00m	21.6	682025000
Scaffold tube 48.3mmm Gerüstrohr 48,3mm	3.6	682001000
 Galvanised		
Screw-on coupler 48mm 50 Screw-on coupler 48mm 95 Anschraubkupplung	0.84 0.88	682002000 586013000
 Galvanised Width-across: 22 mm Follow fitting instructions!		
Screw-on coupler 48mm 135 Anschraubkupplung 48mm 135	0.92	582892000
 Galvanised Width-across: 22 mm Follow fitting instructions!		
Swivel coupler 48mm Drehkupplung 48mm	1.5	582560000
 Galvanised Width-across: 22 mm Follow fitting instructions!		
Lifting beam 110kN 6.00m Umsetzbalken 110kN 6,00m	136.5	586359000
 Galvanised Length: 626 cm Follow the directions in the "Operating Instructions"!		CE
Warning sign "No entry" 300x300mm Verbotsschild "Zutritt Verboten" 300x300mm	0.70	581575000
		
Ratchet MF 3/4" SW50 Antriebsknarre MF 3/4" SW50	3.8	580648000
 Galvanised		

	[kg]	Article n°
Tool box GF GF-Werkzeugbox included in scope of supply:	6.5	580390000
(A) Reversible ratchet 1/2" Galvanised Length: 30 cm	0.73	580580000
(B) Fork wrench 13/17	0.08	580577000
(C) Fork wrench 22/24	0.22	580587000
(D) Fork wrench 30/32	0.80	580897000
(E) Ring spanner 17/19	0.27	580590000
(F) Extension 11cm 1/2"	0.20	580581000
(G) Extension 22cm 1/2"	0.31	580582000
(H) Universal joint coupling 1/2"	0.16	580583000
(I) Box nut 19 1/2" L	0.16	580598000
(J) Box nut 13 1/2"	0.06	580576000
(K) Box nut 24 1/2"	0.12	580584000
(L) Box nut 30 1/2"	0.20	580575000




Additional tools MF Zusatzwerkzeuge MF consisting of:	4.1	580682000
(A) Reversible ratchet 3/4" Galvanised Length: 50 cm	1.5	580894000
(B) Box nut 17 1/2"	0.07	580685000
(C) Box nut 50 3/4"	0.81	581449000
(D) Extension 20cm 3/4"	0.68	580683000
(E) Transition piece A 1/2"x3/4"	0.18	580684000
(F) Universal cone spanner 15.0/20.0 Galvanised Length: 9 cm Width-across: 50 mm	0.90	581448000





Form-ply protector 32mm Schalhautschutz 32mm	0.38	580220000
 Galvanised Width-across: 70 mm		

Mounting tool for form-ply protector Montagewerkzeug Schalhautschutz	0.96	580222000
--	------	------------------




Galvanised
Width: 12 cm
Height: 12 cm

	[kg]	Article n°
Horizontal profile D35 Horizontalprofil D35  Painted blue Length: 282 cm	205.8	583170000
Vertical profile D35 Vertikalprofil D35  Painted blue Height: 350 cm	122.6	583171000
Pressure strut D35 Druckstrebe D35  Painted blue Height: 350 cm	97.0	583172000
Vertical waling D35 5.00m Sperrengerel D35 5,00m  Painted blue Width: 102 cm Height: 495 cm	411.4	583174000
Strut shoe D35 Strebenschuh D35  Painted blue Width: 32 cm Height: 44 cm	32.2	583176000
Spindle strut D35 5.00m Spindelstrebe D35 5,00m  Painted blue Length: 229-269 cm	118.9	583175000
Strengthening profile D35 Verstärkungsprofil D35  Painted blue Length: 111 cm	17.2	583179000


	[kg]	Article n°
Swivel bearing plate D35 Gelenkaufsatz D35  Painted blue Length: 62 cm Height: 37 cm	65.2	583173000
Screw-on handrail post 1.50m Anschraubgeländer 1,50m  Galvanised	10.0	540451080
Handrail clamp S Schutzgeländerzwinge S  Galvanised Height: 123 - 171 cm	11.5	580470000
Suspension profile D15/D22 Hängeprofil D15/D22  Galvanised Height: 260 cm	28.6	580621000
Screw-on access bracket MF75 Anschraubbühne MF75  Galvanised Length: 113 cm Height: 152 cm	19.0	580669000
Swivel plate MF Schwenkplatte MF  Galvanised Length: 29 cm Height: 20 cm	4.5	580672000
Waling-to-bracket holder 9-24cm Riegelhalter 9-24cm  Galvanised	2.9	580639000
Framax supporting construct. frame bolt 36cm Framax-Bockschraube 36cm  Galvanised	0.62	580505000

	[kg]	Article n°
Scaffold tube 48.3mm 0.50m	1.7	682026000
Scaffold tube 48.3mm 1.00m	3.6	682014000
Scaffold tube 48.3mm 1.50m	5.4	682015000
Scaffold tube 48.3mm 2.00m	7.2	682016000
Scaffold tube 48.3mm 2.50m	9.0	682017000
Scaffold tube 48.3mm 3.00m	10.8	682018000
Scaffold tube 48.3mm 3.50m	12.6	682019000
Scaffold tube 48.3mm 4.00m	14.4	682021000
Scaffold tube 48.3mm 4.50m	16.2	682022000
Scaffold tube 48.3mm 5.00m	18.0	682023000
Scaffold tube 48.3mm 5.50m	19.8	682024000
Scaffold tube 48.3mm 6.00m	21.6	682025000
Scaffold tube 48.3mmm	3.6	682001000
Gerüstrohr 48,3mm		

Galvanised



Screw-on coupler 48mm 50	0.84	682002000
Screw-on coupler 48mm 95	0.88	586013000
Anschraubkupplung		



Galvanised

Width-across: 22 mm

Follow fitting instructions!

Swivel coupler 48mm	1.5	582560000
Drehkupplung 48mm		



Galvanised

Width-across: 22 mm

Follow fitting instructions!

Lifting beam 110kN 6.00m	136.5	586359000
Umsetzbalken 110kN 6,00m		



Galvanised

Length: 626 cm

Follow the directions in the
"Operating Instructions"!



Warning sign "No entry" 300x300mm	0.70	581575000
Verbotsschild "Zutritt Verboten" 300x300mm		




Doka personal fall-arrest set	3.6	583022000
Doka-Auffanggurt		



Follow the directions in the
"Operating Instructions"!




Tool box GF	6.5	580390000
GF-Werkzeugbox		
included in scope of supply:		
(A) Reversible ratchet 1/2"	0.73	580580000
Galvanised		
Length: 30 cm		
(B) Fork wrench 13/17	0.08	580577000
(C) Fork wrench 22/24	0.22	580587000
(D) Fork wrench 30/32	0.80	580897000
(E) Ring spanner 17/19	0.27	580590000
(F) Extension 11cm 1/2"	0.20	580581000
(G) Extension 22cm 1/2"	0.31	580582000
(H) Universal joint coupling 1/2"	0.16	580583000
(I) Box nut 19 1/2" L	0.16	580598000
(J) Box nut 13 1/2"	0.06	580576000
(K) Box nut 24 1/2"	0.12	580584000
(L) Box nut 30 1/2"	0.20	580575000



Additional tools MF	4.1	580682000
Zusatzwerkzeuge MF		

consisting of:

(A) Reversible ratchet 3/4"	1.5	580894000
Galvanised		
Length: 50 cm		
(B) Box nut 17 1/2"	0.07	580685000
(C) Box nut 50 3/4"	0.81	581449000
(D) Extension 20cm 3/4"	0.68	580683000
(E) Transition piece A 1/2"x3/4"	0.18	580684000
(F) Universal cone spanner 15.0/20.0	0.90	581448000
Galvanised		
Length: 9 cm		
Width-across: 50 mm		



Box nut 55 3/4"	1.4	581659000
Stecknuss 55 3/4"		

chrome-plated

Length: 8 cm

Width-across: 55 mm



Cone spanner SCP 20.0	1.42.3	581657000
Konusschlüssel SCP 20,0		

Galvanised

Length: 7 cm

