







	[kg]	Article n°
DoKart plus DoKart plus	1448.0	586265500
(A) Brace stirrup 8 4 pcs. Galvanised Width: 19 cm Height: 46 cm Width-across: 30 mm	2.7	582751000
	Yellow	CE
	Length: 172 cm Width: 132 cm Height: 154 - 327 cm	
	Follow the directions in the "Operating Instructions"!	


Extension set for DoKart plus Auslegersatz DoKart plus	50.0	586266500
	Galvanised	
	Length: 120 cm	
	Follow the directions in the "Operating Instructions"!	


Shifting trolley DF Umsetzwagen DF included in scope of supply:	566.0	586080000
(A) Positioning lever for shifting trolley DF	6.0	586063000
(B) Brace stirrup 8 4 pcs. Galvanised Width: 19 cm Height: 46 cm Width-across: 30 mm	2.7	582751000
	Galvanised	CE
	Length: 181 cm Width: 130 cm Height: 154 - 303 cm	
	Follow the directions in the "Operating Instructions"!	


Extension for shifting trolley DF Ausleger für Umsetzwagen DF	40.0	586015000
	Galvanised	
	Length: 128.4 cm	
	Follow the directions in the "Operating Instructions"!	


Attachable drive unit DF Andockantrieb DF	512.0	586062000
	Painted blue	CE
	Length: 100 cm Width: 100 cm Height: 130 cm	
	Follow the directions in the "Operating Instructions"!	


Stacking frame DF Aufsatzrahmen DF	82.0	586079000
	Galvanised	
	Length: 134 cm Width: 130 cm Height: 75 cm	


	[kg]	Article n°
Transport fork DM 1.5t adjustable Umsetzgabel DM 1,5t verstellbar	1134.0	586233000
	Galvanised	CE
	Length: 634 cm Width: 245 cm Height: 507 cm	
	Delivery condition: folded closed Follow the directions in the "Operating Instructions"!	


Vertical extension DM 1.5t 3.30m Vertikalverlängerung DM 1,5t 3,30m	240.0	586235000
	Galvanised	
	Height: 352 cm	


Extension clamp H20 for fork 1.5t Aufsatzklemme H20 für Gabel 1,5t	4.5	586236000
	Galvanised	
	Height: 45 cm	

Extension profile H20 for fork 1.5t Aufsatzprofil H20 für Gabel 1,5t	34.1	586237000
	Galvanised	
	Length: 83 cm Height: 52 cm	

Lifting extension bracket DF 1t Ausleger DF 1t	263.0	586068000
	Galvanised	CE
	Length: 336 cm Width: 66 cm Height: 309 cm	
	Delivery condition: folded closed Follow the directions in the "Operating Instructions"!	

Transport fork DF 1t 0.90m Gabel DF 1t	220.0	586069000
	Galvanised	CE
	Length: 411 cm Height: 58 cm	
	Follow the directions in the "Operating Instructions"!	


Dokamatic lifting strap 13.00m Dokamatic-Umsetzgurt 13,00m	10.5	586231000
	Green	CE
	Follow the directions in the "Operating Instructions"!	

Lifting hook DF Umsetzbügel DF	5.9	586077000
	Galvanised	CE
	Length: 42 cm Width: 20 cm Height: 36 cm	
	Follow the directions in the "Operating Instructions"!	

[kg] Article n°


Table Lifting System TLS

Basic unit TLS 2336.0 **586301000**
Basiseinheit TLS




Length: 431 cm
Width: 242 cm
Height: 274 cm
Follow the directions in the
"Operating Instructions"!

Lifting platform TLS centre 3.00x1.60m 310.0 **586307000**
Hubbühne TLS mitte 3,00x1,60m




Height: 139 cm

Lifting platform TLS back 3.00x1.60m 376.0 **586308000**
Hubbühne TLS hinten 3,00x1,60m




Height: 139 cm

Protective grating TLS 1.80m 22.0 **586334000**
Schutzgitter TLS 1,80m




Galvanised
Length: 141 cm
Height: 121 cm

Protecting metal sheet TLS right 12.0 **586309000**
Protecting metal sheet TLS left 12.0 **586310000**
Schutzblech TLS



Painted yellow
Length: 85 cm
Width: 32 cm
Height: 73 cm

Lifting mast TLS 1.50m 82.0 **586328000**
Hubmast TLS 1,50m



Galvanised

Supporting profile TLS 5.15m 210.0 **586317000**
Abstützprofil TLS 5,15m




Galvanised

Pressure strut TLS 3.70m 70.0 **586318000**
Druckstrebe TLS 3,70m



Galvanised

Floor support TLS 0.40m 39.0 **586315000**
Deckenaufleger TLS 0,40m



Galvanised
Length: 72.5 cm
Width: 32.1 cm
Height: 22.3 cm

Adjusting device TLS 10.0 **586336000**
Justiereinheit TLS



Galvanised
Length: 42 cm
Width: 16 cm
Height: 16 cm

Cable routing TLS 2.0 **586333000**
Kabelführung TLS



Galvanised
Length: 35 cm

Lifting mast anchoring TLS cross bar 0.40m 92.0 **586329000**
Hubmastverankerung TLS Traverse 0,40m



Galvanised
Length: 450 cm

Lifting mast anchoring TLS wall 15.5 **586372000**
Hubmastverankerung TLS Wand



Galvanised
Length: 52 cm

Lifting mast anchoring TLS strut 22.0 **586331000**
Hubmastverankerung TLS Strebe



Galvanised
Length: 153.5 cm
Width: 50 cm

Lifting mast anchoring TLS mast connection 15.0 **586332000**
Hubmastverankerung TLS Mastanschluss



Galvanised
Length: 72.6 cm
Width: 66 cm

Base profile TLS 2.14m 28.0 **586312000**
Bodenprofil TLS 2,14m




Galvanised

[kg] Article n°
Strut for base profile TLS 11.8 **586313000**
Strebe für Bodenprofil TLS



Galvanised
Length: 257.3 cm

[kg] Article n°
Lifting cross-bar TLS 15.00m 64.0 **586373000**
Hebetraverse TLS 15,00m



Galvanised
Length: 189 cm

Beam for landing level safety gate TLS 0.40m 35.0 **586319000**
Träger für Etagentüre TLS 0,40m



Galvanised
Length: 344 cm


Lifting beam TLS 67kN 68.0 **586326500**
Hebeträger TLS 67kN



Galvanised
Length: 338 cm
Follow the directions in the
"Operating Instructions"!



Landing level safety gate TLS with handle 33.0 **586321000**
Etagentüre TLS mit Griff




Length: 153 cm
Height: 126 cm

Cable-reel set TLS 100.00m 133.0 **586371000**
Kabeltopfset TLS 100,00m



Galvanised
Height: 142 cm

Landing level safety gate TLS w. limit switch 32.0 **586322000**
Etagentüre TLS mit Endschalter



Length: 153 cm
Height: 126 cm


Doka 4-part chain 3.20m 15.0 **588620000**
Doka-Vierstrangkette 3,20m



Follow the directions in the
"Operating Instructions"!



Switch box TLS ground control 7.0 **586323000**
Schaltkasten TLS Bodensteuerung



Height: 53 cm

Switch box TLS landing level safety gate 7.0 **586324000**
Schaltkasten TLS Etagentüre



Height: 53 cm


Control cable TLS 20.0m blue 4.0 **586303000**
Control cable TLS 20.0m red 4.0 **586304000**
Steuerkabel TLS

Bar for limit switch TLS 5.0 **586325000**
Endschalterschiene TLS




Galvanised
Length: 186 cm

Lifting cross-bar TLS 10.50m 19.0 **586327000**
Hebetraverse TLS 10,50m



Galvanised
Length: 76.5 cm

	[kg]	Article n°
Tool box TLS	17.0	586337000
Werkzeugbox TLS		
consisting of:		
(A) Combination wrench 8	0.03	586343000
(B) Combination wrench 10	0.04	586342000
(C) Combination wrench 13	0.06	586341000
(D) Combination wrench 17	0.16	586340000
Length: 20 cm		
(E) Combination wrench 19	0.14	582837000
(F) Combination wrench 22	0.20	582838000
(G) Combination wrench 24	0.25	582839000
(H) Combination wrench 30	0.43	582840000
(I) Reversible ratchet 3/4"	1.5	580894000
Galvanised		
Length: 50 cm		
(J) Box nut 50 3/4"	0.81	581449000
(K) Universal cone spanner 15.0/20.0	0.90	581448000
Galvanised		
Length: 9 cm		
Width-across: 50 mm		
(L) Box nut 24 1/2" L	0.30	586364000
(M) Extension 20cm 3/4"	0.68	580683000
(N) Set of ball-head hexagon-socket screw keys	0.60	586346000
(O) Slot-screw screwdriver 0.6x3.5	0.20	586344000
(P) Slot-screw screwdriver 1x5.5	0.20	586366000
(Q) Box spanners 1/2" set of 29	5.6	586345000
(R) Box nut 19 3/4"	0.20	586375000
(S) Box nut 24 3/4"	0.21	500679030
(T) Box nut 27 3/4"	0.27	586376000
(U) Box nut 30 3/4"	0.33	586377000



Brake-disc pull-off tool TLS D200 4.3 **586370000**

Scheibenabzieher TLS D200


Height: 27 cm
Width-across: 22 mm



Torque wrench 3/4" 75-400Nm 2.3 **586374000**

Drehmomentschlüssel 3/4" 75-400Nm

Galvanised
Length: 69 cm



Maintenance toolbox TLS 6.1 **586369000**

Wartungs-Werkzeugbox TLS

consisting of:

(A) Grease cartridge TLS	0.46	586368000
(B) Filling press TLS	0.93	586367000
(C) Thickness gauge set 0.05-1.00mm	0.09	586350000
(D) Pliers for external circlips 40-100mm	0.32	586348000
(E) Water pump nut pliers 250mm	0.32	586347000
(F) Screw dr. f. recessed-head scr. PZ 2	0.15	586351000
(G) Combination wrench 14	0.09	586349000
(H) Digital multimeter TLS	0.22	586353000
(I) Dummy plug TLS 4 poles	0.04	586352000

