



	[kg]	Article n°
Dokamatic table 2.50x4.00m 21mm	515.0	58620000
Dokamatic table 2.50x5.00m 21mm	656.0	586201000
Dokamatic table 2.00x4.00m 21mm	480.0	586202000
Dokamatic table 2.00x5.00m 21mm	600.0	586203000

Dokamatic-Tisch



Dokamatic table 2.50x4.00m 27mm	560.0	586204000
Dokamatic table 2.50x5.00m 27mm	685.0	586205000
Dokamatic table 2.00x4.00m 27mm	522.0	586206000
Dokamatic table 2.00x5.00m 27mm	625.0	586207000

Dokamatic-Tisch



Doka formwork sheet 3-S plus 21mm 200/9.7cm	2.0	186109000
Doka formwork sheet 3-S plus 21mm 250/9.7cm	2.5	186110000
Doka formwork sheet 3-S plus 21mm 200/20cm	4.1	186107000
Doka formwork sheet 3-S plus 21mm 250/20cm	5.2	186108000

Doka-Schalungsplatte 3-S plus 21mm

Doka formwork sheet 3-S plus 27mm 200/9.7cm	2.5	187052000
Doka formwork sheet 3-S plus 27mm 250/9.7cm	3.1	187053000
Doka formwork sheet 3-S plus 27mm 200/20cm	5.2	187050000
Doka formwork sheet 3-S plus 27mm 250/20cm	6.5	187051000

Doka-Schalungsplatte 3-S plus 27mm

Dokamatic table grille 2.50x4.00m	418.0	586208000
Dokamatic table grille 2.50x5.00m	536.0	586209000
Dokamatic table grille 2.00x4.00m	402.0	586210000
Dokamatic table grille 2.00x5.00m	508.0	586211000

Dokamatic-Tischrost



Dokamatic table grille 2.50x4.00m w/o head	349.6	586280000
Dokamatic table grille 2.50x5.00m w/o head	485.6	586281000
Dokamatic table grille 2.00x4.00m w/o head	333.6	586282000
Dokamatic table grille 2.00x5.00m w/o head	439.6	586283000


Dokamatic-Tischrost ohne Kopf



Doka floor prop Eurex 20 top 150 Length: 92 - 150 cm	8.0	586096000
Doka floor prop Eurex 20 top 250 Length: 148 - 250 cm	12.7	586086400
Doka floor prop Eurex 20 top 300 Length: 173 - 300 cm	14.3	586087400
Doka floor prop Eurex 20 top 350 Length: 198 - 350 cm	17.4	586088400
Doka floor prop Eurex 20 top 400 Length: 223 - 400 cm	21.6	586089400
Doka floor prop Eurex 20 top 550 Length: 298 - 550 cm	32.3	586090400

Doka-Deckenstütze Eurex 20 top

Galvanised



Doka floor prop Eurex 20 eco 250 Length: 148 - 250 cm	11.5	586270000
Doka floor prop Eurex 20 eco 300 Length: 173 - 300 cm	14.0	586271000
Doka floor prop Eurex 20 eco 350 Length: 198 - 350 cm	16.9	586272000
Doka floor prop Eurex 20 eco 400 Length: 223 - 400 cm	20.5	586273000
Doka floor prop Eurex 20 eco 450 Length: 248 - 450 cm	24.1	586275000

Doka-Deckenstütze Eurex 20 eco

Galvanised



Doka floor prop Eurex 30 top 250 Length: 148 - 250 cm	12.8	586092400
Doka floor prop Eurex 30 top 300 Length: 173 - 300 cm	16.4	586093400
Doka floor prop Eurex 30 top 350 Length: 198 - 350 cm	20.7	586094400
Doka floor prop Eurex 30 top 400 Length: 223 - 400 cm	24.6	586095400
Doka floor prop Eurex 30 top 450 Length: 248 - 450 cm	29.1	586119400
Doka floor prop Eurex 30 top 550 Length: 303 - 550 cm	38.6	586129000

Doka-Deckenstütze Eurex 30 top


Galvanised



Dokamatic table waling 12 4.00m	122.5	586212000
Dokamatic table waling 12 5.00m	154.0	586213000

Dokamatic-Tischriegel

Painted blue




Dokamatic swivel head 40 Dokamatic-Schwenkkopf 40	17.1	586214000
------------------------------------------------------	------	-----------

Dokamatic-Schwenkkopf 40

Galvanised

Length: 60 cm



Supporting head H20 DF Haltekopf H20 DF	0.77	586179000
--------------------------------------------	------	-----------

Haltekopf H20 DF

Galvanised

Length: 19 cm

Width: 11 cm

Height: 8 cm




Spring locked connecting pin 16mm Federbolzen 16mm	0.25	582528000
-------------------------------------------------------	------	-----------


Federbolzen 16mm


Galvanised


Length: 15 cm





	[kg]	Article n°
Dokamatic table platform 1.00/2.00m	92.0	586218000
Dokamatic table platform 1.00/2.50m	103.0	586217000
Dokamatic-Tischbühne		
		
Steel parts galvanised		
Timber parts varnished yellow		
Delivery condition: folded closed		


Dokamatic platform bracket 1.00m	19.5	586227000
Dokamatic-Bühnenkonsole 1,00m		
		
Galvanised		
Length: 112 cm		
Height: 124 cm		


Dokamatic extension profile 0.50m	6.0	586228000
Dokamatic-Verbreiterungsprofil 0,50m		
		
Galvanised		
Length: 49 cm		

Dokamatic platform profile 1.00m	11.0	586221000
Dokamatic-Bühnenprofil 1,00m		
		
Galvanised		


Dokamatic strut connection	1.3	586215000
Dokamatic-Stützenanschluss		
		
Galvanised		
Height: 26 cm		


Dokamatic table Staxo spindle connector	3.9	582347000
Staxo-Spindelanschluss Dokamatic-Tisch		
		
Galvanised		
Length: 20.7 cm		


Dokamatic scaffold connection	3.4	586216000
Dokamatic-Gerüstanschluss		
		
Galvanised		
Height: 27 cm		


Dokamatic table frame 1.50m	59.8	586224000
Dokamatic-Tischrahmen 1,50m		
		
Galvanised		


	[kg]	Article n°
Diagonal cross 9.150	5.2	582773000
Diagonal cross 9.200	6.6	582774000
Diagonal cross 9.250	7.7	582775000
Diagonal cross 9.300	9.0	582323000
Diagonal cross 12.150	5.7	582612000
Diagonal cross 12.200	6.9	582614000
Diagonal cross 18.100	6.1	582620000
Diagonalkreuz		

		
Galvanised		


Insertion beam 1.95m	7.1	183074000
Insertion beam 2.45m	8.9	183075000
Einschubträger		
		
Varnished yellow		


T ledge 21/42 2.00m	0.34	580196000
T-Leiste 21/42 2,00m		
		
Grey		


Adjustable waling extension FF20/50	9.1	587532000
Ausgleichslasche FF20/50		
		
Painted blue		
Length: 87 cm		


Formwork element connector FF20/50 Z	6.0	587533000
Elementverbinder FF20/50 Z		
		
Painted blue		
Length: 55 cm		


Beam clamp Top50	1.2	580081000
Trägerklammer Top50		
		
Painted blue		
Height: 15 cm		


Connecting pin 10cm	0.34	580201000
Verbindungsbolzen 10cm		
		
Galvanised		
Length: 14 cm		


Spring cotter 5mm	0.05	580204000
Federvorstecker 5mm		
		
Galvanised		
Length: 13 cm		


Dokamatic front wood strip 4x8cm 2.60m	4.2	183046000
Dokamatic-Stirnholz 4x8cm 2,60m		
		
Varnished yellow		


	[kg]	Article n°
Dokamatic drop beam plate 60cm Dokamatic-Unterzuglasche 60cm	21.1	586226000
 Painted blue Height: 68 cm		


Corner plate FF20 G Ecklasche FF20 G	7.2	587571000
 Painted blue Length: 49 cm Width: 24 cm		

Corner connecting plate 90/50 Winkellasche 90/50	13.8	580603000
 Painted blue Length: 51 cm Width: 40 cm		


Spindle strut T7 75/110cm Spindelstrebe T7 75/110cm	13.2	584308000
 Galvanised		


Dokamatic end-shutter unit 50cm Dokamatic-Abschaleinheit 50cm	16.8	586223000
 Galvanised Length: 71 cm Height: 57 cm		


Framax clamping bolt 4-8cm Framax-Klemmschraube 4-8cm	0.39	588107000
 Galvanised Length: 19 cm		


Framax universal corner waling Framax-Eckklemmschiene	12.8	588151000
 Painted blue Leg length: 60 cm		


Dokamatic edge clamp 0.70m Dokamatic-Randklemme 0,70m	3.9	586222000
 Galvanised		


Universal end-shutter support 30cm Universal-Abschalwinkel 30cm	1.0	586232000
 Galvanised Height: 21 cm		


Lashing strap 5.00m Zurrgurt 5,00m	2.8	586018000
 Yellow		


	[kg]	Article n°
Doka express anchor 16x125mm Doka-Expressanker 16x125mm	0.31	588631000
 Galvanised Length: 18 cm Follow fitting instructions!		


Doka coil 16mm Doka-Coil 16mm	0.009	588633000
 Galvanised Diameter: 1.6 cm		


Gauge for Doka express anchor 16x125mm Lehre Doka-Expressanker 16x125mm	0.03	588632000
 Black Length: 3 cm Diameter: 2 cm		


Plumbing strut 340 IB Justierstütze 340 IB	16.7	588696000
 Galvanised Length: 190.8 - 341.8 cm		


Plumbing strut 540 IB Justierstütze 540 IB	30.7	588697000
 Galvanised Length: 310.5 - 549.2 cm		

Prop head EB Stützenkopf EB	3.1	588244500
 Galvanised Length: 40.8 cm Width: 11.8 cm Height: 17.6 cm		


Dokamatic adapter XP Dokamatic-Adapter XP	10.2	586474000
 Galvanised Length: 54 cm		


Insertion adapter XP Einschubadapter XP	4.1	586478000
 Galvanised Height: 43 cm		


	[kg]	Article n°
Railing clamp XP 40cm Geländerzwinge XP 40cm	7.7	586456000
Galvanised Height: 73 cm		
		

Handrail-post shoe XP Geländerschuh XP	2.2	586457000
Galvanised Length: 20 cm		
		


Handrail post XP 1.20m Geländersteher XP 1,20m	4.1	586460000
Galvanised Height: 118 cm		
		

Handrail post XP 1.80m Geländersteher XP 1,80m	7.0	586482000
Galvanised Height: 176 cm		
		


Toeboard holder XP 0.60m Fußwehrhalter XP 0,60m	0.77	586463000
Galvanised Height: 21 cm		
		

Toeboard holder XP 1.20m Fußwehrhalter XP 1,20m	0.64	586461000
Galvanised Height: 21 cm		
		

Protective grating XP 2.70x0.60m	10.1	586466000
Protective grating XP 2.50x0.60m	9.5	586472000
Protective grating XP 2.00x0.60m	8.0	586473000
Schutzgitter XP		
Galvanised		



Protective grating XP 2.70x1.20m	22.2	586450000
Protective grating XP 2.50x1.20m	20.5	586451000
Protective grating XP 2.00x1.20m	17.4	586452000
Protective grating XP 1.20x1.20m	12.0	586453000
Schutzgitter XP		



Galvanised

Velcro fastener 30x380mm Klettverschluss 30x380mm	0.02	586470000
-------------------------------------------------------------	------	------------------



Yellow

Handrail post T 1.80m Einschubgeländer T 1,80m	17.7	584373000
----------------------------------------------------------	------	------------------

Galvanised



Toeboard holder T 1.80m Fußwehrhalter T 1,80m	0.53	584392000
---------------------------------------------------------	------	------------------

Galvanised
Height: 13.5 cm




Handrail clamp S Schutzgeländerzwinge S	11.5	580470000
---------------------------------------------------	------	------------------

Galvanised
Height: 123 - 171 cm



Side handrail clamping unit T Seitenschutzgeländer T	29.1	580488000
----------------------------------------------------------------	------	------------------














Galvanised
Length: 115 - 175 cm
Height: 112 cm



Handrail post 1.10m Schutzgeländer 1,10m	5.5	584384000
----------------------------------------------------	-----	------------------

Galvanised
Height: 134 cm



Doka floor end-shutter clamp Doka-Deckenabschalklemme	12.5 586239000	[kg] Article n°	Screw sleeve 20.0 Schraubhülse 20,0	0.03 584386000	[kg] Article n°
	Galvanised Height: 137 cm			Yellow Length: 20 cm Diameter: 3.1 cm	
End-shutter shoe Abschalschuh	1.6 586257000		Strip tensioner B 6.00m Bandzwinge B 6,00m	3.3 580394500	
	Galvanised Height: 13.5 cm			Galvanised	
End-shutter tie rod 15.0 15-40cm Abschalanker 15,0 15-40cm	0.91 586258000		Plastic mallet 4kg Kunststoffhammer 4kg	4.5 586097000	
	Galvanised Length: 55 cm			Blue Length: 110 cm	
Floor end-shutter profile XP Deckenabschalprofil XP	4.2 586481000		Universal dismantling tool Universallösewerkzeug	3.7 582768000	
	Galvanised Height: 77 cm			Galvanised Length: 75.5 cm	
Wheel-around scaffold DF Mobilgerüst DF	44.0 586157000		Reversible ratchet 1/2" Umschaltknarre 1/2"	0.73 580580000	
	Aluminium Length: 185 cm Width: 80 cm Height: 255 cm Delivery condition: folded closed			Galvanised Length: 30 cm	
Wheel-around scaffold DF accessory set Zubehörset Mobilgerüst DF	13.3 586164000		Box nut 30 1/2" Stecknuss 30 1/2"	0.20 580575000	
	Aluminium Timber parts varnished yellow Length: 189 cm				
Platform stairway 0.97m Podesttreppe 0,97m	23.5 586555000				
	Aluminium Width: 121 cm Pay attention to the national, technical safety regulations!				
H20 screw-on bracket for formwork sheets Schalhaut-Schraubwinkel H20	0.19 586256000				
	Galvanised Height: 19.2 cm				
Attachable sleeve 24mm Steckhülse 24mm	0.03 584385000				
	Grey Length: 16.5 cm Diameter: 2.7 cm				