


	[kg]	Article n°
Multi-purpose waling WS10 Top50 0.50m	10.2	580001000
Multi-purpose waling WS10 Top50 0.75m	14.9	580002000
Multi-purpose waling WS10 Top50 1.00m	19.6	580003000
Multi-purpose waling WS10 Top50 1.25m	24.7	580004000
Multi-purpose waling WS10 Top50 1.50m	29.7	580005000
Multi-purpose waling WS10 Top50 1.75m	35.0	580006000
Multi-purpose waling WS10 Top50 2.00m	38.9	580007000
Multi-purpose waling WS10 Top50 2.25m	44.2	580008000
Multi-purpose waling WS10 Top50 2.50m	48.7	580009000
Multi-purpose waling WS10 Top50 2.75m	54.2	580010000
Multi-purpose waling WS10 Top50 3.00m	58.9	580011000
Multi-purpose waling WS10 Top50 3.50m	68.4	580012000
Multi-purpose waling WS10 Top50 4.00m	79.4	580013000
Multi-purpose waling WS10 Top50 4.50m	89.1	580014000
Multi-purpose waling WS10 Top50 5.00m	102.0	580015000
Multi-purpose waling WS10 Top50 5.50m	112.4	580016000
Multi-purpose waling WS10 Top50 6.00m	118.0	580017000

Mehrzweckriegel WS10 Top50


Painted blue



Multi-purpose waling WU12 Top50 1.00m	25.3	580018000
Multi-purpose waling WU12 Top50 1.25m	32.0	580019000
Multi-purpose waling WU12 Top50 1.50m	37.5	580020000
Multi-purpose waling WU12 Top50 1.75m	44.2	580021000
Multi-purpose waling WU12 Top50 2.00m	50.0	580022000
Multi-purpose waling WU12 Top50 2.50m	63.1	580023000
Multi-purpose waling WU12 Top50 3.00m	75.7	580024000
Multi-purpose waling WU12 Top50 3.50m	90.7	580025000
Multi-purpose waling WU12 Top50 4.00m	103.4	580026000

Mehrzweckriegel WU12 Top50


Painted blue



Multi-purpose waling SL-1 WU16 0.625m	24.0	582875000
Multi-purpose waling SL-1 WU16 0.75m	26.5	582876000
Multi-purpose waling SL-1 WU16 1.00m	35.0	582877000
Multi-purpose waling SL-1 WU16 1.25m	44.5	582878000
Multi-purpose waling SL-1 WU16 1.50m	53.0	582879000
Multi-purpose waling SL-1 WU16 1.75m	67.0	582880000
Multi-purpose waling SL-1 WU16 2.00m	72.1	582881000
Multi-purpose waling SL-1 WU16 2.25m	86.0	582882000
Multi-purpose waling SL-1 WU16 2.50m	89.9	582883000
Multi-purpose waling SL-1 WU16 3.00m	107.0	582888000

Mehrzweckriegel SL-1


Painted blue



Corner waling 20 Eckriegel 20	23.5	580031000
---	------	-----------

Painted blue

Leg length: 52 cm




Shaft corner waling WS10 Top50m Eckwandriegel WS10 Top50m	20.5	580069000
---	------	-----------

Painted blue

Project-specific!

Also available in profiles of thickness U120 (Order designation: WU12).




Angular waling WS10 Top50m Winkelriegel WS10 Top50m	21.5	580068000
---	------	-----------

Painted blue

Project-specific!

Also available in profiles of thickness U120 (Order designation: WU12).



Flange clamp H20 Flanschklammer H20	1.0	580135000
---	-----	-----------

Galvanised

Width: 13 cm

Width-across: 19 mm



Flange clamp G Flanschklammer G	1.1	580120000
---	-----	-----------

Galvanised

Width: 13 cm

Width-across: 19 mm



Flange claw Flanschkralle	1.0	580137000
-------------------------------------	-----	-----------

Galvanised

Width: 17 cm

Width-across: 19 mm



Waling clamp H20 Riegelklammer H20	0.22	580114000
--	------	-----------

Galvanised

Width: 8 cm

Width-across: 13 mm



Beam screw S 8/70 Riegelverschraubung S 8/70	0.06	580116500
--	------	-----------

Galvanised

Length: 8 cm

Width-across: 13 mm



Beam screw S 8/60 Riegelverschraubung S 8/60	0.06	580116000
--	------	-----------

Galvanised

Length: 7 cm

Width-across: 13 mm



Beam screw H 8/70 Riegelverschraubung H 8/70	0.06	580117000
--	------	-----------

Galvanised

Length: 8 cm

Width-across: 13 mm



Fastening plate Anschraublasche	2.7	580110000
---	-----	-----------

Painted blue

Width: 13 cm

Height: 15 cm



Protective cap H20 Stirmschuh H20	0.36	587248000
---	------	-----------

Galvanised

Length: 20 cm

Width: 7 cm



Lifting bracket Kranöse	6.2	580460000
-----------------------------------	-----	-----------

Galvanised


Height: 59 cm
























Splice plate Top50 Z Verbindungsblasche Top50 Z	8.5	580074000
---	-----	-----------

Painted blue

Length: 76 cm



	[kg]	Article n°		[kg]	Article n°
Formwork element connector FF20/50 Z Elementverbinder FF20/50 Z	6.0	587533000	 Painted blue Length: 55 cm	Shaft waling squaring plate Verschiebelasche	9.6 580262000
Adjustable waling extension 1.40m Top50 Ausgleichslasche 1,40m Top50	15.0	580075000	 Painted blue	 Painted blue Leg length: 60 cm	
Adjustable waling extension FF20/50 Ausgleichslasche FF20/50	9.1	587532000	 Painted blue Length: 87 cm	Transition plate 18mm Transition plate 21mm Transition plate 27mm Übergangslasche	16.0 588654000 15.8 588656000 16.0 588658000
Beam clamp Top50 Trägerklammer Top50	1.2	580081000	 Painted blue Height: 15 cm	 Painted blue Length: 54 cm Width: 30 cm Height: 51 cm	
Anchoring plate FF20/50 Ankerungslasche FF20/50	6.6	587531000	 Painted blue Length: 55 cm	Waling connector SL-1 WU16 0.75m Riegelverbinder SL-1 WU16 0,75m	31.0 582886000
Half splice plate Halblasche	5.2	580267000	 Painted blue Length: 78 cm	 Galvanised Length: 75 cm	
Splice plate with join adjustment Verbindungslassche mit Fugenjustierung	13.8	580215000	 Painted blue Length: 76 cm	Corner spindle Eckspindel	17.5 580264000
Offset plate FF20 Versatzlassche FF20	6.2	587534000	 Painted blue Length: 35 cm Width: 18 cm Height: 4 cm	 Galvanised Length: 65 cm Height: 31 cm	
Internal angle plate H20 Top50 Innenecklassche H20 Top50	11.3	580035000	 Painted blue Length: 80 cm Width: 38 cm	Corner connecting plate 90/50 Winkellassche 90/50	13.8 580603000
Corner plate H20/H36 Top50 Ecklassche H20/H36 Top50	10.0	580078000	 Painted blue Length: 49.7 cm Width: 45.1 cm	 Painted blue Length: 51 cm Width: 40 cm	
				Universal angle tie bracket Universal-Winkelspanner	4.4 580604000
				 Painted blue Length: 20 cm	
				Swivel joint plate Drehgelenklassche	20.0 587542000
				 Galvanised Length: 155 cm	
				Connecting pin 10cm Verbindungsbolzen 10cm	0.34 580201000
				 Galvanised Length: 14 cm	
				Connecting pin 25cm Verbindungsbolzen 25cm	0.58 580202000
				 Galvanised Length: 25 cm	
				Spring cotter 5mm Federvorstecker 5mm	0.05 580204000
				 Galvanised Length: 13 cm	


	[kg]	Article n°
Stacking plate H20 Aufstocklasche H20	8.3	580310000
 Galvanised Length: 68.8 cm		

Inside corner plate 3.00m	53.0	580282000
Inside corner plate 4.00m	69.0	580284000
Eckschiene		



Powder-coated, blue

Joint plate 3.00m	36.8	580332000
Joint plate 4.00m	47.7	580334000
Ausgleichsschiene		




Powder-coated, blue

T ledge 21/42 2.00m	0.34	580196000
T-Leiste 21/42 2,00m		




Grey

Box-out clamp 24cm	3.3	580063000
Box-out clamp 25cm	3.4	580064000
Box-out clamp 30cm	3.8	580065000
Aussparungsklemme		



Galvanised
Leg length: 10 cm

Box-out clamp type 1cm	20.0	580066000
Box-out clamp type 2cm	17.4	580067000
Aussparungsklemmecm		



Painted blue
Leg length: 10 cm


Wall-formwork support angle	6.6	588967000
Auflagewinkel Wandschalung		



Galvanised
Length: 15.8 cm
Width: 12 cm
Height: 11.2 cm


	[kg]	Article n°
Panel strut 340 IB Elementstütze 340 IB	24.3	580365000
consisting of:		
(A) Plumbing strut 340 IB Galvanised Length: 190.8 - 341.8 cm	16.7	588696000
(B) Adjusting strut 120 IB Galvanised Length: 81.5 - 130.6 cm	7.6	588248500

Galvanised
Delivery condition: folded closed




Panel strut 540 IB Elementstütze 540 IB	41.4	580366000
consisting of:		
(A) Plumbing strut 540 IB Galvanised Length: 310.5 - 549.2 cm	30.7	588697000
(B) Adjusting strut 220 IB Galvanised Length: 172.5 - 221.1 cm	10.9	588251500

Galvanised
Delivery condition: folded closed



	[kg]	Article n°
Eurex 60 550 Eurex 60 550		
depending on length, comprising:		
(A) Plumbing strut Eurex 60 550 Powder-coated, blue Aluminium Length: 343 - 553 cm	42.5	582658000
(B) Extension Eurex 60 2.00m Powder-coated, blue Aluminium Length: 250 cm	21.3	582651000
(C) Coupler Eurex 60 Aluminium Length: 100 cm Diameter: 12.8 cm	8.6	582652000
(D) Connector Eurex 60 IB Galvanised Length: 15 cm Width: 15 cm Height: 30 cm	4.2	582657500
(E) Plumbing strut shoe Eurex 60 EB Galvanised Length: 31 cm Width: 12 cm Height: 33 cm	8.0	582660500
(F) Adjusting strut 540 Eurex 60 IB Galvanised Length: 303.5 - 542.2 cm	27.8	582659500



Delivery condition: separate parts

Prop head EB Stützenkopf EB	3.1	588244500
---------------------------------------	-----	------------------




Galvanised
Length: 40.8 cm
Width: 11.8 cm
Height: 17.6 cm

Prop head Eurex 60 Top50 Stützenkopf Eurex 60 Top50	7.1	582665000
---	-----	------------------



Galvanised
Height: 50 cm

Universal dismantling tool Universal-Lösewerkzeug	3.7	582768000
---	-----	------------------



Galvanised
Length: 75.5 cm

Doka express anchor 16x125mm Doka-Expressanker 16x125mm	0.31	588631000
---	------	------------------



Galvanised
Length: 18 cm
Follow fitting instructions!

Doka coil 16mm Doka-Coil 16mm	0.009	588633000
---	-------	------------------



Galvanised
Diameter: 1.6 cm

Gauge for Doka express anchor 16x125mm Lehre Doka-Expressanker 16x125mm	0.03	588632000
---	------	------------------



Black
Length: 3 cm
Diameter: 2 cm

Universal bracket 90 Universal-Konsole 90	30.4	580476000
---	------	------------------



Galvanised
Length: 121 cm
Height: 235 cm

Universal corner bracket 90 right Universal corner bracket 90 left Universa-Eckkonsole 90	29.5 29.5	580071000 580070000
---	--------------	--------------------------------------




Galvanised
Length: 152 cm
Height: 235 cm

Top scaffold bracket L Betonierkonsole L	12.6	587153500
--	------	------------------



Galvanised
Length: 101 cm
Height: 159 cm

Bracket planking 60/250cm Bracket planking 90/250cm Konsolenbelag	48.5 61.3	583029000 583031000
---	--------------	--------------------------------------



Steel parts galvanised
Timber parts varnished yellow

Bracket railing 240-270cm Konsolengeländer 240-270cm	22.5	583032000
--	------	------------------




Galvanised

Universal railing shackle Universal-Geländerbügel	3.0	580478000
---	-----	------------------





Galvanised
Height: 20 cm


	[kg]	Article n°
Scaffold tube connection Gerüstrohranschluss	0.27	584375000
 Galvanised Height: 7 cm		


Scaffold tube 48.3mm 0.50m	1.7	682026000
Scaffold tube 48.3mm 1.00m	3.6	682014000
Scaffold tube 48.3mm 1.50m	5.4	682015000
Scaffold tube 48.3mm 2.00m	7.2	682016000
Scaffold tube 48.3mm 2.50m	9.0	682017000
Scaffold tube 48.3mm 3.00m	10.8	682018000
Scaffold tube 48.3mm 3.50m	12.6	682019000
Scaffold tube 48.3mm 4.00m	14.4	682021000
Scaffold tube 48.3mm 4.50m	16.2	682022000
Scaffold tube 48.3mm 5.00m	18.0	682023000
Scaffold tube 48.3mm 5.50m	19.8	682024000
Scaffold tube 48.3mm 6.00m	21.6	682025000
Scaffold tube 48.3mmm	3.6	682001000
Gerüstrohr 48,3mm		

 Galvanised		
---	--	--


Screw-on coupler 48mm 50 Anschraubkupplung 48mm 50	0.84	682002000
 Galvanised Width-across: 22 mm Follow fitting instructions!		

Xsafe plus lifting adapter for beam formwork Xsafe plus-Umsetzadapter Trägerschalung	14.0	586439000
 Galvanised Width: 66 cm Height: 89 cm		

Framax pouring platform U 1.25/2.70m Framax-Betonierbühne U 1,25/2,70m	127.5	588377000
 Steel parts galvanised Timber parts varnished yellow Delivery condition: folded closed		

Top50 adapter for Framax pouring platform U Top50-Adapter für Framax-Betonierbühne U	18.5	588384000
 Galvanised Width: 75 cm Height: 134 cm		


Handrail post XP 1.20m Geländersteher XP 1,20m	4.1	586460000
 Galvanised Height: 118 cm		

	[kg]	Article n°
Toeboard holder XP 1.20m Fußwehrhalter XP 1,20m	0.64	586461000
 Galvanised Height: 21 cm		


Railing clamp XP 40cm Geländerzwinde XP 40cm	7.7	586456000
 Galvanised Height: 73 cm		


Protective grating XP 2.70x1.20m	22.2	586450000
Protective grating XP 2.50x1.20m	20.5	586451000
Protective grating XP 2.00x1.20m	17.4	586452000
Protective grating XP 1.20x1.20m	12.0	586453000
Schutzgitter XP		
 Galvanised		


Velcro fastener 30x380mm Klettverschluss 30x380mm	0.02	586470000
 Yellow		


Timber-beam formwork adapter XP Trägerschalungsadapter XP	9.5	586476000
 Galvanised Height: 83.5 cm		


Handrail clamp S Schutzgeländerzwinde S	11.5	580470000
 Galvanised Height: 123 - 171 cm		


Side handrail clamping unit T Seitenschutzgeländer T	29.1	580488000
 Galvanised Length: 115 - 175 cm Height: 112 cm		


	[kg]	Article n°
Handrail post T 1.80m Einschubgeländer T 1,80m	17.7	584373000
 Galvanised		


Toeboard holder T 1.80m Fußwehrhalter T 1,80m	0.53	584392000
 Galvanised Height: 13.5 cm		

Doka 4-part chain 3.20m Doka-Vierstrangkette 3,20m	15.0	588620000
 Follow the directions in the "Operating Instructions"!		CE

Universal strut T5/5mm Strebe T5/5mm	6.5	584311000
 Painted blue Weight per linear metre		

Spindle strut GS T5 65/101cm Spindelstrebe GS T5 65/101cm	9.1	584356000
 Galvanised		


Spindle strut T6 73/110cm Spindle strut T6 100/150cm Spindelstrebe T6	10.2 12.5	584355000 584323000
 Galvanised		

Spindle strut GS T6 95/140cm Spindelstrebe GS T6 95/140cm	10.3	584340000
 Galvanised		


	[kg]	Article n°
Spindle strut T7 75/110cm	13.2	584308000
Spindle strut T7 100/150cm	16.8	584309000
Spindle strut T7 150/200cm	21.6	584324000
Spindle strut T7 200/250cm	26.2	584325000
Spindle strut T7 250/300cm	29.4	584326000
Spindle strut T7 305/355cm	35.0	584327000
Spindelstrebe T7		

 Galvanised		
--	--	--

Spindle strut T10 350/400cm	57.5	584328000
Spindle strut T10mm	14.6	584391000
Spindelstrebe T10		

		
--	--	--


Universal spindle foot T8 Universal-Spindelfuß T8	8.6	584314000
---	-----	------------------

 Painted blue Galvanised Height: 30 cm		
---	--	--


Height adjuster for formwork beams Höhenjustierung für Schalungsträger	11.9	580218000
--	------	------------------


 Galvanised Height: 46 cm		
---	--	--


Height adjuster WS10-WU16 Höhenjustierung WS10-WU16	10.1	580206500
---	------	------------------


 Galvanised Height: 45 cm		
---	--	--

Adjusting spindle M36 Höhenjustierspindel M36	6.2	500663000
---	-----	------------------


 Galvanised Length: 31 cm Height: 29.2 cm		
--	--	--


	[kg]	Article n°
Suspension head WS10 Aufhängekopf WS10	8.1	580449000
 Galvanised Length: 21 cm Width: 18 cm Height: 23 cm		


Universal support Top50mm Tragwerklasche Top50mm	11.1	584312000
 Painted blue Weight per linear metre		


Adjusting plate T Justierlasche T	6.5	584393000
 Painted blue Length: 23.5 cm		


Tool box GF GF-Werkzeugbox included in scope of supply:	6.5	580390000
(A) Reversible ratchet 1/2" Galvanised Length: 30 cm	0.73	580580000
(B) Fork wrench 13/17	0.08	580577000
(C) Fork wrench 22/24	0.22	580587000
(D) Fork wrench 30/32	0.80	580897000
(E) Ring spanner 17/19	0.27	580590000
(F) Extension 11cm 1/2"	0.20	580581000
(G) Extension 22cm 1/2"	0.31	580582000
(H) Universal joint coupling 1/2"	0.16	580583000
(I) Box nut 19 1/2" L	0.16	580598000
(J) Box nut 13 1/2"	0.06	580576000
(K) Box nut 24 1/2"	0.12	580584000
(L) Box nut 30 1/2"	0.20	580575000





Mounting tool for form-ply protector Montagewerkzeug Schalhautschutz	0.96	580222000
 Galvanised Width: 12 cm Height: 12 cm		


Filler neck GF SCC GF-Füllstutzen SCC	39.0	580217000
 Galvanised Length: 66 cm		


Panel closure tool D125 SCC Sperrschieber D125 SCC	18.0	588127000
 Galvanised Length: 18 cm Width: 33 cm Height: 27 cm		


Assembly angle Top50 Montagelasche Top50	6.7	580082000
 Galvanised Length: 53.2 cm Width: 48.6 cm		


	[kg]	Article n°
Strip tensioner B 6.00m Bandzwinde B 6,00m	3.3	580394500
 Galvanised		


Positioning railm Führungsschienem	1.8	580079000
 Painted blue Weight per linear metre		


Hole gauge Top50 Bohrplatte Top50	2.9	580080000
 Painted blue Length: 17 cm Width: 15 cm Tool: Drill bit (diameter 10 mm)		


Angle connector 9x5cm Winkelverbinder 9x5cm	0.22	580381000
 Galvanised		

Rafter plate right Rafter plate left Sparrenpfettenanker	0.09 0.09	582521000 582522000
 Galvanised Length: 17 cm		

H20 screw-on bracket for formwork sheets Schalhaut-Schraubwinkel H20	0.19	586256000
 Galvanised Height: 19.2 cm		

Double scraper Xlife 100/150mm 1.40m Doppelschaber Xlife 100/150mm 1,40m	2.8	588674000
		

Tie-off connector type A Anhängewinkel Typ A	0.96	581641000
 Galvanised Length: 13.7 cm		

Doka personal fall-arrest set Doka-Auffanggurt	3.6	583022000
 Follow the directions in the "Operating Instructions"!		

