


	[kg]	Article n°
Doka floor prop Eurex 20 top 150 Length: 92 - 150 cm	8.0	586096000
Doka floor prop Eurex 20 top 250 Length: 148 - 250 cm	12.7	586086400
Doka floor prop Eurex 20 top 300 Length: 173 - 300 cm	14.3	586087400
Doka floor prop Eurex 20 top 350 Length: 198 - 350 cm	17.4	586088400
Doka floor prop Eurex 20 top 400 Length: 223 - 400 cm	21.6	586089400
Doka floor prop Eurex 20 top 550 Length: 298 - 550 cm	32.3	586090400
Doka floor prop Eurex 20 top 700 Length: 383 - 700 cm	48.0	586139000

Doka-Deckenstütze Eurex 20 top

Galvanised



Doka floor prop Eurex 20 eco 250 Length: 148 - 250 cm	11.5	586270000
Doka floor prop Eurex 20 eco 300 Length: 173 - 300 cm	14.0	586271000
Doka floor prop Eurex 20 eco 350 Length: 198 - 350 cm	16.9	586272000
Doka floor prop Eurex 20 eco 400 Length: 223 - 400 cm	20.5	586273000
Doka floor prop Eurex 20 eco 450 Length: 248 - 450 cm	24.1	586275000

Doka-Deckenstütze Eurex 20 eco


Galvanised



Doka floor prop Eurex 30 top 250 Length: 148 - 250 cm	12.8	586092400
Doka floor prop Eurex 30 top 300 Length: 173 - 300 cm	16.4	586093400
Doka floor prop Eurex 30 top 350 Length: 198 - 350 cm	20.7	586094400
Doka floor prop Eurex 30 top 400 Length: 223 - 400 cm	24.6	586095400
Doka floor prop Eurex 30 top 450 Length: 248 - 450 cm	29.1	586119400
Doka floor prop Eurex 30 top 550 Length: 303 - 550 cm	38.6	586129000

Doka-Deckenstütze Eurex 30 top

Galvanised



Removable folding tripod top Stützbein top	12.0	586155500
--	------	------------------

Galvanised

Height: 80 cm

Delivery condition: folded closed



Removable folding tripod 1.20m Stützbein 1,20m	20.7	586145000
--	------	------------------

Galvanised

Height: 120 cm

Delivery condition: folded closed




Lowering head H20 Absenkkopf H20	6.1	586174000
--	-----	------------------

Galvanised

Length: 25 cm

Width: 20 cm

Height: 38 cm




4-way head H20 Vierwegkopf H20	4.0	586170000
--	-----	------------------

Galvanised

Length: 25 cm

Width: 20 cm

Height: 33 cm



Spring locked connecting pin 16mm Federbolzen 16mm	0.25	582528000
--	------	------------------

Galvanised

Length: 15 cm



Supporting head H20 DF Haltekopf H20 DF	0.77	586179000
---	------	------------------

Galvanised

Length: 19 cm

Width: 11 cm

Height: 8 cm



U-head 12.5cm Kopfgabel 12,5cm	1.2	586171000
--	-----	------------------

Galvanised

Height: 23 cm




Bracing frame Eurex 1.22m	16.0	586557000
Bracing frame Eurex 1.00m	15.0	586599000
Bracing frame Eurex 0.81m	14.5	586558000

Aufstellrahmen

Galvanised


Height: 111 cm



Bracing clamp B Verschwertungsklammer B	1.4	586195000
---	-----	------------------

Painted blue


Length: 36 cm




Lashing strap 5.00m Zurrgurt 5,00m	2.8	586018000
--	-----	------------------

Yellow




	[kg]	Article n°
Doka express anchor 16x125mm Doka-Expressanker 16x125mm	0.31	588631000
 Galvanised Length: 18 cm Follow fitting instructions!		


Doka coil 16mm Doka-Coil 16mm	0.009	588633000
 Galvanised Diameter: 1.6 cm		


Gauge for Doka express anchor 16x125mm Lehre Doka-Expressanker 16x125mm	0.03	588632000
 Black Length: 3 cm Diameter: 2 cm		


Lifting bracket Kranöse	6.2	580460000
 Galvanised Height: 59 cm		


Universal end-shutter support 30cm Universal-Abschalwinkel 30cm	1.0	586232000
 Galvanised Height: 21 cm		


Beam forming support 20 Balkenzwinde 20	6.9	586148000
 Galvanised Length: 30 cm Height: 35 cm		


Extension for beam forming support 60cm Balkenaufsatz 60cm	4.4	586149000
 Galvanised		


Doka floor end-shutter clamp Doka-Deckenabschalklemme	12.5	586239000
 Galvanised Height: 137 cm		


End-shutter shoe Abschalschuh	1.6	586257000
 Galvanised Height: 13.5 cm		


End-shutter tie rod 15.0 15-40cm Abschalanker 15,0 15-40cm	0.91	586258000
 Galvanised Length: 55 cm		


	[kg]	Article n°
Platform stairway 0.97m Podesttreppe 0,97m	23.5	586555000
 Aluminium Width: 121 cm Pay attention to the national, technical safety regulations!		

Wheel-around scaffold DF Mobilgerüst DF	44.0	586157000
 Aluminium Length: 185 cm Width: 80 cm Height: 255 cm Delivery condition: folded closed		


Wheel-around scaffold DF accessory set Zubehörsset Mobilgerüst DF	13.3	586164000
 Aluminium Timber parts varnished yellow Length: 189 cm		

Universal dismantling tool Universal-Löswerkzeug	3.7	582768000
 Galvanised Length: 75.5 cm		

Alu beam fork H20 Alu-Trärgabel H20	2.4	586182000
 Aluminium Powder-coated yellow Length: 176 cm		

Secondary-beam stabiliser 1 Secondary-beam stabiliser 2 Querträgersicherung	1.6 2.1	586196000 586197000
 Galvanised Height: 38.7 cm		


Doka beam I tec 20 1.80m	10.1	188001000
Doka beam I tec 20 2.45m	13.7	188002000
Doka beam I tec 20 2.65m	14.8	188003000
Doka beam I tec 20 3.90m	21.8	188007000
Doka beam I tec 20 4.50m	25.2	188008000
Doka beam I tec 20 4.90m	27.4	188009000
Doka beam I tec 20 5.35m	30.0	188013000
Doka beam I tec 20 5.90m	33.0	188010000
Doka-Träger I tec 20		

 Varnished yellow Varnished grey		
--	--	--

I tec 20 beam-end sealant 2.5l I tec 20-Endenversiegelung 2,5l	2.5	188014000
Yellow		


	[kg]	Article n°
Doka beam H20 top N 2.65m	13.8	189013000
Doka beam H20 top N 2.90m	15.0	189014000
Doka beam H20 top N 3.30m	17.0	189015000
Doka-Träger H20 top N		

Varnished yellow



Doka beam H20 top P 2.65m	14.3	189703000
Doka beam H20 top P 2.90m	15.6	189704000
Doka beam H20 top P 3.30m	17.7	189705000
Doka-Träger H20 top P		

Varnished yellow



Handrail clamp S	11.5	580470000
Schutzgelenkerzwinde S		

Galvanised
Height: 123 - 171 cm



Handrail post 1.10m	5.5	584384000
Schutzgelenker 1,10m		

Galvanised
Height: 134 cm



Attachable sleeve 24mm	0.03	584385000
Steckhülse 24mm		

Grey
Length: 16.5 cm
Diameter: 2.7 cm




Screw sleeve 20.0	0.03	584386000
Schraubhülse 20,0		

Yellow
Length: 20 cm
Diameter: 3.1 cm



Scaffold tube 48.3mm 0.50m	1.7	682026000
Scaffold tube 48.3mm 1.00m	3.6	682014000
Scaffold tube 48.3mm 1.50m	5.4	682015000
Scaffold tube 48.3mm 2.00m	7.2	682016000
Scaffold tube 48.3mm 2.50m	9.0	682017000
Scaffold tube 48.3mm 3.00m	10.8	682018000
Scaffold tube 48.3mm 3.50m	12.6	682019000
Scaffold tube 48.3mm 4.00m	14.4	682021000
Scaffold tube 48.3mm 4.50m	16.2	682022000
Scaffold tube 48.3mm 5.00m	18.0	682023000
Scaffold tube 48.3mm 5.50m	19.8	682024000
Scaffold tube 48.3mm 6.00m	21.6	682025000
Scaffold tube 48.3mmm	3.6	682001000
Gerüstrohr 48,3mm		

Galvanised



	[kg]	Article n°
Screw-on coupler 48mm 50	0.84	682002000
Anschraubkupplung 48mm 50		

Galvanised
Width-across: 22 mm
Follow fitting instructions!



Doka personal fall-arrest set	3.6	583022000
Doka-Auffanggurt		

Follow the directions in the
"Operating Instructions"!

CE

