




	[kg]	Article n°
d3 frame 0.90m	21.3	582940000
d3 frame 1.20m	25.3	582941000
d3 frame 1.80m	33.7	582942000
d3-Rahmen		
	Galvanised	




d3 coupler	0.80	582943000
d3-Kupplungsstück		
	Galvanised	




Spring locked connecting pin 16mm	0.25	582528000
Federbolzen 16mm		
	Galvanised	
	Length: 15 cm	




Diagonal cross 9.060	3.1	582322000
Diagonal cross 9.100	4.1	582772000
Diagonal cross 9.150	5.2	582773000
Diagonal cross 9.175	6.1	582334000
Diagonal cross 9.200	6.6	582774000
Diagonal cross 9.250	7.7	582775000
Diagonal cross 9.300	9.0	582323000
Diagonal cross 12.060	4.0	582324000
Diagonal cross 12.100	4.6	582610000
Diagonal cross 12.150	5.7	582612000
Diagonal cross 12.175	6.3	582335000
Diagonal cross 12.200	6.9	582614000
Diagonal cross 12.250	8.3	582616000
Diagonal cross 12.300	9.3	582325000
Diagonal cross 18.100	6.1	582620000
Diagonal cross 18.150	6.9	582622000
Diagonal cross 18.175	7.8	582336000
Diagonal cross 18.200	7.8	582624000
Diagonal cross 18.250	9.1	582626000
Diagonal cross 18.300	10.3	582326000
Diagonalkreuz		
	Galvanised	
	Delivery condition: folded closed	




d3 4-way screw-jack head	9.2	582944000
d3-Vierwegkopfspindel		
	Galvanised	




d3 screw jack U-head	8.6	582945000
d3-Kopfspindel		
	Galvanised	




d3 safety hook	0.12	582947000
d3-Sicherheitsbügel		
	Yellow	



	[kg]	Article n°
Heavy-duty screw jack 70 top	9.2	582327000
Lastspindel 70 oben		
	Galvanised	
	Height: 106 cm	



Split nut B	2.0	582634000
Spannmutter B		
	Galvanised	




Clamping plate D	2.0	502709030
Klemmplatte D		
	Galvanised	
	Length: 24 cm	
	Width: 9 cm	




Wing nut 15.0	0.31	581961000
Flügelmutter 15,0		
	Galvanised	
	Length: 10 cm	
	Height: 5 cm	
	Width-across: 27 mm	
	DIN 18216	




Locking rod 15.0 330mm	0.48	582641000
Quetschteil 15,0 330mm		
	Galvanised	
	Width-across: 24 mm	




Super plate 15.0	1.1	581966000
Superplatte 15,0		
	Galvanised	
	Height: 6 cm	
	Diameter: 12 cm	
	Width-across: 27 mm	
	DIN 18216	




Staxo wedge support WS10	8.7	582796000
Staxo-Keilauflager WS10		
	Galvanised	
	Length: 31 cm	
	Width: 15 cm	
	Height: 23 cm	




Staxo 100 spindle adapter	3.4	582351000
Staxo 100-Spindeladapter		
	Galvanised	
	Height: 26 cm	





d3 screw jack foot	7.9	582946000
d3-Fußspindel		
	Galvanised	





d3 screw jack foot 80	9.9	582948000
d3-Fußspindel 80		
	Galvanised	





	[kg]	Article n°
Heavy-duty screw jack 70 Lastspindel 70	8.8	582639000
 Galvanised Height: 101 cm		


Heavy-duty screw jack 130 Lastspindel 130	13.0	582711000
 Galvanised Height: 173 cm		


Compensating plate Ausgleichsplatte	1.2	582239000
 Orange Black Diameter: 30 cm		

Doka express anchor 16x125mm Doka-Expressanker 16x125mm	0.31	588631000
 Galvanised Length: 18 cm Follow fitting instructions!		


Doka coil 16mm Doka-Coil 16mm	0.009	588633000
 Galvanised Diameter: 1.6 cm		


Gauge for Doka express anchor 16x125mm Lehre Doka-Expressanker 16x125mm	0.03	588632000
 Black Length: 3 cm Diameter: 2 cm		

Scaffold planking 60/100cm with manhole	9.5	582311500
Scaffold planking 60/150cm with manhole	13.8	582312500
Scaffold planking 60/175cm with manhole	15.5	582333500
Scaffold planking 60/200cm with manhole	17.7	582313500
Scaffold planking 60/250cm with manhole	20.8	582314500
Scaffold planking 60/300cm with manhole Gerüstbelag mit Durchstieg	26.3	582315500
 Aluminium		


Staxo 40/d3 ladder 2.30m Staxo 40/d3-Leiter 2,30m	15.5	582219500
 Galvanised		

	[kg]	Article n°
Scaffold tube 48.3mm 0.50m	1.7	682026000
Scaffold tube 48.3mm 1.00m	3.6	682014000
Scaffold tube 48.3mm 1.50m	5.4	682015000
Scaffold tube 48.3mm 2.00m	7.2	682016000
Scaffold tube 48.3mm 2.50m	9.0	682017000
Scaffold tube 48.3mm 3.00m	10.8	682018000
Scaffold tube 48.3mm 3.50m	12.6	682019000
Scaffold tube 48.3mm 4.00m	14.4	682021000
Scaffold tube 48.3mm 4.50m	16.2	682022000
Scaffold tube 48.3mm 5.00m	18.0	682023000
Scaffold tube 48.3mm 5.50m	19.8	682024000
Scaffold tube 48.3mm 6.00m	21.6	682025000
Scaffold tube 48.3mmm Gerüstrohr 48,3mm	3.6	682001000


 Galvanised		
Transition swivel coupler 48/60mm Übergangsdrehkupplung 48/60mm	1.5	582561000

 Galvanised Width-across: 22 mm Follow fitting instructions!		
---	--	--


Transition angle coupler 48/60mm Übergangsnormalkupplung 48/60mm	1.6	582562000
--	-----	------------------

 Galvanised Width-across: 22 mm Follow fitting instructions!		
---	--	--


Swivel coupler 48mm Drehkupplung 48mm	1.5	582560000
---	-----	------------------

 Galvanised Width-across: 22 mm Follow fitting instructions!		
---	--	--

Normal coupler 48mm Normalkupplung 48mm	1.2	682004000
---	-----	------------------

 Galvanised Width-across: 22 mm Follow fitting instructions!		
---	--	--


Pin coupling 60mm Zapfenkupplung 60mm	1.0	582546000
---	-----	------------------

 Galvanised Width-across: 22 mm		
---	--	--


Anchoring shoe for stair tower Ankerschuh für Treppenturm	3.4	582680000
---	-----	------------------











 Galvanised Length: 22 cm Width: 12 cm Height: 22 cm		
--	--	--











Cone screw B 7cm Konusschraube B 7cm	0.86	581444000
--	------	------------------

 red Length: 10 cm Diameter: 7 cm Width-across: 50 mm		
---	--	--

Beam connection plate H20 Gurtverbinder H20	0.08	586263000
---	------	------------------

 Galvanised Height: 8 cm		
--	--	--

	[kg]	Article n°
Rafter plate right Rafter plate left Sparrenpfettenanker	0.09 0.09	582521000 582522000
 Galvanised Length: 17 cm		
Handrail clamp S Schutzgeländerzwinge S	11.5	580470000
 Galvanised Height: 123 - 171 cm		
Handrail post T 1.80m Einschubgeländer T 1,80m	17.7	584373000
 Galvanised		
Toeboard holder T 1.80m Fußwehrhalter T 1,80m	0.53	584392000
 Galvanised Height: 13.5 cm		
Scaffold tube connection Gerüstrohranschluss	0.27	584375000
 Galvanised Height: 7 cm		
Lashing strap 5.00m Zurrgurt 5,00m	2.8	586018000
 Yellow		
Bracing for load-bearing towers Abspannung für Traggerüste	11.6	582795000
 Galvanised Painted blue		
Spindle connecting plate T Spindellasche T	3.1	584371000
 Galvanised Width: 20 cm Height: 25 cm		
Connecting pin 10cm Verbindungsbolzen 10cm	0.34	580201000
 Galvanised Length: 14 cm		
Spring cotter 5mm Federvorstecker 5mm	0.05	580204000
 Galvanised Length: 13 cm		

	[kg]	Article n°
Lifting strap 13.00m Umsetzgurt 13,00m	4.0	583013000
 Green Follow the directions in the "Operating Instructions"!		CE
Lifting rod 15.0 Umsetzstab 15,0	1.9	586074000
 Blue Height: 57 cm Follow the directions in the "Operating Instructions"!		CE
Retaining plate 15.0 Jochplatte 15,0	1.8	586073000
 Galvanised Length: 17 cm Width: 12 cm Height: 11 cm		
Universal plug R20/25 Kombi-Ankerstopfen R20/25	0.003	588180000
 Blue Diameter: 3 cm		
Trolley TT Rollwagen TT	29.2	586681000
 Galvanised		
Winch 70 Zahnstangenwinde 70	31.0	582779000
 Painted blue Height: 126 cm Follow the directions in the "Operating Instructions"!		CE
Winch 125 Zahnstangenwinde 125	63.8	582780000
 Painted blue Height: 189 cm Follow the directions in the "Operating Instructions"!		CE
Staxo/d2 adapter frame Staxo/d2-Adapter	14.1	582781000
 Painted blue Length: 37 cm Width: 36 cm Height: 36 cm		
Solid tire wheel Vollelastikrad	34.5	582573000
 Painted blue Height: 45 cm		
Heavy-duty wheel 15kN Schwerlastrad 15kN	33.0	582575000
 Painted blue Height: 41 cm		

Double wheeled transporter 5.0 **582558000**


Zweirad-Transportroller



Painted blue
Width: 57 cm

Fork lift shifting device TG 83.0 **582797000**

Umsetzgerät TG für Stapler




Galvanised
Length: 60 cm
Width: 113 cm
Height: 52 cm
Follow the directions in the
"Operating Instructions"!

CE

Multi-purpose waling WS10 Top50 2.00m 38.9 **580007000**


Mehrzweckriegel WS10 Top50 2,00m



Painted blue

Coupler WS10 250 6.6 **582688000**

Kupplungsstück WS10 250



Galvanised
Length: 35 cm
Width: 27 cm

Doka 4-part chain 3.20m 15.0 **588620000**

Doka-Vierstrangkette 3,20m



Follow the directions in the
"Operating Instructions"!

CE

Doka personal fall-arrest set 3.6 **583022000**

Doka-Auffanggurt



Follow the directions in the
"Operating Instructions"!

CE