


[kg] broj artikla

Višenamjenski profil WS10 Top50 1,00m
Višenamjenski profil WS10 Top50 1,25m
 Mehrzweckriegel WS10 Top50

19,6 580003000
24,7 580004000

plavo lakirano




Spojka potpornjaka 6/8
 Stützenlasche 6/8

[kg] broj artikla

15,0 580072000


plavo lakirano
 duljina: 58 cm



Univerzalni kutni stezač
 Universal-Winkelspanner

4,4 580604000

plavo lakirano
 duljina: 20 cm



Višenamjenski profil WU12 Top50 1,50m
Višenamjenski profil WU12 Top50 1,75m
 Mehrzweckriegel WU12 Top50


37,5 580020000
44,2 580021000

plavo lakirano

Spona H20
 Flanschklammer H20

1,0 580135000

pocinčano
 širina: 13 cm
 veličina ključa: 19 mm



Sidro 15,0mm pocinčano 1,00m
Sidro 15,0mm nepocinčano 1,00m
 Ankerstab 15,0mm 1,0m

1,4 581823000
1,4 581874000



DIN
 18216

Spona G
 Flanschklammer G

1,1 580120000

pocinčano
 širina: 13 cm
 veličina ključa: 19 mm



Leptirasta matica 15,0
 Flügelmutter 15,0

0,31 581961000

pocinčano
 duljina: 10 cm
 visina: 5 cm
 veličina ključa: 27 mm



DIN
 18216

Karika za dizalicu
 Kranöse

6,2 580460000


pocinčano
 visina: 59 cm



Vezni svornjak 10cm
 Verbindungsbolzen 10cm

0,34 580201000

pocinčano
 duljina: 14 cm



Rascjepka 5mm
 Federvorstecker 5mm

0,05 580204000


pocinčano
 duljina: 13 cm



Karika za kran za oplatu stupa
 Kranöse für Stützenschalung

65,0 580607000

pocinčano, praškasto lakirano
 duljina: 85 cm
 širina: 85 cm



Kosnik 340 IB
 Elementstütze 340 IB

24,3 580365000

Sastoji se od:

(A) **Prilagodljivi podupirač 540 IB**

16,7 588696000


pocinčano
 duljina: 190,8 - 341,8 cm

(B) **Prilagodljivi potpornjak 120 IB**

7,6 588248500

pocinčano
 duljina: 81,5 - 130,6 cm


pocinčano
 isporuka: sklopljeno



Kutna vezna spojka 90/50
 Winkellasche 90/50

13,8 580603000

plavo lakirano
 duljina: 51 cm
 širina: 40 cm




[kg] broj artikla

[kg] broj artikla


Kosnik 540 IB Elementstütze 540 IB Sastoji se od:	41,4 580366000	Eurex 60 550 Eurex 60 550 S obzirom na potrebnu dužinu, sastoji se od:	
(A) Prilagodljivi podupirač 540 IB pocinčano duljina: 310,5 - 549,2 cm	30,7 588697000	(A) Prilagodljivi podupirač Eurex 60 550 plave boje, praškasto lakirano aluminijски duljina: 343 - 553 cm	42,5 582658000
(B) Prilagodljivi potpornjak 220 IB pocinčano duljina: 172,5 - 221,1 cm	10,9 588251500	(B) Produžetak Eurex 60 2,00m plave boje, praškasto lakirano aluminijски duljina: 250 cm	21,3 582651000

pocinčano
isporuka: sklopljeno




(C) Spojka Eurex 60 aluminijски duljina: 100 cm promjer: 12,8 cm	8,6 582652000
(D) Vežni dio Eurex 60 IB pocinčano duljina: 15 cm širina: 15 cm visina: 30 cm	4,2 582657500
(E) Stopa prilagodljivog podupirača Eurex 60 EB pocinčano duljina: 31 cm širina: 12 cm visina: 33 cm	8,0 582660500
(F) Prilagodljivi potpornjak 540 Eurex 60 IB pocinčano duljina: 303,5 - 542,2 cm	27,8 582659500

isporuka: pojedinačni dijelovi




Glava potpornjaka EB Stützenkopf EB	3,1 588244500
---	----------------------



pocinčano
duljina: 40,8 cm
širina: 11,8 cm
visina: 17,6 cm

Univerzalni alat za otpuštanje Universal-Lösewerkzeug	3,7 582768000
---	----------------------




pocinčano
duljina: 75,5 cm

[kg] broj artikla

[kg] broj artikla

Doka-brzo sidro 16x125mm 0,31 588631000

Doka-Expressanker 16x125mm



pocinčano

duljina: 18 cm

Pridržavajte se uputa za ugradnju!

Cijev 48,3mm 0,50m

1,7 682026000

Cijev 48,3mm 1,00m

3,6 682014000

Cijev 48,3mm 1,50m

5,4 682015000

Cijev 48,3mm 2,00m

7,2 682016000

Cijev 48,3mm 2,50m

9,0 682017000

Cijev 48,3mm 3,00m

10,8 682018000

Cijev 48,3mm 3,50m

12,6 682019000

Cijev 48,3mm 4,00m

14,4 682021000

Cijev 48,3mm 4,50m

16,2 682022000

Cijev 48,3mm 5,00m

18,0 682023000

Cijev 48,3mm 5,50m

19,8 682024000

Cijev 48,3mm 6,00m

21,6 682025000

Cijev 48,3mmm

3,6 682001000

Gerüstrohr 48,3mm

Doka-zavojnica 16mm 0,009 588633000


Doka-Coil 16mm




pocinčano

promjer: 1,6 cm

Gerüstrohr 48,3mm pocinčano

**Konzola za betoniranje L** 12,6 587153500

Betonierkonsole L



pocinčano

duljina: 101 cm

visina: 159 cm

Priključak za cijev cjevne skele 0,27 584375000

Gerüstrohranschluss




pocinčano

visina: 7 cm

Univerzalna konzola 60 14,0 580477000

Universal-Konsole 60



pocinčano

duljina: 86 cm

visina: 181 cm

Spojka za pritezanje 48mm 50 0,84 682002000

Anschraubkupplung 48mm 50




pocinčano

veličina ključa: 22 mm

Pridržavajte se uputa za ugradnju!

Univerzalna konzola 90 30,4 580476000

Universal-Konsole 90



pocinčano

duljina: 121 cm

visina: 235 cm

GF-kutija s alatom 6,5 580390000

GF-Werkzeugbox

Obuhvaćeno isporukom:

(A) Ručka nasadnog ključa 1/2" 0,73 580580000

pocinčano

duljina: 30 cm


(B) Viličasti ključ 13/17 0,08 580577000**(C) Viličasti ključ 22/24** 0,22 580587000**(D) Viličasti ključ 30/32** 0,80 580897000**(E) Okasti ključ 17/19** 0,27 580590000**(F) Produžetak 11cm 1/2"** 0,20 580581000**(G) Produžetak 22cm 1/2"** 0,31 580582000**(H) Kardanski zglob** 0,16 580583000**(I) Nasadna glava za ključ 19 1/2" L** 0,16 580598000**(J) Nasadna glava za ključ 13 1/2"** 0,06 580576000**(K) Nasadna glava za ključ 24 1/2"** 0,12 580584000**(L) Nasadna glava za ključ 30 1/2"** 0,20 580575000**Univerzalna spojka za ogradu** 3,0 580478000

Universal-Geländerbügel




pocinčano

visina: 20 cm



Montažna spojka Top50
Montagelasche Top50


6,7 580082000



pocinčano
duljina: 53,2 cm
širina: 48,6 cm

Stezna traka B 5,00m
Bandzwinke B 5,00m


3,5 580394000



pocinčano

Pločica za izradu otvora Top50
Bohrplatte Top50

2,9 580080000




plavo lakirano
duljina: 17 cm
širina: 15 cm
alat: svrdlo (promjer 10 mm)

Vodilicam

Führungsschienem


1,8 580079000



plavo lakirano
težina po m'

Kutni spojnik 9x5cm
Winkelverbinder 9x5cm

0,22 580381000



pocinčano

Kutne spojnice drvenih nosača desne
Kutne spojnice drvenih nosača lijeve
Sparrenpfettenanker

0,09 582521000


0,09 582522000



pocinčano
duljina: 17 cm

Doka-četverostruki lanac 3,20m
Doka-Vierstrangkette 3,20m

15,0 588620000



Pridržavajte se uputa za primjenu!

**Doka sigurnosni sustavi**

Radne i zaštitne platforme, zaštita od pada i sustav ljestava potražite u poglavlju "Doka-sigurnosni sustavi"