



|                                 | [kg]  | Article n° |
|---------------------------------|-------|------------|
| Dokamatic table 2.50x4.00m 21mm | 515.0 | 586200000  |
| Dokamatic table 2.50x5.00m 21mm | 656.0 | 586201000  |
| Dokamatic table 2.00x4.00m 21mm | 480.0 | 586202000  |
| Dokamatic table 2.00x5.00m 21mm | 600.0 | 586203000  |

Dokamatic-Tisch



|                                 |       |           |
|---------------------------------|-------|-----------|
| Dokamatic table 2.50x4.00m 27mm | 560.0 | 586204000 |
| Dokamatic table 2.50x5.00m 27mm | 685.0 | 586205000 |
| Dokamatic table 2.00x4.00m 27mm | 522.0 | 586206000 |
| Dokamatic table 2.00x5.00m 27mm | 625.0 | 586207000 |

Dokamatic-Tisch



|   |     |           |
|---|-----|-----------|
| Doka formwork sheet 3-S plus 21mm 9.7/200cm | 2.0 | 186109000 |
| Doka formwork sheet 3-S plus 21mm 9.7/250cm | 2.5 | 186110000 |
| Doka formwork sheet 3-S plus 21mm 20/200cm  | 4.2 | 186107000 |
| Doka formwork sheet 3-S plus 21mm 20/250cm  | 5.3 | 186108000 |

Doka-Schalungsplatte 3-S plus 21mm

|   |     |           |
|---|-----|-----------|
| Doka formwork sheet 3-S plus 27mm 9.7/200cm | 2.5 | 187052000 |
| Doka formwork sheet 3-S plus 27mm 9.7/250cm | 3.1 | 187053000 |
| Doka formwork sheet 3-S plus 27mm 20/200cm  | 5.2 | 187050000 |
| Doka formwork sheet 3-S plus 27mm 20/250cm  | 6.5 | 187051000 |

Doka-Schalungsplatte 3-S plus 27mm

|                                   |       |           |
|-----------------------------------|-------|-----------|
| Dokamatic table grille 2.50x4.00m | 418.0 | 586208000 |
| Dokamatic table grille 2.50x5.00m | 536.0 | 586209000 |
| Dokamatic table grille 2.00x4.00m | 402.0 | 586210000 |
| Dokamatic table grille 2.00x5.00m | 508.0 | 586211000 |

Dokamatic-Tischrost



|                                  |     |           |
|----------------------------------|-----|-----------|
| Doka floor prop Eurex 20 top 150 | 8.0 | 586096000 |
|----------------------------------|-----|-----------|

Length: 92 - 150 cm

|                                  |      |           |
|----------------------------------|------|-----------|
| Doka floor prop Eurex 20 top 250 | 12.7 | 586086400 |
|----------------------------------|------|-----------|

Length: 148 - 250 cm

|                                  |      |           |
|----------------------------------|------|-----------|
| Doka floor prop Eurex 20 top 300 | 14.3 | 586087400 |
|----------------------------------|------|-----------|

Length: 173 - 300 cm

|                                  |      |           |
|----------------------------------|------|-----------|
| Doka floor prop Eurex 20 top 350 | 17.4 | 586088400 |
|----------------------------------|------|-----------|

Length: 198 - 350 cm

|                                  |      |           |
|----------------------------------|------|-----------|
| Doka floor prop Eurex 20 top 400 | 21.6 | 586089400 |
|----------------------------------|------|-----------|


Length: 223 - 400 cm

|                                  |      |           |
|----------------------------------|------|-----------|
| Doka floor prop Eurex 20 top 550 | 32.3 | 586090400 |
|----------------------------------|------|-----------|

Length: 298 - 550 cm

Doka-Deckenstütze Eurex 20 top

Galvanised



|                                  |      |           |
|----------------------------------|------|-----------|
| Doka floor prop Eurex 30 top 250 | 12.8 | 586092400 |
|----------------------------------|------|-----------|

Length: 148 - 250 cm

|                                  |      |           |
|----------------------------------|------|-----------|
| Doka floor prop Eurex 30 top 300 | 16.4 | 586093400 |
|----------------------------------|------|-----------|

Length: 173 - 300 cm

|                                  |      |           |
|----------------------------------|------|-----------|
| Doka floor prop Eurex 30 top 350 | 20.7 | 586094400 |
|----------------------------------|------|-----------|

Length: 198 - 350 cm

|                                  |      |           |
|----------------------------------|------|-----------|
| Doka floor prop Eurex 30 top 400 | 24.6 | 586095400 |
|----------------------------------|------|-----------|

Length: 223 - 400 cm

|                                  |      |           |
|----------------------------------|------|-----------|
| Doka floor prop Eurex 30 top 450 | 29.1 | 586119400 |
|----------------------------------|------|-----------|

Length: 248 - 450 cm

|                                  |      |           |
|----------------------------------|------|-----------|
| Doka floor prop Eurex 30 top 550 | 38.6 | 586129000 |
|----------------------------------|------|-----------|

Length: 303 - 550 cm

Doka-Deckenstütze Eurex 30 top


Galvanised



|                                 |       |           |
|---------------------------------|-------|-----------|
| Dokamatic table waling 12 4.00m | 122.5 | 586212000 |
| Dokamatic table waling 12 5.00m | 154.0 | 586213000 |

Dokamatic-Tischriegel

Painted blue




|                          |      |           |
|--------------------------|------|-----------|
| Dokamatic swivel head 40 | 17.1 | 586214000 |
|--------------------------|------|-----------|

Dokamatic-Schwenkkopf 40

Galvanised

Length: 60 cm




|                                     |       |           |
|-------------------------------------|-------|-----------|
| Dokamatic table platform 1.00/2.00m | 92.0  | 586218000 |
| Dokamatic table platform 1.00/2.50m | 103.0 | 586217000 |

Dokamatic-Tischbühne

Steel parts galvanised

Timber parts varnished yellow

Delivery condition: folded closed




[kg] Article n°

[kg] Article n°

**Dokamatic platform bracket 1.00m**

Dokamatic-Bühnenkonsole 1,00m

19.5 586227000

Galvanised  
Length: 112 cm  
Height: 124 cm**End-shutter tie rod 15.0 15-40cm**

Abschalanker 15,0 15-40cm


0.91 586258000

Galvanised  
Length: 55 cm**Dokamatic platform extension 0.50/2.00m**

Dokamatic-Bühnenverbreiterung


31.0 586220000

34.3 586219000

Steel parts galvanised  
Timber parts varnished yellow**Dokamatic extension profile 0.50m**

Dokamatic-Verbreiterungsprofil 0,50m


6.0 586228000

Galvanised  
Length: 49 cm**Dokamatic platform profile 1.00m**

Dokamatic-Bühnenprofil 1,00m

11.0 586221000

Galvanised

**Universal end-shutter support 30cm**


Universal-Abschalwinkel 30cm

1.0 586232000

Galvanised  
Height: 21 cm**Doka floor end-shutter clamp**


Doka-Deckenabschalklemme

12.5 586239000

Galvanised  
Height: 137 cm**End-shutter shoe**

Abschalschuh

1.6 586257000

Galvanised  
Height: 13.5 cm**Universal plug R20/25**

Kombi Ankerstopfen R20/25

0.003 588180000

Blue  
Diameter: 3 cm**Plug for closure plate R25**


Ausgleichsblechstopfen R25

0.003 588187000

Black  
Diameter: 3 cm**Dokamatic strut connection**


Dokamatic-Stützenanschluss

1.3 586215000

Galvanised  
Height: 26 cm**Dokamatic scaffold connection**

Dokamatic-Gerüstanschluss


3.4 586216000

Galvanised  
Height: 27 cm**Dokamatic table frame 1.50m**

Dokamatic-Tischrahmen 1,50m

59.8 586224000

Galvanised

**Diagonal cross 9.150**

Diagonal cross 9.200

Diagonal cross 9.250

Diagonal cross 9.300

Diagonal cross 12.150

Diagonal cross 12.200

Diagonal cross 18.100

Diagonalkreuz

5.2 582773000

6.6 582774000

7.7 582775000


9.0 582323000

















5.7 582612000

6.9 582614000

6.1 582620000

Galvanised



|  |   |   |
|--|---|---|
| <p><b>Dokamatic insertion beam 1.95m</b><br/> <b>Dokamatic insertion beam 2.45m</b><br/> Dokamatic-Einschubträger</p>  <p>Varnished yellow</p> | <p>[kg] Article n°<br/> <b>8.0 183054000</b><br/> <b>10.0 183045000</b></p> | <p><b>Beam clamp Top50</b><br/> Trägerklammer Top50</p>  <p>Painted blue<br/> Height: 15 cm</p>   |
| <p><b>Supporting head H20 DF</b><br/> Haltekopf H20 DF</p>  <p>Galvanised<br/> Length: 19 cm<br/> Width: 11 cm<br/> Height: 8 cm</p>           | <p><b>0.77 586179000</b></p>  | <p><b>Connecting pin 10cm</b><br/> Verbindungsbolzen 10cm</p>  <p>Galvanised<br/> Length: 14 cm</p>  |
| <p><b>Dokamatic table Staxo spindle connector</b><br/> Staxo-Spindelanschluss Dokamatic-Tisch</p>  <p>Galvanised<br/> Length: 20.7 cm</p>      | <p><b>3.9 582347000</b></p>   | <p><b>Spring cotter 5mm</b><br/> Federvorstecker 5mm</p>  <p>Galvanised<br/> Length: 13 cm</p>   |
| <p><b>Dokamatic front wood strip 4x8cm 2.60m</b><br/> Dokamatic-Stirnholz 4x8cm 2,60m</p>  <p>Varnished yellow</p>                             | <p><b>4.2 183046000</b></p>   | <p><b>Dokamatic floor beam plate 60cm</b><br/> Dokamatic-Untertzuglasche 60cm</p>  <p>Painted blue<br/> Height: 68 cm</p>                  |
| <p><b>Spring locked connecting pin 16mm</b><br/> Federbolzen 16mm</p>  <p>Galvanised<br/> Length: 15 cm</p>                                   | <p><b>0.25 582528000</b></p>  | <p><b>Dokamatic end-shutter unit 50cm</b><br/> Dokamatic-Abschaleinheit 50cm</p>  <p>Galvanised<br/> Length: 71 cm<br/> Height: 57 cm</p> |
| <p><b>T ledge 21/42 2.00m</b><br/> T-Leiste 21/42 2,00m</p>  <p>Grey</p>   | <p><b>0.34 580196000</b></p>  | <p><b>Framax universal corner waling</b><br/> Framax-Eckklemmschiene</p>  <p>Painted blue<br/> Leg length: 60 cm</p>                     |
| <p><b>Adjustable waling extension FF20/50</b><br/> Ausgleichslasche FF20/50</p>  <p>Painted blue<br/> Length: 87 cm</p>                      | <p><b>9.1 587532000</b></p>   | <p><b>Dokamatic edge clamp 0.70m</b><br/> Dokamatic-Randklemme 0,70m</p>  <p>Galvanised</p>  |
| <p><b>Formwork element connector FF20/50 Z</b><br/> Elementverbinder FF20/50 Z</p>  <p>Painted blue<br/> Length: 55 cm</p>                   | <p><b>6.0 587533000</b></p>   | <p><b>H20 screw-on bracket for formwork sheets</b><br/> Schalhaut-Schraubwinkel H20</p>  <p>Galvanised<br/> Height: 19.2 cm</p>          |


[kg] Article n°

[kg] Article n°

**Lashing strap 5.00m**

Zurrgurt 5,00m

Yellow




2.8 586018000

**Handrail post T 1.80m**

Einschubgeländer T 1,80m

Galvanised



17.7 584373000

**Doka express anchor 16x125mm**

Doka-Expressanker 16x125mm

Galvanised

Length: 18 cm

Follow fitting instructions!




0.31 588631000

**Toeboard holder T 1.80m**

Fußwehrhalter T 1,80m

Galvanised

Height: 13.5 cm



0.53 584392000

**Doka coil 16mm**

Doka-Coil 16mm

Galvanised

Diameter: 1.6 cm




0.009 588633000

**Strip tensioner B 5.00m**

Bandzwinige B 5,00m

Galvanised




3.5 580394000

**Plumbing strut 340 IB**

Justierstütze 340 IB

Galvanised

Length: 190.8 - 341.8 cm




16.7 588696000

**Plastic mallet 4kg**

Kunststoffhammer 4kg

Blue

Length: 110 cm




4.5 586097000

**Plumbing strut 540 IB**

Justierstütze 540 IB

Galvanised

Length: 310.5 - 549.2 cm




30.7 588697000

**Universal dismantling tool**

Universal-Lösewerkzeug

Galvanised

Length: 75.5 cm



3.7 582768000

**Prop head EB**


Stützenkopf EB

Galvanised

Length: 40.8 cm

Width: 11.8 cm

Height: 17.6 cm




3.1 588244500

**Reversible ratchet 1/2"**

Umschaltknarre 1/2"

Galvanised

Length: 30 cm



0.73 580580000

**Box nut 30 1/2"**

Stecknuss 30 1/2"



0.20 580575000

**Platform stairway 0.97m****25.0 586555000****Doka Safety Systems**

Podesttreppe 0,97m



Aluminium

Width: 120 cm


Pay attention to the national, technical safety regulations!



You will find working and protection platforms, guardrail systems and access systems in the section headed "Doka Safety Systems".

**Wheel-around scaffold DF****44.0 586157000**

Mobilgerüst DF



Aluminium

Length: 185 cm

Width: 80 cm

Height: 255 cm

Delivery condition: folded closed

Follow the directions in the "Operating Instructions"!

**Mobile scaffold tower Z**



Fahrgerüst Z

consisting of:

|  |      |           |
|--|------|-----------|
| (A) Attachable frame Z 1.00m                       | 6.7  | 586016000 |
| (B) Attachable frame Z 2.00m                       | 11.3 | 586017000 |
| (C) Railing frame Z 1.00m                          | 4.1  | 586021000 |
| (D) Handrail post Z 1.80m                          | 6.5  | 586022000 |
| (E) Platform Z with manhole flap 1.80m             | 17.5 | 586023000 |
| (F) Platform Z without manhole flap 1.80m          | 17.0 | 586024000 |
| (G) End toe-board Z 1.35m                          | 4.0  | 586025000 |
| (H) Side toe-board Z 1.80m                         | 5.1  | 586026000 |
| (I) Diagonal brace Z 2.00m                         | 3.0  | 586027000 |
| (J) Horizontal brace Z 1.80m                       | 2.8  | 586028000 |
| (K) Triangular bracket Z<br>(not illustrated)      | 5.3  | 586029000 |
| (L) Guide roller Z D200mm                          | 7.1  | 586030000 |
| (M) Step-up rung Z                                 | 2.5  | 586031000 |
| (N) Platform diagonal strut Z<br>(not illustrated) | 2.5  | 586032000 |
| (O) Ballast Z<br>(not illustrated)                 | 10.0 | 586033000 |

Aluminium

Follow the directions in the "Instructions for assembly and use"!

**Shifting appliances for tables**

You will find shifting appliances for tables in the section headed "Doka Floor Systems - Shifting appliances for tables".