


	[kg]	Article n°
Staxo 40 frame 0.90m	14.6	582202000
Staxo 40 frame 1.20m	17.5	582201000
Staxo 40 frame 1.80m	24.5	582200000
Staxo 40-Rahmen		

Galvanised



Staxo 40 coupler	0.60	582203000
Staxo 40-Kupplungsstück		

Galvanised
Height: 30.8 cm



Staxo 40 tube connector D48.3mm	0.07	582204000
Staxo 40-Rohrstecker D48,3mm		

Yellow




Diagonal cross 9.100	4.1	582772000
Diagonal cross 9.150	5.2	582773000
Diagonal cross 9.165	5.7	582627000
Diagonal cross 9.175	6.1	582334000
Diagonal cross 9.200	6.6	582774000
Diagonal cross 9.250	7.7	582775000
Diagonal cross 9.300	9.0	582323000
Diagonal cross 12.100	4.6	582610000
Diagonal cross 12.150	5.7	582612000
Diagonal cross 12.165	6.1	582628000
Diagonal cross 12.175	6.3	582335000
Diagonal cross 12.200	6.9	582614000
Diagonal cross 12.250	8.3	582616000
Diagonal cross 12.300	9.3	582325000
Diagonal cross 18.100	6.1	582620000
Diagonal cross 18.150	6.9	582622000
Diagonal cross 18.165	7.3	582629000
Diagonal cross 18.175	7.8	582336000
Diagonal cross 18.200	7.8	582624000
Diagonal cross 18.250	9.1	582626000
Diagonal cross 18.300	10.3	582326000
Diagonalkreuz		

Galvanised
Delivery condition: folded closed




Diagonal brace d2 9.100	2.0	582740000
Diagonal brace d2 9.125	2.2	582741000
Diagonal brace d2 9.152	2.6	582742000
Diagonal brace d2 9.175	3.0	582743000
Diagonal brace d2 9.200	3.3	582744000
Diagonal brace d2 9.225	5.9	582745000
Diagonal brace d2 9.250	6.8	582746000
Diagonal brace d2 12.100	2.2	582712000
Diagonal brace d2 12.125	2.5	582713000
Diagonal brace d2 12.152	2.9	582714000
Diagonal brace d2 12.175	3.1	582715000
Diagonal brace d2 12.200	3.5	582716000
Diagonal brace d2 12.225	6.0	582717000
Diagonal brace d2 12.250	6.7	582718000
Diagonal brace d2 18.100	3.0	582720000
Diagonal brace d2 18.125	3.3	582721000
Diagonal brace d2 18.152	5.8	582722000
Diagonal brace d2 18.175	6.1	582723000
Diagonal brace d2 18.200	6.4	582724000
Diagonal brace d2 18.225	6.9	582725000
Diagonal brace d2 18.250	7.4	582726000
Diagonalstrebe d2		

Galvanised




Horizontal brace d2 100	1.6	582730000
Horizontal brace d2 125	1.9	582731000
Horizontal brace d2 152	2.3	582732000
Horizontal brace d2 175	2.7	582733000
Horizontal brace d2 200	3.0	582734000
Horizontal brace d2 225	3.4	582735000
Horizontal brace d2 250	3.8	582736000
Horizontalstrebe d2		

Galvanised




Staxo 40 4-way screw-jack head 30cm	6.5	582209000
Staxo 40-Vierwegkopfspindel 30cm		

Galvanised
Height: 67.8 cm




Staxo 40 4-way screw-jack head 70cm	8.9	582210000
Staxo 40-Vierwegkopfspindel 70cm		

Galvanised
Height: 117.6 cm



Staxo 40 screw jack U-head 30cm	4.7	582207000
Staxo 40-Kopfspindel 30cm		

Galvanised
Height: 55.7 cm




[kg] Article n°

[kg] Article n°

Staxo 40 screw jack U-head 70cm

Staxo 40-Kopfspindel 70cm

7.0 582208000

Galvanised
Height: 105.5 cm**Wedge for screw jack %**


Spindelkeil %

0.46 176071000

Length: 20 cm
Width: 16 cm**Super plate 15.0**


Superplatte 15,0

1.1 581966000

Galvanised
Height: 6 cm
Diameter: 12 cm
Width-across: 27 mm**DIN**
18216**Lowering head H20**


Absenkkopf H20

6.1 586174000

Galvanised
Length: 25 cm
Width: 20 cm
Height: 38 cm**Staxo wedge support WS10**


Staxo-Keilaufleger WS10

8.7 582796000

Galvanised
Length: 31 cm
Width: 15 cm
Height: 23 cm**4-way head H20**


Vierwegkopf H20

4.0 586170000

Galvanised
Length: 25 cm
Width: 20 cm
Height: 33 cm**Staxo wedge support WU12/14**


Staxo-Keilaufleger WU12/14

12.2 582350000

Galvanised
Length: 35.6 cm
Width: 15 cm
Height: 33.6 cm**Doka Xtra head**


Doka Xtra-Kopf

9.7 586108000

Galvanised
Height: 69 cm**Swivel bearing plate for screw jack U-head**

Gelenkaufsatz Kopfspindel

5.2 582799000

Galvanised
Length: 20.8 cm
Width: 15.0 cm
Height: 14.4 cm**Clamping plate for U-head**

Klemmplatte für Gabelkopf

2.0 502709030

Galvanised
Length: 24 cm
Width: 9 cm**Staxo 40 screw jack foot 30cm**

Staxo 40-Fußspindel 30cm

3.9 582205000

Galvanised
Height: 50.7 cm**Wing nut 15.0**

Flügelmutter 15,0

0.31 581961000

Galvanised
Length: 10 cm
Height: 5 cm
Width-across: 27 mm**DIN**
18216**Staxo 40 screw jack foot 70cm**

Staxo 40-Fußspindel 70cm

6.1 582206000

Galvanised
Height: 100.5 cm**Locking rod 15.0 330mm**

Quetschteil 15,0 330mm

0.48 582641000

Galvanised
Width-across: 24 mm**Staxo 40 anti-dropout lock**

Staxo 40-Spindelsicherung

0.54 582211000

Galvanised
Powder-coated, blue
Length: 9.0 cm
Width: 8.8 cm
Height: 8.6 cm**Dokamatic table Staxo spindle connector**


Staxo-Spindelanschluss Dokamatic-Tisch

3.9 582347000

Galvanised
Length: 20.7 cm**Closure plate**

Ausgleichsplatte

1.2 582239000

Orange
Black
Diameter: 30 cm

Plumbing strut Eurex 60 550

Justierstütze Eurex 60 550

42.5 582658000


Powder-coated, blue
Aluminium
Length: 343 - 553 cm

**Plumbing strut 340 IB**

Justierstütze 340 IB

16.7 588696000

Galvanised
Length: 190.8 - 341.8 cm

**Extension Eurex 60 2.00m**

Verlängerung Eurex 60 2,00m

21.3 582651000


Powder-coated, blue
Aluminium
Length: 250 cm

**Plumbing strut 340 IB EF**

Justierstütze 340 IB EF

14.9 588247500

Galvanised
Length: 190.8 - 341.8 cm

**Coupler Eurex 60**

Kupplungsstück Eurex 60

8.6 582652000


Aluminium
Length: 100 cm
Diameter: 12.8 cm

**Plumbing strut 540 IB**

Justierstütze 540 IB

30.7 588697000

Galvanised
Length: 310.5 - 549.2 cm

**Prop head Eurex 60 Top50**

Stützenkopf Eurex 60 Top50

7.1 582665000


Galvanised
Height: 50 cm

**Plumbing strut 540 IB EF**

Justierstütze 540 IB EF

28.9 588250500

Galvanised
Length: 310.5 - 549.2 cm

**Connector Eurex 60 IB**

Verbindungsstück Eurex 60 IB

4.2 582657500


Galvanised
Length: 15 cm
Width: 15 cm
Height: 30 cm

**Plumbing strut shoe Eurex 60 EB**

Justierstützenfuß Eurex 60 EB











8.0 582660500

Galvanised
Length: 31 cm
Width: 12 cm
Height: 33 cm



[kg] Article n°

[kg] Article n°


Strut shoe EB Strebenschuh EB	0.93 588946000	Scaffold planking 60/100cm with manhole Scaffold planking 60/150cm with manhole Scaffold planking 60/175cm with manhole Scaffold planking 60/200cm with manhole Scaffold planking 60/250cm with manhole Scaffold planking 60/300cm with manhole Gerüstbelag mit Durchstieg	9.5 582311500 13.8 582312500 15.5 582333500 17.7 582313500 20.8 582314500 26.3 582315500
 <p>Galvanised Width: 8 cm Height: 13 cm</p>	1.8 588245500	 <p>Aluminium</p>	
Prop shoe EB Stützenschuh EB	1.6 582214000	Scaffold planking 30/100cm Scaffold planking 30/150cm Scaffold planking 30/200cm Scaffold planking 30/250cm Scaffold planking 30/300cm Gerüstbelag	7.4 582231000 10.6 582232000 13.5 582234000 16.4 582235000 19.5 582236000
 <p>Galvanised Height: 16 cm</p>	3.7 582768000	 <p>Galvanised</p>	
Universal dismantling tool Universal-Lösewerkzeug	0.31 588631000	Staxo 40 bracket 90cm Staxo 40-Konsole 90cm	8.6 582212000
 <p>Galvanised Length: 18 cm Follow fitting instructions!</p>	0.009 588633000	 <p>Galvanised Width: 108.9 cm Height: 65.5 cm</p>	
Doka coil 16mm Doka-Coil 16mm	6.1 582330500 9.5 582306500 13.6 582307500 15.5 582332500 17.8 582308500 22.2 582309500 26.2 582310500	Staxo 40 planking strut 1.00m Staxo 40 planking strut 1.50m Staxo 40 planking strut 2.00m Staxo 40-Belagstrebe	5.7 582215000 7.3 582216000 9.3 582217000
 <p>Galvanised Diameter: 1.6 cm</p>	6.5 582213000	 <p>Galvanised</p>	
Scaffold planking 60/60cm Scaffold planking 60/100cm Scaffold planking 60/150cm Scaffold planking 60/175cm Scaffold planking 60/200cm Scaffold planking 60/250cm Scaffold planking 60/300cm Gerüstbelag	6.5 582213000	Staxo 40 frame strut 1.40m Staxo 40-Rahmenstrebe 1,40m	6.5 582213000
 <p>Aluminium</p>		 <p>Galvanised</p>	

[kg] Article n°

[kg] Article n°

Staxo front railing

Staxo-Stirngeländer

Galvanised
Length: 140 cm
Height: 152 cm

10.5 582316000

Swivel coupler 48mm


Drehkupplung 48mm

Galvanised
Width-across: 22 mm

1.5 582560000

Normal coupler 48mm

Normalkupplung 48mm

Galvanised
Width-across: 22 mm

1.2 682004000

Staxo side railing 100

Staxo side railing 150


Staxo side railing 175

Staxo side railing 200

Staxo side railing 250

Staxo side railing 300

Staxo-Seitengeländer

Galvanised
Height: 152 cm

17.5 582317500

20.0 582318500

23.2 582331500

24.1 582319500

27.5 582320500

31.1 582321500

Screw-on coupler 48mm 50

Anschraubkupplung 48mm 50


Galvanised
Width-across: 22 mm

0.84 682002000

Screw-on coupler 48mm 95

Anschraubkupplung 48mm 95

Galvanised



0.88 586013000

Spring locked connecting pin 16mm


Federbolzen 16mm

Galvanised
Length: 15 cm

0.25 582528000

Anchoring shoe for stair tower

Ankerschuh für Treppenturm

Galvanised
Length: 22 cm
Width: 12 cm
Height: 22 cm

3.4 582680000

Staxo 40 ladder 2.30m

Staxo 40-Leiter 2,30m

Galvanised



14.8 582219000

Cone screw B 7cm


Konusschraube B 7cm

red
Length: 10 cm
Diameter: 7 cm
Width-across: 50 mm

0.86 581444000

Handrail post XP 1.20m

Geländersteher XP 1,20m

Galvanised
Height: 118 cm

4.1 586460000

Scaffold tube 48.3mm 0.50m

Scaffold tube 48.3mm 1.00m

Scaffold tube 48.3mm 1.50m

Scaffold tube 48.3mm 2.00m

Scaffold tube 48.3mm 2.50m

Scaffold tube 48.3mm 3.00m

Scaffold tube 48.3mm 3.50m

Scaffold tube 48.3mm 4.00m

Scaffold tube 48.3mm 4.50m

Scaffold tube 48.3mm 5.00m


Scaffold tube 48.3mm 5.50m

Scaffold tube 48.3mm 6.00m

Scaffold tube 48.3mmm

Gerüstrohr 48,3mm

Galvanised



1.7 682026000

3.6 682014000

5.4 682015000

7.2 682016000

9.0 682017000

10.8 682018000

12.6 682019000

14.4 682021000

16.2 682022000

18.0 682023000

19.8 682024000

21.6 682025000

3.6 682001000

Scaffold tube holder D48mm

Gerüstrohrhalter D48mm

Galvanised
Height: 18 cm

0.95 586464000



[kg] Article n°

Toeboard holder XP 1.20m

Fußwehrhalter XP 1,20m

0.64 586461000

Galvanised
Height: 21 cm**Universal plug R20/25**


Kombi Ankerstopfen R20/25

0.003 588180000

Blue
Diameter: 3 cm**Bracing for load-bearing towers**


Abspannung für Traggerüste

11.6 582795000

Galvanised
Painted blue**Staxo 40 shifting wheel**

Staxo 40-Umsetzrad

22.8 582218000


Galvanised
Height: 120 cm
Follow the directions in the "Operating Instructions"!

CE

Spindle connecting plate T


Spindellasche T

3.1 584371000

Galvanised
Width: 20 cm
Height: 25 cm**Fork lift shifting device TG**

Umsetzgerät TG für Stapler

83.0 582797000


Galvanised
Length: 60 cm
Width: 113 cm
Height: 52 cm
Follow the directions in the "Operating Instructions"!

CE

Connecting pin 10cm


Verbindungsbolzen 10cm

0.34 580201000

Galvanised
Length: 14 cm**Staxo 40 lifting strut**

Staxo 40-Umsetzstrebe

9.5 582224000

Galvanised
Length: 144 cm**Spring cotter 5mm**


Federvorstecker 5mm

0.05 580204000

Galvanised
Length: 13 cm**Multi-purpose waling WS10 Top50 2.00m**

Mehrzweckriegel WS10 Top50 2,00m

38.9 580007000



Painted blue

Beam connection plate H20

Gurtverbinder H20

0.08 586263000


Galvanised
Height: 8 cm**Secondary-beam stabiliser 1**

Secondary-beam stabiliser 2

Querträgersicherung

1.6 586196000

2.1 586197000

Galvanised
Height: 38.7 cm**Doka personal fall-arrest set**

Doka-Sicherheitsgeschirr

3.6 583022000



Follow the directions in the "Operating Instructions"!

CE

Lifting rod 15.0

Umsetzstab 15,0

1.9 586074000

Painted blue
Height: 57 cm
Follow the directions in the "Operating Instructions"!

CE

Doka Safety Systems**Retaining plate 15.0**

Jochplatte 15,0

1.8 586073000

Galvanised
Length: 17 cm
Width: 12 cm
Height: 11 cm

You will find working and protection platforms, guardrail systems and access systems in the section headed "Doka Safety Systems".