


[kg] Article n°

| | | |
|----------------------------|------|-----------|
| Frami eco panel 0.30x1.20m | 18.5 | 589405000 |
| Frami eco panel 0.45x1.20m | 23.5 | 589404000 |
| Frami eco panel 0.60x1.20m | 27.8 | 589403000 |
| Frami eco panel 0.75x1.20m | 32.0 | 589402000 |
| Frami eco panel 0.90x1.20m | 36.8 | 589401000 |
| Frami eco panel 0.30x3.00m | 42.5 | 589420000 |
| Frami eco panel 0.45x3.00m | 51.7 | 589419000 |
| Frami eco panel 0.60x3.00m | 63.0 | 589418000 |
| Frami eco panel 0.75x3.00m | 70.3 | 589417000 |
| Frami eco panel 0.90x3.00m | 82.0 | 589416000 |

Frami eco-Element

Painted yellow


Custom sizes on enquiry!



| | | |
|--|------|-----------|
| Frami eco hinged inside corner I 1.20m | 33.5 | 589437000 |
| Frami eco hinged inside corner I 1.50m | 40.0 | 589438000 |

Frami eco-Scharnierecke I

Painted yellow



| | | |
|---|------|-----------|
| Frami eco hinged outside corner A 1.20m | 12.8 | 589439000 |
| Frami eco hinged outside corner A 1.50m | 15.9 | 589440000 |

Frami eco-Scharnierecke A


Painted yellow



| | | |
|--------------------------------------|------|-----------|
| Frami eco universal panel 0.75x1.20m | 36.0 | 589421000 |
| Frami eco universal panel 0.75x3.00m | 86.6 | 589424000 |

Frami eco-Uni-Element

Painted yellow



| | | |
|---|------|-----------|
| Frami circular forming plate 0.20x1.50m | 21.5 | 588486000 |
| Frami circular forming plate 0.25x1.50m | 22.5 | 588487000 |
| Frami circular forming plate 0.30x1.50m | 23.5 | 588488000 |

Frami-Bogenblech


Powder-coated, blue



| | | |
|---------------------------|-----|-----------|
| Frami anchor waling 0.40m | 4.4 | 588489000 |
|---------------------------|-----|-----------|

Frami-Ankerriegel 0,40m


Painted blue



| | | |
|------------------------------------|------|-----------|
| Frami eco inside corner 1.20m 20cm | 24.6 | 589429000 |
| Frami eco inside corner 3.00m 20cm | 55.6 | 589432000 |

Frami eco-Innenecke


Painted yellow



| | | |
|-----------------------------------|------|-----------|
| Frami fitting timber 10x9cm 1.50m | 6.0 | 176035000 |
| Frami fitting timber 5x9cm 1.50m | 3.0 | 176034000 |
| Frami fitting timber 3x9cm 1.50m | 1.9 | 176033000 |
| Frami fitting timber 2x9cm 1.50m | 1.2 | 176032000 |
| Frami fitting timber 10x9cm 2.70m | 12.3 | 176083000 |
| Frami fitting timber 5x9cm 2.70m | 6.1 | 176082000 |
| Frami fitting timber 3x9cm 2.70m | 3.7 | 176081000 |
| Frami fitting timber 2x9cm 2.70m | 2.5 | 176080000 |

Frami-Passholz

Varnished yellow



| | | |
|--------------------------------|------|-----------|
| Frami eco outside corner 1.20m | 10.5 | 589433000 |
| Frami eco outside corner 3.00m | 25.3 | 589436000 |

Frami eco-Außenecke

Painted yellow



| | | |
|----------------------------|-----|-----------|
| Frami plywood support 27mm | 2.0 | 588473000 |
| Frami plywood support 21mm | 2.1 | 588474000 |
| Frami plywood support 18mm | 2.2 | 588499000 |

Frami-Schalhautwinkel

Galvanised

Height: 56 cm




[kg] Article n°

| | | |
|--|--------------|------------------|
| Framax stripping corner I 2.70m | 171.0 | 588675000 |
| Framax stripping corner I 1.35m | 90.0 | 588614000 |
| Framax stripping corner I 3.30m | 209.9 | 588676000 |

Framax-Ausschalecke I

Galvanised, powder-coated



| | | |
|-----------------------------------|------------|------------------|
| Framax stripping spindle I | 3.2 | 588618000 |
|-----------------------------------|------------|------------------|

Framax-Ausschalspindel I

Galvanised
Height: 25 cm

| | | |
|--|------------|------------------|
| Framax stripping spindle I with ratchet | 5.5 | 588653000 |
|--|------------|------------------|

Framax-Ausschalspindel I mit Ratsche

Galvanised
Height: 24.8 cm


| | | |
|---|-------------|------------------|
| Extension set Framax stripping spindle I | 0.90 | 588947000 |
|---|-------------|------------------|

Erweiterungsset Framax Ausschalspindel I

Galvanised
Height: 2.5 cm


| | | |
|--|------------|------------------|
| Dismantling tool Framax stripping spindle I | 4.5 | 588948000 |
|--|------------|------------------|

Lösewerkzeug Framax Ausschalspindel I

Galvanised
Height: 27.5 cm


| | | |
|---|-------------|------------------|
| Frami tie-adapter for stripping corner I | 0.47 | 588492000 |
|---|-------------|------------------|

Frami-Ankeradapter für Ausschalecke I

Galvanised
Height: 11 cm


| | | |
|---|-------------|------------------|
| Frami profile adapter for stripping corner I | 0.60 | 588491000 |
|---|-------------|------------------|

Frami-Profiladapter für Ausschalecke I

Galvanised
Height: 8 cm


| | | |
|-------------------------------------|------------|------------------|
| Framax quick acting clamp RU | 3.3 | 588153400 |
|-------------------------------------|------------|------------------|

Framax-Schnellspanner RU

Galvanised
Length: 20 cm

| | | |
|-------------------------|------------|------------------|
| Frami panel shoe | 1.3 | 588490000 |
|-------------------------|------------|------------------|

Frami-Elementschuh

Galvanised
Length: 16 cm


| | | |
|--------------------|------------|------------------|
| Frami clamp | 1.2 | 588433000 |
|--------------------|------------|------------------|

Frami-Spanner

Galvanised
Length: 11 cm


| | | |
|-----------------------------|------------|------------------|
| Frami aligning clamp | 3.2 | 588435000 |
|-----------------------------|------------|------------------|

Frami-Richtspanner

Galvanised
Length: 62 cm

| | | |
|-------------------------------|------------|------------------|
| Frami adjustable clamp | 3.6 | 588436000 |
|-------------------------------|------------|------------------|

Frami-Ausgleichsspanner

Galvanised
Length: 40 cm


| | | |
|-------------------------------------|------------|------------------|
| Frami universal waling 0.70m | 3.7 | 588439000 |
|-------------------------------------|------------|------------------|

Frami-universalwaling 1.25m

588440000


Frami-Klemmschiene

Painted blue




| | | |
|--------------------------|------------|------------------|
| Frami wedge clamp | 1.1 | 588441000 |
|--------------------------|------------|------------------|

Frami-Klemme

Galvanised
Length: 16 cm


| | | |
|---|-------------|------------------|
| Frami universal fixing bolt 5-12cm | 0.43 | 588479000 |
|---|-------------|------------------|

Frami-Universalverbinder 5-12cm

Galvanised
Length: 23 cm


| | | |
|---------------------------------------|-------------|------------------|
| Frami profile connector 5-18cm | 0.80 | 588493000 |
|---------------------------------------|-------------|------------------|

Frami-Profilverbinder 5-18cm

Galvanised
Length: 33 cm


| | | |
|-------------------------------|-------------|------------------|
| Frami corner connector | 0.40 | 588446000 |
|-------------------------------|-------------|------------------|

Frami-Eckverbinder


Galvanised
Length: 19 cm

Frami stop-end waler tie 15-45cm

Frami-Stirnabschalzwinge 15-45cm

Galvanised
Length: 85 cm**8.8 588498000****Doka express anchor 16x125mm**


Doka-Expressanker 16x125mm

Galvanised
Length: 18 cm
Follow fitting instructions!**0.31 588631000****Frami lifting hook**

Frami-Umsetzbügel

Galvanised
Width: 15 cm
Height: 21 cm
Follow the directions in the "Operating Instructions"!

CE

**7.5 588438000****Doka coil 16mm**


Doka-Coil 16mm

Galvanised
Diameter: 1.6 cm**0.009 588633000****Plumbing strut 260 IB**

Justierstütze 260 IB


Galvanised
Length: 146.8 - 256.7 cm**12.8 588437500****Frami bracket 60**

Frami-Konsole 60

Galvanised
Length: 98 cm
Height: 157 cm**7.7 588442000****Panel strut 340 IB**

Elementstütze 340 IB

consisting of:

(A) Plumbing strut 340 IBGalvanised
Length: 190.8 - 341.8 cm**(B) Adjusting strut 120 IB**Galvanised
Length: 81.5 - 130.6 cmGalvanised
Delivery condition: folded closed**24.3 580365000****Bracket planking 60/270m**


Konsolenbelag 60/270cm

Steel parts galvanised
Timber parts varnished yellow
(not illustrated)**16.7 588696000****51.4 583030000****Bracket railing 240-270cm**


Konsolengeländer 240-270cm

Galvanised
(not illustrated)**7.6 588248500****20.2 583032000****Frami adjustment frame**

Frami-Standkonsole

Galvanised
Length: 103 cm
Height: 94 - 143 cm**14.3 588451000****Strut head EB**


Strebenkopf EB

Galvanised
Width: 9 cm
Height: 14 cm**1.4 588945000****Handrail post 1.00m**

Geländer 1,00m

Galvanised
Length: 124 cm**3.8 584335000****Universal dismantling tool**

Universal-Lösewerkzeug


Galvanised
Length: 75.5 cm**3.7 582768000**

[kg] Article n°

[kg] Article n°

| | | |
|-----------------------------|------|-----------|
| Scaffold tube 48.3mm 0.50m | 1.7 | 682026000 |
| Scaffold tube 48.3mm 1.00m | 3.6 | 682014000 |
| Scaffold tube 48.3mm 1.50m | 5.4 | 682015000 |
| Scaffold tube 48.3mm 2.00m | 7.2 | 682016000 |
| Scaffold tube 48.3mm 2.50m | 9.0 | 682017000 |
| Scaffold tube 48.3mm 3.00m | 10.8 | 682018000 |
| Scaffold tube 48.3mm 3.50m | 12.6 | 682019000 |
| Scaffold tube 48.3mm 4.00m | 14.4 | 682021000 |
| Scaffold tube 48.3mm 4.50m | 16.2 | 682022000 |
| Scaffold tube 48.3mm 5.00m | 18.0 | 682023000 |
| Scaffold tube 48.3mm 5.50m | 19.8 | 682024000 |
| Scaffold tube 48.3mm 6.00m | 21.6 | 682025000 |
| Scaffold tube 48.3mmm | 3.6 | 682001000 |
| Gerüstrohr 48,3mm | | |

Galvanised



| | | |
|---------------------------------|-------------|------------------|
| Scaffold tube connection | 0.27 | 584375000 |
| Gerüstrohranschluss | | |

Galvanised
Height: 7 cm

| | | |
|---------------------------------|-------------|------------------|
| Screw-on coupler 48mm 50 | 0.84 | 682002000 |
| Anschraubkupplung 48mm 50 | | |

Galvanised
Width-across: 22 mm

| | | |
|------------------------------|--------------|------------------|
| Frami frame hole plug | 0.002 | 588444000 |
| Frami-Ankerstopfen | | |

Blue
Diameter: 2.5 cm

| | | |
|---------------------|--------------|------------------|
| Frami plug | 0.003 | 588445000 |
| Frami-Abdeckstopfen | | |


Yellow
Diameter: 2 cm

| | | |
|--------------------------------------|-------------|------------------|
| Framax triangular ledge 2.70m | 0.38 | 588170000 |
| Framax-Dreikantleiste 2,70m | | |




| | | |
|---|------------|------------------|
| Frami frontal triangular ledge 2.70m | 1.5 | 588496000 |
| Frami frontal triangular ledge 3.00m | 1.7 | 588497000 |
| Frami-Stimdreikantleiste | | |


Grey



| | | |
|---------------------------|------------|------------------|
| Box-out clamp 24cm | 3.3 | 580063000 |
| Box-out clamp 25cm | 3.4 | 580064000 |
| Box-out clamp 30cm | 3.8 | 580065000 |
| Aussparungsklemme | | |

Galvanised
Leg length: 10 cm

| | | |
|------------------------------------|-------------|------------------|
| Box-out clamp type 1cm | 13.6 | 580066000 |
| Box-out clamp type 2cm | 15.0 | 580067000 |
| Aussparungsklemmecm | | |


Painted blue
Leg length: 10 cm

| | | |
|---------------------------------|-------------|------------------|
| Frami tie-holder bracket | 0.58 | 588453000 |
| Frami-Ankerhaltewinkel | | |

Galvanised




| | | |
|-----------------------------------|------------|------------------|
| Frami flat tie-rod 10-80cm | 2.1 | 588475000 |
| Frami-Flachanker 10-80cm | | |

Galvanised
Length: 97 cm


| | | |
|-------------------|-------------|------------------|
| Frami clip | 0.26 | 588434000 |
| Frami-Stecker | | |

Galvanised
Width: 3 cm
Height: 12 cm

| | | |
|---------------------------------|-------------|------------------|
| Frami floor fixing plate | 0.53 | 588495000 |
| Frami-Bodenhalter | | |

Galvanised
Length: 12.7 cm
Width: 6.7 cm


| | | |
|-------------------------------|------------|------------------|
| Frami foundation clamp | 1.6 | 588452000 |
| Frami-Fundamentspanner | | |


Galvanised
Height: 9 cm

| | | |
|--|-------------|------------------|
| Doka perforated tape 50x2.0mm 25m | 17.0 | 588206000 |
| Doka-Lochband 50x2,0mm 25m | | |



| | | |
|--------------------------------|-------------|------------------|
| Supporting construction | 10.7 | 588477000 |
| Abstützwinkel | | |

Galvanised
Length: 66 cm
Width: 37 cm
Height: 91 cm

Doka 4-part chain 3.20m
Doka-Vierstrangkette 3,20m**15.0 588620000**

Follow the directions in the "Operating Instructions"!

**Frami transport hook 2.5kN**
Frami-Transporthaken 2,5kN**0.56 588494000**

Galvanised


Length: 17.5 cm

Follow the directions in the "Operating Instructions"!

**Dokamatic lifting strap 13.00m**
Dokamatic-Umsetzgurt 13,00m**10.5 586231000**

Green

Follow the directions in the "Operating Instructions"!

**Double scraper Xlife 100/150mm 1.40m**
Doppelschaber Xlife 100/150mm 1,40m**2.8 588674000****Wheel-around scaffold DF**
Mobilgerüst DF**44.0 586157000**

Aluminium

Length: 185 cm

Width: 80 cm

Height: 255 cm

Delivery condition: folded closed

Follow the directions in the "Operating Instructions"!

Doka Safety Systems

You will find working and protection platforms, guardrail systems and access systems in the section headed "Doka Safety Systems".