


Staxo 100 frame 0.90m
 Staxo 100 frame 1.20m
 Staxo 100 frame 1.80m
 Staxo 100-Rahmen

Galvanised



[kg] Article n°
 24.0 582302000
 28.0 582301000
 37.0 582300000

Diagonal cross 9.060
 Diagonal cross 9.100
 Diagonal cross 9.150
 Diagonal cross 9.165
 Diagonal cross 9.175
 Diagonal cross 9.200
 Diagonal cross 9.250
 Diagonal cross 9.300
 Diagonal cross 12.060
 Diagonal cross 12.100
 Diagonal cross 12.150
 Diagonal cross 12.165
 Diagonal cross 12.175
 Diagonal cross 12.200
 Diagonal cross 12.250
 Diagonal cross 12.300
 Diagonal cross 18.100
 Diagonal cross 18.150
 Diagonal cross 18.165
 Diagonal cross 18.175
 Diagonal cross 18.200
 Diagonal cross 18.250
 Diagonal cross 18.300

3.1 582322000
 4.1 582772000
 5.2 582773000
 5.7 582627000
 6.1 582334000
 6.6 582774000
 7.7 582775000
 9.0 582323000
 4.2 582324000
 4.6 582610000
 5.7 582612000
 6.1 582628000
 6.3 582335000
 6.9 582614000
 8.3 582616000
 9.3 582325000
 6.1 582620000
 6.9 582622000
 7.3 582629000
 7.8 582336000
 7.8 582624000
 9.1 582626000
 10.3 582326000

Diagonalkreuz

Galvanised
 Delivery condition: folded closed




Diagonal cross H 9.100
 Diagonal cross H 9.150
 Diagonal cross H 9.200
 Diagonal cross H 9.250
 Diagonal cross H 12.100
 Diagonal cross H 12.150
 Diagonal cross H 12.200
 Diagonal cross H 12.250

5.7 582337000
 7.2 582338000
 9.3 582339000
 11.3 582340000
 5.8 582341000
 7.5 582342000
 9.3 582343000
 10.5 582344000


Diagonalkreuz H

Galvanised
 Delivery condition: folded closed



U-head D
 Gabelkopf D


[kg] Article n°
 6.7 582709000



Galvanised
 Length: 20 cm
 Width: 22 cm
 Height: 37 cm

4-way screw-jack head
 Vierwegkopfspindel


10.4 582638000



Galvanised
 Height: 86 cm

Screw jack U-head
 Kopfspindel


9.2 582636000



Galvanised
 Height: 74 cm

Heavy duty screw jack 70 top
 Lastspindel 70 oben


9.2 582327000



Height: 106 cm

Split nut B
 Spannmutter B

2.0 582634000



Galvanised

Clamping plate for U-head
 Klemmplatte für Gabelkopf

2.0 502709030



Galvanised
 Length: 24 cm
 Width: 9 cm

Wing nut 15.0
 Flügelmutter 15,0

0.31 581961000



Galvanised
 Length: 10 cm
 Height: 5 cm
 Width-across: 27 mm

DIN
 18216

Locking rod 15.0 330mm
 Quetschteil 15,0


0.48 582641000



Galvanised
 Width-across: 24 mm

Dokamatic table Staxo spindle connector**3.9 582347000**


Staxo-Spindelanschluss Dokamatic-Tisch

Galvanised
Length: 20.7 cm**Wedge for screw jack %****0.46 176071000**


Spindelkeil %

Length: 20 cm
Width: 16 cm**Super plate 15.0****1.1 581966000**


Superplatte 15,0

Galvanised
Height: 6 cm
Diameter: 12 cm
Width-across: 27 mm**Staxo wedge support WS10****8.7 582796000**


Staxo-Keilaufleger WS10

Galvanised
Length: 31 cm
Width: 15 cm
Height: 23 cm**Staxo wedge support WU12/14****12.2 582350000**


Staxo-Keilaufleger WU12/14

Galvanised
Length: 35.6 cm
Width: 15 cm
Height: 33.6 cm**Swivel bearing plate for screw jack U-head****5.2 582799000**


Gelenkaufsatz Kopfspindel

Galvanised
Length: 20.8 cm
Width: 15.0 cm
Height: 14.4 cm**Screw jack foot****9.0 582637000**


Fußspindel

Galvanised
Height: 69 cm**Heavy duty screw jack 70****8.8 582639000**


Lastspindel 70

Galvanised
Height: 101 cm**Heavy duty screw jack 130****13.0 582711000**


Lastspindel 130

Galvanised
Height: 173 cm**Closure plate****1.2 582239000**

Ausgleichsplatte

Orange
Black
Diameter: 30 cm**Staxo 100 single leg 1.80m****17.0 582303000****Staxo 100 single leg 1.20m****21.5 582304000****Staxo 100 single leg 0.90m****20.2 582305000**

Staxo 100-Einzelstiel



Galvanised

Doka floor prop Eurex 60 550**47.0 582650000**

Doka-Deckenstütze Eurex 60 550

Aluminium
Length: 345 - 555 cm**Extension Eurex 60 2.00m****21.3 582651000**

Verlängerung Eurex 60 2,00m

Powder-coated, blue
Aluminium
Length: 250 cm

[kg] Article n°

[kg] Article n°

Coupler Eurex 60
Kupplungsstück Eurex 60


8.6 582652000



Aluminium
Length: 100 cm
Diameter: 12.8 cm

Plumbing strut shoe Eurex 60 EB
Justierstützenfuß Eurex 60 EB


8.0 582660500



Galvanised
Length: 31 cm
Width: 12 cm
Height: 33 cm

U-head Eurex 60
Gabelkopf Eurex 60


2.9 582656000



Galvanised
Length: 22 cm
Width: 20 cm
Height: 12 cm

Swivel coupler 48mm Eurex 60
Drehkupplung 48mm Eurex 60


1.0 582654000



Galvanised
Width-across: 22 mm

4-way head Eurex 60
Vierwegkopf Eurex 60


4.5 582655000



Galvanised
Length: 25 cm
Width: 21 cm
Height: 21 cm

Plumbing strut 340 IB
Justierstütze 340 IB

16.7 588696000



Galvanised
Length: 190.8 - 341.8 cm

Plumbing strut Eurex 60 550
Justierstütze Eurex 60 550


42.5 582658000



Powder-coated, blue
Aluminium
Length: 343 - 553 cm

Plumbing strut 340 IB EF
Justierstütze 340 IB EF

14.9 588247500



Galvanised
Length: 190.8 - 341.8 cm

Prop head Eurex 60 Top50
Stützenkopf Eurex 60 Top50


7.1 582665000



Galvanised
Height: 50 cm

Plumbing strut 540 IB
Justierstütze 540 IB

30.7 588697000



Galvanised
Length: 310.5 - 549.2 cm

Connector Eurex 60 IB
Verbindungsstück Eurex 60 IB

4.2 582657500



Galvanised
Length: 15 cm
Width: 15 cm
Height: 30 cm


[kg] Article n°

[kg] Article n°

Plumbing strut 540 IB EF

Justierstütze 540 IB EF

28.9 588250500



Galvanised

Length: 310.5 - 549.2 cm

Scaffold planking 60/60cm

6.1 582330500

Scaffold planking 60/100cm

9.5 582306500

Scaffold planking 60/150cm

13.6 582307500

Scaffold planking 60/175cm

15.5 582332500

Scaffold planking 60/200cm

17.8 582308500

Scaffold planking 60/250cm


22.2 582309500

Scaffold planking 60/300cm

26.2 582310500

Gerüstbelag

Aluminium

**Strut shoe EB**

Strebenschuh EB

0.93 588946000



Galvanised

Width: 8 cm

Height: 13 cm

Scaffold planking 60/100cm with manhole

9.5 582311500

Scaffold planking 60/150cm with manhole

13.8 582312500

Scaffold planking 60/175cm with manhole

15.5 582333500

Scaffold planking 60/200cm with manhole

17.7 582313500

Scaffold planking 60/250cm with manhole


20.8 582314500

Scaffold planking 60/300cm with manhole

26.3 582315500

Gerüstbelag mit Durchstieg

Aluminium

**Prop shoe EB**

Stützenschuh EB

1.8 588245500



Galvanised

Length: 20 cm

Width: 11 cm

Height: 10 cm

Scaffold planking 30/100cm

7.4 582231000

Scaffold planking 30/150cm

10.6 582232000

Scaffold planking 30/200cm

13.5 582234000

Scaffold planking 30/250cm

16.4 582235000

Scaffold planking 30/300cm

19.5 582236000


Gerüstbelag

Galvanised

**Universal dismantling tool**

Universal-Lösewerkzeug

3.7 582768000



Galvanised

Length: 75.5 cm

Removable folding tripod 1.20m

Stützbein 1,20m

20.7 586145000



Galvanised


Height: 120 cm

Delivery condition: folded closed

Staxo 100 toeboard

Staxo 100-Fußwehr

5.5 582329000



Galvanised

Length: 131 cm

Height: 15 cm

Staxo 100 planking strut 1.00m

6.1 582348000


Staxo 100 planking strut 1.50m

9.0 582349000

Staxo 100-Belagstrebe

Galvanised

Width-across: 22 mm

**Doka express anchor 16x125mm**

Doka-Expressanker 16x125mm

0.31 588631000



Galvanised


Length: 18 cm

Follow fitting instructions!

Staxo front railing

Staxo-Stirngeländer

10.5 582316000



Galvanised

Length: 140 cm

Height: 152 cm

Doka coil 16mm

Doka-Coil 16mm

0.009 588633000




Galvanised

Diameter: 1.6 cm

[kg] Article n°

[kg] Article n°

Staxo side railing 100	17.5	582317500
Staxo side railing 150	20.0	582318500
Staxo side railing 175	23.2	582331500
Staxo side railing 200	24.1	582319500
Staxo side railing 250	27.5	582320500
Staxo side railing 300	31.1	582321500
Staxo-Seitengeländer		



Galvanised
Height: 152 cm


Spring locked connecting pin 16mm	0.25	582528000
Federbolzen 16mm		




Galvanised
Length: 15 cm

Scaffold tube 48.3mm 0.50m	1.7	682026000
Scaffold tube 48.3mm 1.00m	3.6	682014000
Scaffold tube 48.3mm 1.50m	5.4	682015000
Scaffold tube 48.3mm 2.00m	7.2	682016000
Scaffold tube 48.3mm 2.50m	9.0	682017000
Scaffold tube 48.3mm 3.00m	10.8	682018000
Scaffold tube 48.3mm 3.50m	12.6	682019000
Scaffold tube 48.3mm 4.00m	14.4	682021000
Scaffold tube 48.3mm 4.50m	16.2	682022000
Scaffold tube 48.3mm 5.00m	18.0	682023000
Scaffold tube 48.3mm 5.50m	19.8	682024000
Scaffold tube 48.3mm 6.00m	21.6	682025000
Scaffold tube 48.3mmm	3.6	682001000
Gerüstrohr 48,3mm		

Galvanised




Transition swivel coupler 48/76mm	1.9	582563000
Übergangsdrehkupplung 48/76mm		




Galvanised
Width-across: 22 mm

Swivel coupler 48mm	1.5	582560000
Drehkupplung 48mm		




Galvanised
Width-across: 22 mm

Normal coupler 48mm	1.2	682004000
Normalkupplung 48mm		



Galvanised
Width-across: 22 mm

Pin coupling 60mm	1.0	582546000
Zapfenkupplung 60mm		




Galvanised
Width-across: 22 mm

Cone screw B 7cm	0.86	581444000
Konusschraube B 7cm		



red
Length: 10 cm
Diameter: 7 cm
Width-across: 50 mm

Anchoring shoe for stair tower	3.4	582680000
Ankerschuh für Treppenturm		



Galvanised
Length: 22 cm
Width: 12 cm
Height: 22 cm

Brace stirrup 8	2.7	582751000
Spannbügel 8		




Galvanised
Width: 19 cm
Height: 46 cm
Width-across: 30 mm

Rafter plate right	0.09	582521000
Rafter plate left	0.09	582522000
Sparrenpfettenanker		




Galvanised
Length: 17 cm

Handrail post T 1.80m	17.7	584373000
Einschubgeländer T 1,80m		



Galvanised

Toeboard holder T 1.80m	0.53	584392000
Fußwehrhalter T 1,80m		



Galvanised
Height: 13.5 cm

Scaffold tube connection	0.27	584375000
Gerüstrohranschluss		



Galvanised
Height: 7 cm

[kg] Article n°

Staxo 100 mounting gallows 40kg

Staxo 100-Montagegalgen 40kg

7.5 582328000




Galvanised
Height: 258 cm
Follow the directions in the "Operating Instructions"!

CE

Bracing waling connector WS10

Abspann-Riegelverbinder WS10

2.7 582756000




Galvanised
Length: 46.7 cm

Staxo 100 hoisting cable 40kg 30m

Staxo 100-Aufzugsseil 40kg 30m

1.3 582346000

**Staxo 100 attaching cable 40cm**

Staxo 100-Anschlagseil 40cm

0.31 582345000




CE

Bracing for load-bearing towers

Abspannung für Traggerüste

11.6 582795000



Galvanised
Painted blue

Lifting rod 15.0

Umsetzstab 15,0

1.9 586074000



Painted blue
Height: 57 cm
Follow the directions in the "Operating Instructions"!

CE

Retaining plate 15.0

Jochplatte 15,0

1.8 586073000



Galvanised
Length: 17 cm
Width: 12 cm
Height: 11 cm

Universal plug R20/25

Kombi Ankerstopfen R20/25

0.003 588180000




Blue
Diameter: 3 cm

Winch 70

Zahnstangenwinde 70

31.0 582779000




Painted blue
Height: 126 cm
Follow the directions in the "Operating Instructions"!

CE

Winch 125

Zahnstangenwinde 125

63.8 582780000




Painted blue
Height: 189 cm
Follow the directions in the "Operating Instructions"!

CE

Spindle connecting plate T

Spindellasche T

3.1 584371000




Galvanised
Width: 20 cm
Height: 25 cm

Connecting pin 10cm

Verbindungsbolzen 10cm

0.34 580201000




Galvanised
Length: 14 cm

Staxo/d2 adapter frame

Staxo/d2-Adapter

14.1 582781000



Painted blue
Length: 37 cm
Width: 36 cm
Height: 36 cm

Spring cotter 5mm

Federvorstecker 5mm

0.05 580204000




Galvanised
Length: 13 cm




Solid tire wheel

Vollelastikrad


34.5 582573000



Painted blue
Height: 45 cm

Heavy duty wheel 15kN
Schwerlastrad 15kN**33.0 582575000**Painted blue
Height: 41 cm**Double wheeled transporter**
Zweirad-Transportroller**5.0 582558000**Painted blue
Width: 57 cm**Shifting carriage TG**
Hubwagen TG**168.0 582778000**Galvanised
Length: 99 cm
Width: 152 cm
Height: 148 cm
Follow the directions in the "Operating Instructions"!**Fork lift shifting device TG**
Umsetzgerät TG für Stapler**83.0 582797000**Galvanised
Length: 60 cm
Width: 113 cm
Height: 52 cm
Follow the directions in the "Operating Instructions"!**Multi-purpose waling WS10 Top50 2.00m**
Mehrzweckriegel WS10 Top50 2,00m**38.9 580007000**

Painted blue

**Doka personal fall-arrest set**
Doka-Sicherheitsgeschirr**3.6 583022000**

Follow the directions in the "Operating Instructions"!

**Doka Safety Systems****You will find working and protection platforms, guardrail systems and access systems in the section headed "Doka Safety Systems".**