



Framax Xlife universal panel 0.90x2.70m	148.0	588122500
Framax Xlife universal panel 0.90x1.35m	79.3	588124500
Framax Xlife universal panel 0.90x0.90m	63.0	588120500
Framax Xlife universal panel 0.90x3.30m	182.6	588228500

Framax Xlife-Uni-Element

Galvanised, powder-coated
Corners marked in blue


Framax Xlife universal panel 1.20x2.70m	225.8	588601500
Framax Xlife universal panel 1.20x1.35m	116.7	588603500
Framax Xlife universal panel 1.20x0.90m	91.5	588604500
Framax Xlife universal panel 1.20x3.30m	276.7	588671500

Framax Xlife-Uni-Element

Galvanised, powder-coated
Corners marked in blue


Alu-Framax Xlife universal panel 0.75x2.70m	64.2	588322500
Alu-Framax Xlife universal panel 0.75x1.35m	33.8	588324500
Alu-Framax Xlife universal panel 0.75x0.90m	27.0	588326500

Alu-Framax Xlife-Uni-Element

Powder-coated
Corners marked in blue


Framax quick acting clamp RU	3.3	588153400
-------------------------------------	------------	------------------

Framax-Schnellspanner RU

Galvanised
Length: 20 cm


Framax universal fixing bolt 10-16cm	0.60	588158000
---	-------------	------------------

Framax-Universalverbinder 10-16cm

Galvanised
Length: 26 cm

Super plate 15.0	1.1	581966000
-------------------------	------------	------------------

Superplatte 15,0

Galvanised
Height: 6 cm
Diameter: 12 cm
Width-across: 27 mm

Panel strut 340 IB	24.3	580365000
---------------------------	-------------	------------------

Elementstütze 340 IB

consisting of:

(A) Plumbing strut 340 IB	16.7	588696000
----------------------------------	-------------	------------------


Galvanised
Length: 190.8 - 341.8 cm

(B) Adjusting strut 120 IB	7.6	588248500
-----------------------------------	------------	------------------

Galvanised
Length: 81.5 - 130.6 cm

Galvanised

Delivery condition: folded closed



Panel strut 540 IB	41.4	580366000
---------------------------	-------------	------------------

Elementstütze 540 IB

consisting of:

(A) Plumbing strut 540 IB	30.7	588697000
----------------------------------	-------------	------------------


Galvanised
Length: 310.5 - 549.2 cm

(B) Adjusting strut 220 IB	10.9	588251500
-----------------------------------	-------------	------------------

Galvanised
Length: 172.5 - 221.1 cm

Galvanised

Delivery condition: folded closed




Eurex 60 550

Eurex 60 550


depending on length, comprising:

- (A) **Plumbing strut Eurex 60 550** **42.5 582658000**
Powder-coated, blue
Aluminium
Length: 343 - 553 cm
- (B) **Extension Eurex 60 2.00m** **21.3 582651000**
Powder-coated, blue
Aluminium
Length: 250 cm
- (C) **Coupler Eurex 60** **8.6 582652000**
Aluminium
Length: 100 cm
Diameter: 12.8 cm
- (D) **Connector Eurex 60 IB** **4.2 582657500**
Galvanised
Length: 15 cm
Width: 15 cm
Height: 30 cm
- (E) **Plumbing strut shoe Eurex 60 EB** **8.0 582660500**
Galvanised
Length: 31 cm
Width: 12 cm
Height: 33 cm
- (F) **Adjusting strut 540 Eurex 60 IB** **27.8 582659500**
Galvanised
Length: 303.5 - 542.2 cm

Delivery condition: separate parts

**Prop head EB**


Stützenkopf EB

3.1 588244500

Galvanised
Length: 40.8 cm
Width: 11.8 cm
Height: 17.6 cm

Universal dismantling tool

Universal-Lösewerkzeug

3.7 582768000

Galvanised
Length: 75.5 cm

Doka express anchor 16x125mm

Doka-Expressanker 16x125mm

0.31 588631000

Galvanised
Length: 18 cm
Follow fitting instructions!

Doka coil 16mm


Doka-Coil 16mm

0.009 588633000

Galvanised
Diameter: 1.6 cm

Framax bracket 90

Framax-Konsole 90

12.5 588167000

Galvanised
Width: 103 cm
Height: 185 cm
Delivery condition: railing included

Scaffold tube 48.3mm 0.50m

Scaffold tube 48.3mm 1.00m

Scaffold tube 48.3mm 1.50m

Scaffold tube 48.3mm 2.00m

Scaffold tube 48.3mm 2.50m

Scaffold tube 48.3mm 3.00m

Scaffold tube 48.3mm 3.50m

Scaffold tube 48.3mm 4.00m

Scaffold tube 48.3mm 4.50m

Scaffold tube 48.3mm 5.00m

Scaffold tube 48.3mm 5.50m


Scaffold tube 48.3mm 6.00m

Scaffold tube 48.3mmm

Gerüstrohr 48,3mm

1.7 682026000**3.6 682014000****5.4 682015000****7.2 682016000****9.0 682017000****10.8 682018000****12.6 682019000****14.4 682021000****16.2 682022000****18.0 682023000****19.8 682024000****21.6 682025000****3.6 682001000**

Galvanised

**Scaffold tube connection**


Gerüstrohranschluss

0.27 584375000

Galvanised
Height: 7 cm

Doka column formwork platform 150/90cm


Doka-Stützenbühne 150/90cm

211.8 588382000

Galvanised
Length: 173 cm
Width: 173 cm
Height: 130 cm
Delivery condition: folded closed


Counter railing col. formwork plat. 150/90cm**8.0 588385000**

Gegengeländer Stützenbühne 150/90cm

Galvanised
Width: 87 cm
Height: 170 cm**Framax lifting chain 4-part 3.20m****17.0 588230000**

Framax-Vierergehänge 3,20m

Follow the directions in the "Operating Instructions"!


**Framax transport bolt 5kN****1.9 588621000**

Framax-Transportbolzen 5kN

Follow the directions in the "Operating Instructions"!

**Framax lifting hook****10.6 588149000**

Framax-Umsetzbügel

Galvanised
Height: 22 cm
Follow the directions in the "Operating Instructions"!**Framax triangular ledge 2.70m****0.38 588170000**

Framax-Dreikantleiste 2,70m

**Framax frontal triangular ledge 2.70m****1.9 588129000**

Framax-Stirndreikantleiste 2,70m

Grey

**Universal plug R20/25****0.003 588180000**

Kombi Ankerstopfen R20/25

Blue
Diameter: 3 cm**Framax plug R24.5****0.003 588181000**

Framax-Abdeckstopfen R24,5

Yellow
Diameter: 2 cm**Doka Safety Systems**

You will find working and protection platforms, guardrail systems and access systems in the section headed "Doka Safety Systems".