



	[kg]	Article n°
Dokaflex table 2.50x4.00m 21mm	385.0	586052000
Dokaflex table 2.50x5.00m 21mm	470.0	586053000
Dokaflex table 2.00x4.00m 21mm	317.0	586050000
Dokaflex table 2.00x5.00m 21mm	386.0	586051000

Dokaflex-Tisch



Dokaflex table 2.50x4.00m 27mm	405.0	586054000
Dokaflex table 2.50x5.00m 27mm	485.0	586055000
Dokaflex table 2.00x4.00m 27mm	337.0	586056000
Dokaflex table 2.00x5.00m 27mm	411.0	586057000

Dokaflex-Tisch



Doka formwork sheet 3-S plus 21mm 9.7/200cm	2.0	186109000
Doka formwork sheet 3-S plus 21mm 9.7/250cm	2.5	186110000
Doka formwork sheet 3-S plus 21mm 20/200cm	4.2	186107000
Doka formwork sheet 3-S plus 21mm 20/250cm	5.3	186108000

Doka-Schalungsplatte 3-S plus 21mm

Doka formwork sheet 3-S plus 27mm 9.7/200cm	2.5	187052000
Doka formwork sheet 3-S plus 27mm 9.7/250cm	3.1	187053000
Doka formwork sheet 3-S plus 27mm 20/200cm	5.2	187050000
Doka formwork sheet 3-S plus 27mm 20/250cm	6.5	187051000

Doka-Schalungsplatte 3-S plus 27mm

Doka floor prop Eurex 20 top 150	8.0	586096000
----------------------------------	-----	-----------

Length: 92 - 150 cm

Doka floor prop Eurex 20 top 250	12.7	586086400
----------------------------------	------	-----------

Length: 148 - 250 cm

Doka floor prop Eurex 20 top 300	14.3	586087400
----------------------------------	------	-----------

Length: 173 - 300 cm

Doka floor prop Eurex 20 top 350	17.4	586088400
----------------------------------	------	-----------

Length: 198 - 350 cm

Doka floor prop Eurex 20 top 400	21.6	586089400
----------------------------------	------	-----------


Length: 223 - 400 cm

Doka floor prop Eurex 20 top 550	32.3	586090400
----------------------------------	------	-----------

Length: 298 - 550 cm

Doka-Deckenstütze Eurex 20 top

Galvanised



Doka floor prop Eurex 30 top 250	12.8	586092400
----------------------------------	------	-----------

Length: 148 - 250 cm

Doka floor prop Eurex 30 top 300	16.4	586093400
----------------------------------	------	-----------

Length: 173 - 300 cm

Doka floor prop Eurex 30 top 350	20.7	586094400
----------------------------------	------	-----------

Length: 198 - 350 cm

Doka floor prop Eurex 30 top 400	24.6	586095400
----------------------------------	------	-----------

Length: 223 - 400 cm

Doka floor prop Eurex 30 top 450	29.1	586119400
----------------------------------	------	-----------


Length: 248 - 450 cm

Doka floor prop Eurex 30 top 550	38.6	586129000
----------------------------------	------	-----------

Length: 303 - 550 cm

Doka-Deckenstütze Eurex 30 top

Galvanised



Dokamatic insertion beam 1.95m	8.0	183054000
--------------------------------	-----	-----------

Dokamatic insertion beam 2.45m	10.0	183045000
--------------------------------	------	-----------

Dokamatic-Einschubträger

Varnished yellow




Table head 20	16.5	586085000
---------------	------	-----------

Tischkopf 20

Galvanised

Powder-coated, blue

Length: 41 cm

Width: 33 cm

Height: 30 cm




Table head 30	18.5	586078000
---------------	------	-----------

Tischkopf 30


Galvanised

Powder-coated, blue

Length: 44 cm

Width: 25 cm

Height: 30 cm



Spring cotter 5mm	0.05	582040000
-------------------	------	-----------

Federvorstecker 5mm

Galvanised

Length: 13 cm



Intermediate head DF	3.6	586058000
----------------------	-----	-----------

Zwischenkopf DF

Galvanised

Length: 25 cm

Width: 24 cm

Height: 34 cm



Connection unit DF 20/30	0.93	586084000
--------------------------	------	-----------

Spanneinheit DF 20/30

Galvanised

Width: 15 cm

Height: 12 cm

Width-across: 19 mm



[kg] Article n°

[kg] Article n°

**Supporting head H20 DF**

Haltekopf H20 DF

0.77 586179000

Galvanised  
Length: 19 cm  
Width: 11 cm  
Height: 8 cm**Beam screw S 8/60**

Riegelverschraubung S 8/60

0.06 580116000

Galvanised  
Length: 7 cm  
Width-across: 13 mm**Beam connection plate H20**

Gurtverbinder H20

0.08 586263000

Galvanised  
Height: 8 cm**Universal end-shutter support 30cm**


Universal-Abschalwinkel 30cm

1.0 586232000

Galvanised  
Height: 21 cm**Doka floor end-shutter clamp**


Doka-Deckenabschalcklemme

12.5 586239000

Galvanised  
Height: 137 cm**End-shutter shoe**

Abschalschuh

1.6 586257000

Galvanised  
Height: 13.5 cm**End-shutter tie rod 15.0 15-40cm**

Abschalanker 15,0 15-40cm

0.91 586258000

Galvanised  
Length: 55 cm**Universal plug R20/25**

Kombi Ankerstopfen R20/25

0.003 588180000

Blue  
Diameter: 3 cm**Plug for closure plate R25**


Ausgleichsblechstopfen R25

0.003 588187000

Black  
Diameter: 3 cm**H20 screw-on bracket for formwork sheets**


Schalhaut-Schraubwinkel H20

0.19 586256000

Galvanised  
Height: 19.2 cm**Lashing strap 5.00m**

Zurrgurt 5,00m

2.8 586018000



Yellow

**Doka express anchor 16x125mm**

Doka-Expressanker 16x125mm

0.31 588631000

Galvanised  
Length: 18 cm  
Follow fitting instructions!**Doka coil 16mm**


Doka-Coil 16mm

0.009 588633000

Galvanised  
Diameter: 1.6 cm**Framax universal corner waling**

Framax-Eckklemmschiene

12.8 588151000

Painted blue  
Leg length: 60 cm**Retaining plate 15.0**


Jochplatte 15,0

1.8 586073000

Galvanised  
Length: 17 cm  
Width: 12 cm  
Height: 11 cm**Handrail post T 1.80m**

Einschubgeländer T 1,80m

17.7 584373000



Galvanised

**Toeboard holder T 1.80m**

Fußwehrhalter T 1,80m

0.53 584392000


Galvanised  
Height: 13.5 cm

[kg] Article n°

Scaffold tube 48.3mm 0.50m	1.7	682026000
Scaffold tube 48.3mm 1.00m	3.6	682014000
Scaffold tube 48.3mm 1.50m	5.4	682015000
Scaffold tube 48.3mm 2.00m	7.2	682016000
Scaffold tube 48.3mm 2.50m	9.0	682017000
Scaffold tube 48.3mm 3.00m	10.8	682018000
Scaffold tube 48.3mm 3.50m	12.6	682019000
Scaffold tube 48.3mm 4.00m	14.4	682021000
Scaffold tube 48.3mm 4.50m	16.2	682022000
Scaffold tube 48.3mm 5.00m	18.0	682023000
Scaffold tube 48.3mm 5.50m	19.8	682024000
Scaffold tube 48.3mm 6.00m	21.6	682025000
Scaffold tube 48.3mm .....m	3.6	682001000

Gerüstrohr 48,3mm

Galvanised



<b>Screw-on coupler 48mm 50</b>	<b>0.84</b>	<b>682002000</b>
---------------------------------	-------------	------------------

Anschraubkupplung 48mm 50

Galvanised

Width-across: 22 mm



<b>T ledge 21/42 2.00m</b>	<b>0.34</b>	<b>580196000</b>
----------------------------	-------------	------------------


T-Leiste 21/42 2,00m

Grey



<b>Center bit DF 30</b>	<b>0.10</b>	<b>586081000</b>
-------------------------	-------------	------------------


Zentrumsbohrer DF 30



<b>Strip tensioner B 5.00m</b>	<b>3.5</b>	<b>580394000</b>
--------------------------------	------------	------------------

Bandzwinde B 5,00m

Galvanised




<b>Plastic mallet 4kg</b>	<b>4.5</b>	<b>586097000</b>
---------------------------	------------	------------------

Kunststoffhammer 4kg

Blue

Length: 110 cm




<b>Universal dismantling tool</b>	<b>3.7</b>	<b>582768000</b>
-----------------------------------	------------	------------------

Universal-Lösewerkzeug


Galvanised

Length: 75.5 cm



<b>Box nut 19 1/2" L</b>	<b>0.16</b>	<b>580598000</b>
--------------------------	-------------	------------------

Stecknuss 19 1/2" L



<b>Box nut 13 1/2"</b>	<b>0.06</b>	<b>580576000</b>
------------------------	-------------	------------------

Stecknuss 13 1/2"




<b>Reversible ratchet 1/2"</b>	<b>0.73</b>	<b>580580000</b>
--------------------------------	-------------	------------------

Umschaltknarre 1/2"

Galvanised

Length: 30 cm



<b>Platform stairway 0.97m</b>	<b>25.0</b>	<b>586555000</b>
--------------------------------	-------------	------------------

Podesttreppe 0,97m

Aluminium

Width: 120 cm

Pay attention to the national, technical safety regulations!



<b>Wheel-around scaffold DF</b>	<b>44.0</b>	<b>586157000</b>
---------------------------------	-------------	------------------

Mobilgerüst DF

Aluminium


Length: 185 cm

Width: 80 cm

Height: 255 cm

Delivery condition: folded closed

Follow the directions in the "Operating Instructions"!



**Mobile scaffold tower Z**



Fahrgerüst Z

consisting of:

(A) Attachable frame Z 1.00m	6.7	586016000
(B) Attachable frame Z 2.00m	11.3	586017000
(C) Railing frame Z 1.00m	4.1	586021000
(D) Handrail post Z 1.80m	6.5	586022000
(E) Platform Z with manhole flap 1.80m	17.5	586023000
(F) Platform Z without manhole flap 1.80m	17.0	586024000
(G) End toe-board Z 1.35m	4.0	586025000
(H) Side toe-board Z 1.80m	5.1	586026000
(I) Diagonal brace Z 2.00m	3.0	586027000
(J) Horizontal brace Z 1.80m	2.8	586028000
(K) Triangular bracket Z (not illustrated)	5.3	586029000
(L) Guide roller Z D200mm	7.1	586030000
(M) Step-up rung Z	2.5	586031000
(N) Platform diagonal strut Z (not illustrated)	2.5	586032000
(O) Ballast Z (not illustrated)	10.0	586033000

Aluminium

Follow the directions in the "Instructions for assembly and use"!

**Shifting appliances for tables**

You will find shifting appliances for tables in the section headed "Doka Floor Systems - Shifting appliances for tables".

**Doka Safety Systems**

You will find working and protection platforms, guardrail systems and access systems in the section headed "Doka Safety Systems".