


[kg] br.art.

Element kružne oplate H20 2,40x0,70m	195,0	587820000
Element kružne oplate H20 2,40x1,20m	244,0	587821000
Element kružne oplate H20 2,40x2,40m	472,0	587822000
Element kružne oplate H20 2,40x3,00m	523,0	587813000
Element kružne oplate H20 2,40x3,60m	699,0	587823000
Rundschalungselement H20 2,40m		




Element kružne oplate H20 2,50x0,70m	197,0	587825000
Element kružne oplate H20 2,50x1,20m	249,0	587826000
Element kružne oplate H20 2,50x2,40m	480,0	587827000
Element kružne oplate H20 2,50x3,00m	534,0	587814000
Element kružne oplate H20 2,50x3,60m	716,0	587828000
Rundschalungselement H20 2,50m		

Nastavna spona za kružnu oplatu H20 Aufstocklasche für Rundschalung H20	7,0	587830000
---	------------	------------------




pocinkovano
visina: 62 cm

Podesiva stega 10cm Ausgleichsspanner 10cm	3,7	587808000
--	------------	------------------




pocinkovano
dužina: 30 cm

Framax-čeonni anker Framax-Stimanker	1,5	588143000
--	------------	------------------




pocinkovano
dužina: 29 cm

Framax-univerzalni stezač Framax-Uni-Spanner	5,8	588169000
--	------------	------------------



pocinkovano
dužina: 40 cm

Ključ za kružnu oplatu H20 Schlüssel für Rundschalung H20	0,70	587807000
---	-------------	------------------



pocinkovano
dužina: 27 cm


[kg] br.art.

Šabloni za kružnu oplatu H20/.....mm Schablone für Rundschalung H20/.....mm	6,5	177020000
težina po m ²		
Zavisno od projekta!		

Stabilizator podupirač 340 IB Elementstütze 340 IB	24,3	580365000
--	-------------	------------------

sastoji se od:

(A) Kosi podupirač 340 IB pocinkovano dužina: 190,8 - 341,8 cm	16,7	588696000
(B) Podupirač za podešavanje 120 IB pocinkovano dužina: 81,5 - 130,6 cm	7,6	588248500




pocinkovano
stanje isporuke: sklopljeno

Stabilizator podupirač 540 IB Elementstütze 540 IB	41,4	580366000
--	-------------	------------------

sastoji se od:

(A) Kosi podupirač 540 IB pocinkovano dužina: 310,5 - 549,2 cm	30,7	588697000
(B) Podupirač za podešavanje 220 IB pocinkovano dužina: 172,5 - 221,1 cm	10,9	588251500



pocinkovano
stanje isporuke: sklopljeno

[kg] br.art.

[kg] br.art.


Eurex 60 550

Eurex 60 550

u zavisnosti od potrebne dužine, sastoji se od:

- (A) **Kosi podupirač Eurex 60 550** **42,5 582658000**
plavo, plastificirano
aluminijumski
dužina: 343 - 553 cm
- (B) **Nastavak Eurex 60 2,00m** **21,3 582651000**
plavo, plastificirano
aluminijumski
dužina: 250 cm
- (C) **Spojnica Eurex 60 IB** **4,2 582657500**
pocinkovano
dužina: 15 cm
širina: 15 cm
visina: 30 cm
- (D) **Podnožje podupirača za podešavanje Eurex 60 EB8,0** **582660500**
pocinkovano
dužina: 31 cm
širina: 12 cm
visina: 33 cm
- (E) **Podupirač za podešavanje 540 Eurex 60 IB** **27,8 582659500**
pocinkovano
dužina: 303,5 - 542,2 cm


stanje isporuke: u delovima

**Glava podupirača RD EB**


Stützenkopf RD EB

1,9 587806000pocinkovano
dužina: 19 cm
širina: 8 cm**Univerzalni alat za demontažu**

Universal-Lösewerkzeug

3,7 582768000pocinkovano
dužina: 75,5 cm**Doka-ekspres anker 16x125mm**


Doka-Expressanker 16x125mm

0,31 588631000pocinkovano
dužina: 18 cm
Pridržavajte se uputstva za ugradnju!**Doka-opruga 16mm**


Doka-Coil 16mm

0,009 588633000pocinkovano
prečnik: 1,6 cm**Univerzalna konzola 90**

Universal-Konsole 90


30,4 580476000pocinkovano
dužina: 121 cm
visina: 235 cm**Konzola za betoniranje L**

Betonierkonsole L

12,6 587153500pocinkovano
dužina: 101 cm
visina: 159 cm**Cev skele 48,3mm 0,50m****1,7 682026000****Cev skele 48,3mm 1,00m****3,6 682014000****Cev skele 48,3mm 1,50m****5,4 682015000****Cev skele 48,3mm 2,00m****7,2 682016000****Cev skele 48,3mm 2,50m****9,0 682017000****Cev skele 48,3mm 3,00m****10,8 682018000****Cev skele 48,3mm 3,50m****12,6 682019000****Cev skele 48,3mm 4,00m****14,4 682021000****Cev skele 48,3mm 4,50m****16,2 682022000****Cev skele 48,3mm 5,00m****18,0 682023000****Cev skele 48,3mm 5,50m****19,8 682024000****Cev skele 48,3mm 6,00m****21,6 682025000****Cev skele 48,3mmm****3,6 682001000**

Gerüstrohr 48,3mm

pocinkovano

**Nastavak cevi za skelu**

Gerüstrohranschluss

0,27 584375000pocinkovano
visina: 7 cm

Spojnica sa zavrtnjem 48mm 50**0,84 682002000**


Anschraubkupplung 48mm 50



pocinkovano
 veličina ključa: 22 mm
 Pridržavajte se uputstva za ugradnju!

Doka-četverostruki lanac 3,20m**15,0 588620000**

Doka-Vierstrangkette 3,20m



Pridržavajte se uputstva za
 upotrebu!


**Framax-gredica za podešavanje 2x12cm 2,70m****3,1 176020000****Framax-gredica za podešavanje 3x12cm 2,70m****4,7 176022000****Framax-gredica za podešavanje 5x12cm 2,70m****7,8 176024000****Framax-gredica za podešavanje 10x12cm 2,70m****15,5 176026000**

Framax-Passholz 2,70m

obojeno u žuto

**Ključ sa mehanizmom 1/2"****0,73 580580000**

Umschaltknarre 1/2"



pocinkovano
 dužina: 30 cm

Nasadni ključ 24 1/2"**0,12 580584000**

Stecknuss 24 1/2"

**Doka-sigurnosni pojas****3,6 583022000**

Doka-Sicherheitsgeschirr



Pridržavajte se uputstva za
 upotrebu!

**Doka sigurnosni sistemi**

Informacije o radnim i zaštitnim
 platformama, sistemima zaštitnih
 ograda i sistemima za penjanje
 naćete u poglavlju "Doka
 sigurnosni sistemi".