


[kg] br.art.

Staxo 40-ram 0,90m	14,6	582202000
Staxo 40-ram 1,20m	17,5	582201000
Staxo 40-ram 1,80m	24,5	582200000
Staxo 40-Rahmen		

pocinkovano



Staxo 40-naglavni komad	0,60	582203000
Staxo 40-Kupplungsstück		

pocinkovano
visina: 30,8 cm

Staxo 40-konektor cevi D48,3mm	0,07	582204000
Staxo 40-Rohrstecker D48,3mm		

žuto



Dijagonalno ukrućenje 9.100	4,1	582772000
Dijagonalno ukrućenje 9.150	5,2	582773000
Dijagonalno ukrućenje 9.165	5,7	582627000
Dijagonalno ukrućenje 9.175	6,1	582334000
Dijagonalno ukrućenje 9.200	6,6	582774000
Dijagonalno ukrućenje 9.250	7,7	582775000
Dijagonalno ukrućenje 9.300	9,0	582323000
Dijagonalno ukrućenje 12.100	4,6	582610000
Dijagonalno ukrućenje 12.150	5,7	582612000
Dijagonalno ukrućenje 12.165	6,1	582628000
Dijagonalno ukrućenje 12.175	6,3	582335000
Dijagonalno ukrućenje 12.200	6,9	582614000
Dijagonalno ukrućenje 12.250	8,3	582616000
Dijagonalno ukrućenje 12.300	9,3	582325000
Dijagonalno ukrućenje 18.100	6,1	582620000
Dijagonalno ukrućenje 18.150	6,9	582622000
Dijagonalno ukrućenje 18.165	7,3	582629000
Dijagonalno ukrućenje 18.175	7,8	582336000
Dijagonalno ukrućenje 18.200	7,8	582624000
Dijagonalno ukrućenje 18.250	9,1	582626000
Dijagonalno ukrućenje 18.300	10,3	582326000


Diagonalkreuz

pocinkovano
stanje isporuke: složeno

Dijagonalni ukruta d2 9.100	2,0	582740000
Dijagonalni ukruta d2 9.125	2,2	582741000
Dijagonalni ukruta d2 9.152	2,6	582742000
Dijagonalni ukruta d2 9.175	3,0	582743000
Dijagonalni ukruta d2 9.200	3,3	582744000
Dijagonalni ukruta d2 9.225	5,9	582745000
Dijagonalni ukruta d2 9.250	6,8	582746000
Dijagonalni ukruta d2 12.100	2,2	582712000
Dijagonalni ukruta d2 12.125	2,5	582713000
Dijagonalni ukruta d2 12.152	2,9	582714000
Dijagonalni ukruta d2 12.175	3,1	582715000
Dijagonalni ukruta d2 12.200	3,5	582716000
Dijagonalni ukruta d2 12.225	6,0	582717000
Dijagonalni ukruta d2 12.250	6,7	582718000
Dijagonalni ukruta d2 18.100	3,0	582720000
Dijagonalni ukruta d2 18.125	3,3	582721000
Dijagonalni ukruta d2 18.152	5,8	582722000
Dijagonalni ukruta d2 18.175	6,1	582723000
Dijagonalni ukruta d2 18.200	6,4	582724000
Dijagonalni ukruta d2 18.225	6,9	582725000
Dijagonalni ukruta d2 18.250	7,4	582726000

Diagonalstrebe d2


pocinkovano




Horizontalno ukrućenje d2 100	1,6	582730000
Horizontalno ukrućenje d2 125	1,9	582731000
Horizontalno ukrućenje d2 152	2,3	582732000
Horizontalno ukrućenje d2 175	2,7	582733000
Horizontalno ukrućenje d2 200	3,0	582734000
Horizontalno ukrućenje d2 225	3,4	582735000
Horizontalno ukrućenje d2 250	3,8	582736000

Horizontalstrebe d2


pocinkovano




Staxo 40-četvorostr. podešavajuća glava 30cm	6,5	582209000
Staxo 40-Vierwegkopfspindel 30cm		

pocinkovano
visina: 67,8 cm

Staxo 40-četvorostr. podešavajuća glava 70cm	8,9	582210000
Staxo 40-Vierwegkopfspindel 70cm		

pocinkovano
visina: 117,6 cm

Staxo 40-podešavajuća U glava 30cm	4,7	582207000
Staxo 40-Kopfspindel 30cm		


pocinkovano
visina: 55,7 cm

[kg] br.art.

Staxo 40-podešavajuća U glava 70cm

Staxo 40-Kopfspindel 70cm

7,0 582208000

pocinkovano
visina: 105,5 cm

[kg] br.art.

Klin za podešavajuću glavu%


Spindelkeil %

0,46 176071000

dužina: 20 cm
širina: 16 cm**Super ploča-navrtka 15,0**


Superplatte 15,0

1,1 581966000

pocinkovano
visina: 6 cm
prečnik: 12 cm
veličina ključa: 27 mm**DIN**
18216**Upuštajuća glava H20**


Absenkkopf H20

6,1 586174000

pocinkovano
dužina: 25 cm
širina: 20 cm
visina: 38 cm**Staxo-klinasti nosač WS10**


Staxo-Keilauflager WS10

8,7 582796000

pocinkovano
dužina: 31 cm
širina: 15 cm
visina: 23 cm**Četvorosmerna glava H20**


Vierwegkopf H20

4,0 586170000

pocinkovano
dužina: 25 cm
širina: 20 cm
visina: 33 cm**Staxo-klinasti nosač WU12/14**


Staxo-Keilauflager WU12/14

12,2 582350000

pocinkovano
dužina: 35,6 cm
širina: 15 cm
visina: 33,6 cm**Doka Xtra glava**


Doka Xtra-Kopf

9,7 586108000

pocinkovano
visina: 69 cm**Okretna ploča za podešavajuću U-glavu**

Gelenkaufsatz Kopfspindel

5,2 582799000

pocinkovano
dužina: 20,8 cm
širina: 15,0 cm
visina: 14,4 cm**Stezna ploča za glavu viljuške**

Klemmplatte für Gabelkopf

2,0 502709030

pocinkovano
dužina: 24 cm
širina: 9 cm**Staxo 40-podešavajuća stopa 30cm**

Staxo 40-Fußspindel 30cm

3,9 582205000

pocinkovano
visina: 50,7 cm**Leptirasta navrtka 15,0**

Flügelmutter 15,0

0,31 581961000

pocinkovano
dužina: 10 cm
visina: 5 cm
veličina ključa: 27 mm**DIN**
18216**Staxo 40-podešavajuća stopa 70cm**

Staxo 40-Fußspindel 70cm

6,1 582206000

pocinkovano
visina: 100,5 cm**Vežni vijak 15,0 330mm**

Quetschteil 15,0 330mm

0,48 582641000

pocinkovano
veličina ključa: 24 mm**Staxo 40-zaštitnik navoja**

Staxo 40-Spindelsicherung

0,54 582211000

pocinkovano
plavo, plastificirano
dužina: 9,0 cm
širina: 8,8 cm
visina: 8,6 cm**Staxo-dodatak za vreteno za Dokamatic sto**


Staxo-Spindelanschluss Dokamatic-Tisch

3,9 582347000

pocinkovano
dužina: 20,7 cm**Disk za zatvaranje**

Ausgleichsplatte

1,2 582239000

narandžasto
crno
prečnik: 30 cm

[kg] br.art.

Kosi podupirač Eurex 60 550

Justierstütze Eurex 60 550

42,5 582658000

plavo, plastificirano
aluminijumski
dužina: 343 - 553 cm




[kg] br.art.

Kosi podupirač 340 IB

Justierstütze 340 IB

16,7 588696000

pocinkovano
dužina: 190,8 - 341,8 cm

**Nastavak Eurex 60 2,00m**

Verlängerung Eurex 60 2,00m

21,3 582651000


plavo, plastificirano
aluminijumski
dužina: 250 cm

**Kosi podupirač 340 IB EF**

Justierstütze 340 IB EF

14,9 588247500

pocinkovano
dužina: 190,8 - 341,8 cm

**Naglavni komad Eurex 60**

Kupplungsstück Eurex 60

8,6 582652000


aluminijumski
dužina: 100 cm
prečnik: 12,8 cm

**Kosi podupirač 540 IB**

Justierstütze 540 IB

30,7 588697000

pocinkovano
dužina: 310,5 - 549,2 cm

**Glava podupirača Eurex 60 Top50**

Stützenkopf Eurex 60 Top50

7,1 582665000


pocinkovano
visina: 50 cm

**Kosi podupirač 540 IB EF**

Justierstütze 540 IB EF

28,9 588250500

pocinkovano
dužina: 310,5 - 549,2 cm

**Spojnica Eurex 60 IB**

Verbindungsstück Eurex 60 IB

4,2 582657500


pocinkovano
dužina: 15 cm
širina: 15 cm
visina: 30 cm

**Podnožje podupirača za podešavanje Eurex 60 EB**

Justierstützenfuß Eurex 60 EB

8,0 582660500

pocinkovano
dužina: 31 cm
širina: 12 cm
visina: 33 cm



[kg] br.art.

Stopa podupirača EB

Strebenschuh EB

0,93 588946000

pocinkovano
širina: 8 cm
visina: 13 cm**Stopa kosnika EB**


Stützenschuh EB

1,8 588245500

pocinkovano
dužina: 20 cm
širina: 11 cm
visina: 10 cm**Staxo 40-adapter kosog podupirača**


Staxo 40-Justierstützenadapter

1,6 582214000

pocinkovano
visina: 16 cm**Univerzalni alat za demontažu**

Universal-Lösewerkzeug

3,7 582768000

pocinkovano
dužina: 75,5 cm**Doka-ekspres anker 16x125mm**

Doka-Expressanker 16x125mm

0,31 588631000

pocinkovano
dužina: 18 cm
Pridržavajte se uputstva za ugradnju!**Doka-opruga 16mm**

Doka-Coil 16mm

0,009 588633000

pocinkovano
prečnik: 1,6 cm**Gazište platforme 60/100cm**

Gazište platforme 60/150cm

Gazište platforme 60/175cm

Gazište platforme 60/200cm

Gazište platforme 60/250cm

Gazište platforme 60/300cm

Gerüstbelag

9,5 582306500

13,6 582307500


15,5 582332500

17,8 582308500

22,2 582309500

26,2 582310500

aluminijumski



Gazište platf. 60/100cm sa otvorom za prolaz

Gazište platf. 60/150cm sa otvorom za prolaz

Gazište platf. 60/175cm sa otvorom za prolaz

Gazište platf. 60/200cm sa otvorom za prolaz

Gazište platf. 60/250cm sa otvorom za prolaz

Gazište platf. 60/300cm sa otvorom za prolaz

Gerüstbelag mit Durchstieg

9,5 582311500

13,8 582312500


15,5 582333500

17,7 582313500

20,8 582314500

26,3 582315500

aluminijumski



Gazište platforme 30/100cm

Gazište platforme 30/150cm

Gazište platforme 30/200cm

Gazište platforme 30/250cm

Gazište platforme 30/300cm

Gerüstbelag

7,4 582231000

10,6 582232000

13,5 582234000

16,4 582235000


19,5 582236000

pocinkovano

**Staxo 40-konzola 90cm**

Staxo 40-Konsole 90cm

8,6 582212000

pocinkovano
širina: 108,9 cm
visina: 65,5 cm**Staxo 40-ukrućenje 1,00m**

Staxo 40-ukrućenje 1,50m

Staxo 40-ukrućenje 2,00m


Staxo 40-Belegstrebe

5,7 582215000

7,3 582216000

9,3 582217000


pocinkovano

**Staxo 40-ukrućenje rama 1,40m**

Staxo 40-Rahmenstrebe 1,40m


6,5 582213000

pocinkovano

**Staxo-čeoona zaštitna ograda**

Staxo-Stirngeländer


10,5 582316000

pocinkovano
dužina: 140 cm
visina: 152 cm

[kg] br.art.

Staxo-bočna ograda 100	17,5	582317500
Staxo-bočna ograda 150	20,0	582318500
Staxo-bočna ograda 175	23,2	582331500
Staxo-bočna ograda 200	24,1	582319500
Staxo-bočna ograda 250	27,5	582320500
Staxo-bočna ograda 300	31,1	582321500

Staxo-Seitengeländer



pocinkovano
visina: 152 cm

Osigurač bolcne 16mm	0,25	582528000
-----------------------------	-------------	------------------


Federbolzen 16mm



pocinkovano
dužina: 15 cm

Staxo 40-merdevine 2,30m	14,8	582219000
---------------------------------	-------------	------------------

Staxo 40-Leiter 2,30m




pocinkovano

Cev skele 48,3mm 0,50m	1,7	682026000
Cev skele 48,3mm 1,00m	3,6	682014000
Cev skele 48,3mm 1,50m	5,4	682015000
Cev skele 48,3mm 2,00m	7,2	682016000
Cev skele 48,3mm 2,50m	9,0	682017000
Cev skele 48,3mm 3,00m	10,8	682018000
Cev skele 48,3mm 3,50m	12,6	682019000
Cev skele 48,3mm 4,00m	14,4	682021000
Cev skele 48,3mm 4,50m	16,2	682022000
Cev skele 48,3mm 5,00m	18,0	682023000
Cev skele 48,3mm 5,50m	19,8	682024000
Cev skele 48,3mm 6,00m	21,6	682025000
Cev skele 48,3mmm	3,6	682001000


Gerüstrohr 48,3mm

pocinkovano



Okretna spojnica 48mm	1,5	582560000
------------------------------	------------	------------------


Drehkupplung 48mm



pocinkovano
veličina ključa: 22 mm
Pridržavajte se uputstva za ugradnju!

Normalni naglavak 48mm	1,2	682004000
-------------------------------	------------	------------------

Normalkupplung 48mm



pocinkovano
veličina ključa: 22 mm
Pridržavajte se uputstva za ugradnju!

Spojnica sa zavrtnjem 48mm 50	0,84	682002000
--------------------------------------	-------------	------------------


Anschraubkupplung 48mm 50



pocinkovano
veličina ključa: 22 mm
Pridržavajte se uputstva za ugradnju!

Spojnica sa zavrtnjem 48mm 95	0,88	586013000
--------------------------------------	-------------	------------------


Anschraubkupplung 48mm 95



pocinkovano
Pridržavajte se uputstva za ugradnju!

Podnožje ankera stepenišnog tornja	3,4	582680000
---	------------	------------------

Ankerschuh für Treppenturm



pocinkovano
dužina: 22 cm
širina: 12 cm
visina: 22 cm

Konusni vijak B 7cm	0,86	581444000
----------------------------	-------------	------------------


Konusschraube B 7cm



crveno
dužina: 10 cm
prečnik: 7 cm
veličina ključa: 50 mm

Zaštitna ograda XP 1,20m	4,1	586460000
---------------------------------	------------	------------------

Geländersteher XP 1,20m



pocinkovano
visina: 118 cm



Držać skelnih cevi D48mm	0,95	586464000
---------------------------------	-------------	------------------

Gerüstrohrhalter D48mm



pocinkovano
visina: 18 cm

Držać nogobrana XP 1,20m	0,64	586461000
---------------------------------	-------------	------------------

Fußwehrhalter XP 1,20m




pocinkovano
visina: 21 cm



[kg] br.art.

Učvršćenje za noseću skelu

Abspannung für Traggerüste


11,6 582795000

pocinkovano
lakirano u plavo

[kg] br.art.

Staxo 40-transportni točak

Staxo 40-Umsetzrad


22,8 582218000

pocinkovano
visina: 120 cm
Pridržavajte se uputstva za
upotrebu!

CE

Spojnica vretena T


Spindellasche T

3,1 584371000

pocinkovano
širina: 20 cm
visina: 25 cm

Uređaj za premeštanje viljuškaram TG

Umsetzgerät TG für Stapler


83,0 582797000

pocinkovano
dužina: 60 cm
širina: 113 cm
visina: 52 cm
Pridržavajte se uputstva za
upotrebu!

CE

Bolca za spajanje 10cm


Verbindungsbolzen 10cm

0,34 580201000

pocinkovano
dužina: 14 cm

Staxo 40-poluga za podizanje

Staxo 40-Umsetzstrebe

9,5 582224000

pocinkovano
dužina: 144 cm

Elastični osigurač 5mm


Federvorstecker 5mm

0,05 580204000

pocinkovano
dužina: 13 cm

Višenamenski pojas WS10 Top50 2,00m

Mehrweckriegel WS10 Top50 2,00m

38,9 580007000

lakirano u plavo

Ploča za fiksiranje H20

Gurtverbinder H20

0,08 586263000


pocinkovano
visina: 8 cm

Stabilizator sekundarnog nosača 1

Stabilizator sekundarnog nosača 2

1,6 586196000**2,1 586197000**

Querträgersicherung



pocinkovano
visina: 38,7 cm

Doka-sigurnosni pojas

Doka-Sicherheitsgeschirr

3,6 583022000

Pridržavajte se uputstva za
upotrebu!

CE

Šipka za premeštanje 15,0

Umsetzstab 15,0

1,9 586074000

lakirano u plavo
visina: 57 cm
Pridržavajte se uputstva za
upotrebu!

CE

Potporna ploča 15,0

Jochplatte 15,0

1,8 586073000

pocinkovano
dužina: 17 cm
širina: 12 cm
visina: 11 cm

Doka sigurnosni sistemi

Informacije o radnim i zaštitnim
platformama, sistemima zaštitnih
ograda i sistemima za penjanje
naći ćete u poglavlju "Doka
sigurnosni sistemi".

Univerzalni čep R20/25

Kombi Ankerstopfen R20/25

0,003 588180000

plavo
prečnik: 3 cm