


[kg] br.art.

Višenamenski pojas WS10 Top50 0,50m	10,2	580001000
Višenamenski pojas WS10 Top50 0,75m	14,9	580002000
Višenamenski pojas WS10 Top50 1,00m	19,6	580003000
Višenamenski pojas WS10 Top50 1,25m	24,7	580004000
Višenamenski pojas WS10 Top50 1,50m	29,7	580005000
Višenamenski pojas WS10 Top50 1,75m	35,0	580006000
Višenamenski pojas WS10 Top50 2,00m	38,9	580007000
Višenamenski pojas WS10 Top50 2,25m	44,2	580008000
Višenamenski pojas WS10 Top50 2,50m	48,7	580009000
Višenamenski pojas WS10 Top50 2,75m	54,2	580010000
Višenamenski pojas WS10 Top50 3,00m	60,2	580011000
Višenamenski pojas WS10 Top50 3,50m	68,4	580012000
Višenamenski pojas WS10 Top50 4,00m	79,4	580013000
Višenamenski pojas WS10 Top50 4,50m	89,1	580014000
Višenamenski pojas WS10 Top50 5,00m	102,0	580015000
Višenamenski pojas WS10 Top50 5,50m	112,4	580016000
Višenamenski pojas WS10 Top50 6,00m	118,0	580017000
Mehrzweckriegel WS10 Top50		

lakirano u plavo


**Ugaoni pojas za okno WS10 Top50m****20,5 580069000**

Eckwandriegel WS10 Top50m

lakirano u plavo

Zavisno od projekta!

Moguća isporuka profila debljine U 120 (oznaka porudžbine: WU12).


**Ugaoni pojas WS10 Top50m****21,5 580068000**

Winkelriegel WS10 Top50m

lakirano u plavo


Zavisno od projekta!

Moguća isporuka profila debljine U 120 (oznaka porudžbine: WU12).



Višenamenski pojas WU12 Top50 1,00m	25,3	580018000
Višenamenski pojas WU12 Top50 1,25m	32,0	580019000
Višenamenski pojas WU12 Top50 1,50m	37,5	580020000
Višenamenski pojas WU12 Top50 1,75m	44,2	580021000
Višenamenski pojas WU12 Top50 2,00m	50,0	580022000
Višenamenski pojas WU12 Top50 2,50m	63,1	580023000
Višenamenski pojas WU12 Top50 3,00m	75,7	580024000
Višenamenski pojas WU12 Top50 3,50m	90,7	580025000
Višenamenski pojas WU12 Top50 4,00m	103,4	580026000
Mehrzweckriegel WU12 Top50		

lakirano u plavo


**Stega prirubnice H20****1,0 580135000**

Flanschklammer H20

pocinkovano

širina: 13 cm

veličina ključa: 19 mm

**Stega prirubnice G****1,1 580120000**

Flanschklammer G

pocinkovano


širina: 13 cm

veličina ključa: 19 mm



Višenamenski pojas SL-1 WU16 0,625m	24,0	582875000
Višenamenski pojas SL-1 WU16 0,75m	26,5	582876000
Višenamenski pojas SL-1 WU16 1,00m	35,0	582877000
Višenamenski pojas SL-1 WU16 1,25m	44,5	582878000
Višenamenski pojas SL-1 WU16 1,50m	53,0	582879000
Višenamenski pojas SL-1 WU16 1,75m	67,0	582880000
Višenamenski pojas SL-1 WU16 2,00m	72,1	582881000
Višenamenski pojas SL-1 WU16 2,25m	86,0	582882000
Višenamenski pojas SL-1 WU16 2,50m	89,9	582883000
Višenamenski pojas SL-1 WU16 3,00m	107,0	582888000
Mehrzweckriegel SL-1		

lakirano u plavo


**Čeljust prirubnice****1,0 580137000**

Flanschkralle

pocinkovano

širina: 17 cm

veličina ključa: 19 mm

**Stega pojasa H20****0,22 580114000**

Riegelklammer H20

pocinkovano

širina: 8 cm


veličina ključa: 13 mm



Ugaoni pojas 20	23,5	580031000
Eckriegel 20		

lakirano u plavo

dužina kraka: 52 cm

**Vijak za spajanje pojaseva S 8/60****0,06 580116000**

Riegelverschraubung S 8/60

pocinkovano

dužina: 7 cm

veličina ključa: 13 mm

**Vijak za spajanje pojaseva H 8/70****0,06 580117000**

Riegelverschraubung H 8/70

pocinkovano

dužina: 8 cm


veličina ključa: 13 mm



[kg] br.art.

Stezna spojnica
Anschraublasche


2,7 580110000

lakirano u plavo
širina: 13 cm
visina: 15 cm


[kg] br.art.

Stega nosača Top50
Trägerklammer Top50


1,2 580081000

lakirano u plavo
visina: 15 cm**Zaštitna kapa H20**
Stirmschuh H20

0,36 587248000

pocinkovano
dužina: 20 cm
širina: 7 cm**Anker spona FF20/50**
Ankerungslasche FF20/50


6,6 587531000

lakirano u plavo
dužina: 55 cm**Kuka za kran**
Kranöse


6,2 580460000

pocinkovano
visina: 59 cm**Poluspona**
Halblasche


5,2 580267000

lakirano u plavo
dužina: 78 cm**Spona za povezivanje Top50 Z**
Verbindungsblasche Top50 Z


8,5 580074000

lakirano u plavo
dužina: 76 cm**Spona za povezivanje sa regulacijom spojeva**
Verbindungsblasche mit Fugenjustierung


13,8 580215000

lakirano u plavo
dužina: 76 cm**Spojni element oplate FF20/50**
Elementverbinder FF20/50


6,3 587530000

lakirano u plavo
dužina: 55 cm**Spojnica veze na uglu FF20**
Versatzlasche FF20


6,2 587534000

lakirano u plavo
dužina: 35 cm
širina: 18 cm
visina: 4 cm**Spojni element oplate FF20/50 Z**
Elementverbinder FF20/50 Z


6,0 587533000

lakirano u plavo
dužina: 55 cm**Spona unutrašnjeg ugla H20 Top50**
Innenecklasche H20 Top50

11,3 580035000

lakirano u plavo
dužina: 80 cm
širina: 38 cm**Podešavajući nastavak 1,40m Top50**
Ausgleichslasche 1,40m Top50


15,0 580075000




lakirano u plavo

Ugaona spojnica H20/H36 Top 50
Ecklasche H20/H36 Top50


10,0 580078000

lakirano u plavo
dužina: 49,7 cm
širina: 45,1 cm**Podešavajući nastavak FF20/50**
Ausgleichslasche FF20/50

9,1 587532000

lakirano u plavo
dužina: 87 cm**Pravougaona spona za okno**
Verschiebelasche

9,6 580262000


lakirano u plavo
dužina kraka: 60 cm

[kg] br.art.

Prelazna spona 18mm
Prelazna spona 21mm
 Übergangslasche

16,0 588654000
15,8 588656000

lakirano u plavo
 dužina: 54 cm
 širina: 30 cm
 visina: 51 cm




[kg] br.art.

Kuka za kran za oplatu stuba
 Kranöse für Stützenschalung

65,0 580607000

pocinkovano, plastificirano
 dužina: 85 cm
 širina: 85 cm



Spojni element pojasa SL-1 WU16 0,75m
 Riegelverbinder SL-1 WU16 0,75m

31,0 582886000


pocinkovano
 dužina: 75 cm



Ugaoni vezni zglob A Top50°
 Gelenklasche A Top50 Grad

20,0 580208000


pocinkovano
 dužina kraka: 36 cm



Ugaono vreteno
 Eckspindel

17,5 580264000


pocinkovano
 dužina: 65 cm
 visina: 31 cm



Podešavajuća ploča za spajanje
 Drehgelenklasche

20,0 587542000


pocinkovano
 dužina: 155 cm



Ugaona spona 90/50
 Winkelasche 90/50

13,8 580603000


lakirano u plavo
 dužina: 51 cm
 širina: 40 cm



Bolcna za spajanje 10cm
 Verbindungsbolzen 10cm

0,34 580201000


pocinkovano
 dužina: 14 cm



Univerzalni ugaoni pritezač
 Universal-Winkelspanner

4,4 580604000


lakirano u plavo
 dužina: 20 cm



Bolcna za spajanje 25cm
 Verbindungsbolzen 25cm

0,58 580202000


pocinkovano
 dužina: 25 cm



Ugaoni pritezač 20,0 SL-1 WU16
 Winkelspanner 20,0 SL-1 WU16

8,1 587543000

lakirano u plavo
 dužina: 24 cm



Elastični osigurač 5mm
 Federvorstecker 5mm

0,05 580204000


pocinkovano
 dužina: 13 cm



Spojnica za oplatu stuba 6/8
 Stützenslasche 6/8

15,0 580072000

lakirano u plavo
 dužina: 58 cm










Nastavna spona H20
 Aufstocklasche H20

8,3 580310000

pocinkovano
 dužina: 68,8 cm



	[kg]	br.art.		[kg]	br.art.	
Ugaona vodica 3,00m Ugaona vodica 4,00m Eckschiene	53,0	580282000	plavo, plastificirano	Stabilizator podupirač 340 IB Elementstütze 340 IB sastoji se od:	24,3	580365000
	69,0	580284000		(A) Kosi podupirač 340 IB pocinkovano dužina: 190,8 - 341,8 cm	16,7	588696000
				(B) Podupirač za podešavanje 120 IB pocinkovano dužina: 81,5 - 130,6 cm	7,6	588248500
						
				pocinkovano stanje isporuke: sklopljeno		
Izjednačavajuća vodica 3,00m Izjednačavajuća vodica 4,00m Ausgleichsschiene	36,8	580332000	plavo, plastificirano	Stabilizator podupirač 540 IB Elementstütze 540 IB sastoji se od:	41,4	580366000
	51,2	580334000		(A) Kosi podupirač 540 IB pocinkovano dužina: 310,5 - 549,2 cm	30,7	588697000
				(B) Podupirač za podešavanje 220 IB pocinkovano dužina: 172,5 - 221,1 cm	10,9	588251500
						
				pocinkovano stanje isporuke: sklopljeno		
T-letva 21/42 2,00m T-Leiste 21/42 2,00m	0,34	580196000	sivo			
						
Klema za kutiju 24cm Klema za kutiju 25cm Klema za kutiju 30cm Aussparungsklemme	3,3	580063000	pocinkovano dužina kraka: 10 cm			
	3,5	580064000				
	3,8	580065000				
Klema za kutiju tip 1cm Klema za kutiju tip 2cm Aussparungsklemmecm	20,0	580066000	lakirano u plavo dužina kraka: 10 cm			
	17,4	580067000				

[kg] br.art.


Eurex 60 550

Eurex 60 550

u zavisnosti od potrebne dužine, sastoji se od:


- (A) **Kosi podupirač Eurex 60 550** 42,5 582658000
plavo, plastificirano
aluminijumski
dužina: 343 - 553 cm
- (B) **Nastavak Eurex 60 2,00m** 21,3 582651000
plavo, plastificirano
aluminijumski
dužina: 250 cm
- (C) **Naglavni komad Eurex 60** 8,6 582652000
aluminijumski
dužina: 100 cm
prečnik: 12,8 cm
- (D) **Spojnica Eurex 60 IB** 4,2 582657500
pocinkovano
dužina: 15 cm
širina: 15 cm
visina: 30 cm
- (E) **Podnožje podupirača za podešavanje Eurex 60 EB8,0** 582660500
pocinkovano
dužina: 31 cm
širina: 12 cm
visina: 33 cm
- (F) **Podupirač za podešavanje 540 Eurex 60 IB** 27,8 582659500
pocinkovano
dužina: 303,5 - 542,2 cm

stanje isporuke: u delovima

**Glava podupirača EB**

Stützenkopf EB

3,1 588244500



pocinkovano
dužina: 40,8 cm
širina: 11,8 cm
visina: 17,6 cm

Glava podupirača Eurex 60 Top50

Stützenkopf Eurex 60 Top50

7,1 582665000




pocinkovano
visina: 50 cm

Univerzalni alat za demontažu

Universal-Lösewerkzeug

[kg] br.art. 3,7 582768000



pocinkovano
dužina: 75,5 cm

Doka-ekspres anker 16x125mm

Doka-Expressanker 16x125mm

0,31 588631000



pocinkovano
dužina: 18 cm
Pridrđavajte se uputstva za ugradnju!

Doka-opruga 16mm

Doka-Coil 16mm

0,009 588633000



pocinkovano
prečnik: 1,6 cm

Univerzalna konzola 60

Universal-Konsole 60

14,0 580477000




pocinkovano
dužina: 86 cm
visina: 181 cm

Univerzalna konzola 90

Universal-Konsole 90

30,4 580476000




pocinkovano
dužina: 121 cm
visina: 235 cm

Konzola za betoniranje L

Betonierkonsole L

12,6 587153500



pocinkovano
dužina: 101 cm
visina: 159 cm

[kg] br.art.

Obloga konzole 60/250cm	48,5	583029000
Obloga konzole 90/250cm	61,5	583031000
Konsolienbelag		

čelični delovi pocinkovani
drveni delovi obojeni žutom bojom
(bez prikaza)

Ograda konzole 240-270cm	20,5	583032000
Konsolengeländer 240-270cm		

pocinkovano
(bez prikaza)

Univerzalna uzengija zaštitne ograde	3,0	580478000
Universal-Geländerbügel		



pocinkovano
visina: 20 cm


Nastavak cevi za skelu	0,27	584375000
Gerüstrohranschluss		



pocinkovano
visina: 7 cm

Cev skele 48,3mm 0,50m	1,7	682026000
Cev skele 48,3mm 1,00m	3,6	682014000
Cev skele 48,3mm 1,50m	5,4	682015000
Cev skele 48,3mm 2,00m	7,2	682016000
Cev skele 48,3mm 2,50m	9,0	682017000
Cev skele 48,3mm 3,00m	10,8	682018000
Cev skele 48,3mm 3,50m	12,6	682019000
Cev skele 48,3mm 4,00m	14,4	682021000
Cev skele 48,3mm 4,50m	16,2	682022000
Cev skele 48,3mm 5,00m	18,0	682023000
Cev skele 48,3mm 5,50m	19,8	682024000
Cev skele 48,3mm 6,00m	21,6	682025000
Cev skele 48,3mmm	3,6	682001000
Gerüstrohr 48,3mm		

pocinkovano




Spojnica sa zavrtnjem 48mm 50	0,84	682002000
Anschraubkupplung 48mm 50		



pocinkovano
veličina ključa: 22 mm
Pridržavajte se uputstva za ugradnju!


Framax-platforma za betoniranje U 1,25/2,70m	127,5	588377000
Framax-Betonierbühne U 1,25/2,70m		

čelični delovi pocinkovani
drveni delovi obojeni žutom bojom
stanje isporuke: sklopljeno




Adapter Top50 za Framax platf. za betonir. U	18,5	588384000
Top50-Adapter für Framax-Betonierbühne U		

pocinkovano
širina: 75 cm
visina: 134 cm




Bočna sigurnosna ograda T	29,1	580488000
Seitenschutzgeländer T		

pocinkovano
dužina: 115 - 175 cm
visina: 112 cm




Nasadna zaštitna ograda T 1,80m	17,7	584373000
Einschubgeländer T 1,80m		

pocinkovano



Držać nogobrana T 1,80m	0,53	584392000
Fußwehhalter T 1,80m		

pocinkovano
visina: 13,5 cm




Zaštitna ograda 1,50m	12,4	582754000
Geländer 1,50m		

pocinkovano




Framax-platforma za betoniranje U 1,25/2,70m	127,5	588377000
Framax-Betonierbühne U 1,25/2,70m		

čelični delovi pocinkovani
drveni delovi obojeni žutom bojom
stanje isporuke: sklopljeno



Doka-četvorostruki lanac 3,20m	15,0	588620000
Doka-Vierstrangkette 3,20m		

Pridržavajte se uputstva za upotrebu!



CE

[kg] br.art.

Univezalni podupirač T5/5mm

Strebe T5/5mm


6,5 584311000

lakirano u plavo
težina po m'**Vretenasti podupirač GS T5 65/101cm**

Spindelstrebe GS T5 65/101cm

9,1 584356000

pocinkovano

**Vretenasti podupirač T6 73/110cm**


Vretenasti podupirač T6 100/150cm

Spindelstrebe T6

10,2 584355000

12,5 584323000

pocinkovano

**Vretenasti podupirač GS T6 95/140cm**

Spindelstrebe GS T6 95/140cm

10,3 584340000

pocinkovano

**Vretenasti podupirač T7 75/110cm**

Vretenasti podupirač T7 100/150cm

Vretenasti podupirač T7 150/200cm

Vretenasti podupirač T7 200/250cm

Vretenasti podupirač T7 250/300cm

Vretenasti podupirač T7 305/355cm

Spindelstrebe T7

13,2 584308000

16,8 584309000


21,6 584324000

26,2 584325000

29,4 584326000

35,0 584327000

pocinkovano


**Vretenasti podupirač T10 350/400cm**

Vretenasti podupirač T10mm

Spindelstrebe T10


57,5 584328000

16,9 584391000

**Univerzalna stopa sa vretenom T8**


Universal-Spindelfuß T8

8,6 584314000

lakirano u plavo
pocinkovano
visina: 30 cm**Vreteno za podešavanje visine oplatnih nosača**


Höhenjustierung für Schalungsträger

11,9 580218000

pocinkovano
visina: 46 cm**Vreteno za podeš. visine WS10-WU16**

Höhenjustierung WS10-WU16

10,1 580206500

pocinkovano
visina: 45 cm**Vreteno za podešavanje visine M36**

Höhenjustierspindel M36


6,2 500663002

pocinkovano
dužina: 31 cm
visina: 29,2 cm

[kg] br.art.

Glava za kačenje WS10

Aufhängekopf WS10




pocinkovano
dužina: 21 cm
širina: 18 cm
visina: 23 cm

8,1 580449000

Montažna spojnica Top50

Montagelasche Top50




pocinkovano
dužina: 53,2 cm
širina: 48,6 cm

6,7 580082000

Spona noseće konstrukcije Top50mm

Tragwerklasche Top50mm




lakirano u plavo
težina po m'

11,1 584312000

Zatezač trake B 5,00m

Bandzwinge B 5,00m



pocinkovano

3,5 580394000

Podešavajuća ploča T

Justierlasche T




lakirano u plavo
dužina: 23,5 cm

6,5 584393000

Šina vodicam

Führungsschienem



lakirano u plavo
težina po m'

1,8 580079000

GF-kutija za alat

GF-Werkzeugbox

Obuhvaćeno isporukom:

(A) Ključ sa mehanizmom 1/2"

pocinkovano
dužina: 30 cm

6,5 580390000

(B) Viljuškasti ključ 13/17

0,08 580577000

(C) Viljuškasti ključ 22/24

0,22 580587000

(D) Viljuškasti ključ 30/32

0,80 580897000

(E) Okasti ključ 17/19

0,27 580590000

(F) Nastavak 11cm 1/2"

0,20 580581000

(G) Nastavak 22cm 1/2"

0,31 580582000

(H) Kardanski zglob

0,16 580583000

(I) Nasadni ključ 19 1/2" L

0,16 580598000

(J) Nasadni ključ 13 1/2"


0,06 580576000

(K) Nasadni ključ 24 1/2"


0,12 580584000

(L) Nasadni ključ 30 1/2"

0,20 580575000

**GF-Priključno grlo za punjenje SCC**

GF-Füllstützen SCC




pocinkovano
dužina: 66 cm

39,0 580217000

Konektor za kose grede desno

Konektor za kose grede levo

Sparrenpfettenanker




pocinkovano
dužina: 17 cm

0,09 582521000

0,09 582522000

Priključak za pumpu za beton D125 SCC

Sperrschieber D125 SCC




pocinkovano
dužina: 18 cm
širina: 33 cm
visina: 27 cm

18,0 588127000

H20 vinkla za fiksiranje oplatnih ploča

Schalhaut-Schraubwinkel H20




pocinkovano
visina: 19,2 cm

0,19 586256000

Grebalica za beton Xlife 100/150mm 1,40m

Doppelschaber Xlife 100/150mm 1,40m



2,8 588674000

Doka-sigurnosni pojas
Doka-Sicherheitsgeschirr**3,6 583022000**Pridržavajte se uputstva za
upotrebu!

Doka sigurnosni sistemi



Informacije o radnim i zaštitnim platformama, sistemima zaštitnih ograda i sistemima za penjanje naćicete u poglavlju "Doka sigurnosni sistemi".