


[kg] br.art.

Frami Xlife-panel 0,90x1,20m	39,0	588401500
Frami Xlife-panel 0,75x1,20m	33,5	588447500
Frami Xlife-panel 0,60x1,20m	29,5	588463500
Frami Xlife-panel 0,45x1,20m	24,0	588404500
Frami Xlife-panel 0,30x1,20m	19,5	588405500
Frami Xlife-panel 0,90x1,50m	46,5	588406500
Frami Xlife-panel 0,75x1,50m	41,3	588448500
Frami Xlife-panel 0,60x1,50m	35,5	588464500
Frami Xlife-panel 0,45x1,50m	28,9	588409500
Frami Xlife-panel 0,30x1,50m	24,8	588410500
Frami Xlife-panel 0,90x2,70m	79,2	588481500
Frami Xlife-panel 0,75x2,70m	69,5	588449500
Frami Xlife-panel 0,60x2,70m	60,5	588465500
Frami Xlife-panel 0,45x2,70m	49,5	588482500
Frami Xlife-panel 0,30x2,70m	40,3	588483500
Frami Xlife-panel 0,90x3,00m	86,5	588411500
Frami Xlife-panel 0,75x3,00m	76,5	588412500
Frami Xlife-panel 0,60x3,00m	65,0	588413500
Frami Xlife-panel 0,45x3,00m	54,3	588414500
Frami Xlife-panel 0,30x3,00m	45,0	588415500


pocinkovano

Specijalne veličine po porudžbini.




Frami Xlife-univerzalni panel 0,75x1,20m	39,0	588402500
Frami Xlife-univerzalni panel 0,75x1,50m	49,5	588407500
Frami Xlife-univerzalni panel 0,75x2,70m	83,5	588484500
Frami Xlife-univerzalni panel 0,75x3,00m	93,0	588416500

pocinkovano



Frami Xlife-univerzalni panel 0,90x1,20m	49,0	588423500
Frami Xlife-univerzalni panel 0,90x1,50m	61,0	588424500
Frami Xlife-univerzalni panel 0,90x2,70m	106,4	588427500
Frami Xlife-univerzalni panel 0,90x3,00m	117,5	588428500

pocinkovano



[kg] br.art.

Frami-anker panel 0,60x1,20m	32,1	588403000
Frami-anker panel 0,60x1,50m	37,8	588408000

Frami-Ankerelement

pocinkovano


uglovi markirani zelenom bojom



Frami-unutrašnji ugao 1,20m 20cm	25,3	588471000
Frami-unutrašnji ugao 1,50m 20cm	30,7	588472000
Frami-unutrašnji ugao 2,70m 20cm	51,6	588485000
Frami-unutrašnji ugao 3,00m 20cm	57,4	588417000

Frami-Innenecke


pocinkovano



Frami-spoljni ugao 1,20m	11,0	588459000
Frami-spoljni ugao 1,50m	12,9	588460000
Frami-spoljni ugao 2,70m	23,8	588461000
Frami-spoljni ugao 3,00m	25,0	588418000

Frami-Außenecke


pocinkovano



Frami-zglobni unutrašnji ugao I poc. 1,20m	34,1	588425500
Frami-zglobni unutrašnji ugao I poc. 1,50m	40,8	588426500

Frami-Scharnierecke I verzinkt

pocinkovano



Frami-zglobni spoljni ugao A poc. 1,20m	12,9	588419000
Frami-zglobni spoljni ugao A poc. 1,50m	16,0	588420000

Frami-Scharnierecke A verzinkt

pocinkovano




[kg] br.art.

Frami-lučni lim 0,20x1,50m	21,5	588486000
Frami-lučni lim 0,25x1,50m	22,5	588487000
Frami-lučni lim 0,30x1,50m	23,5	588488000

Frami-Bogenblech


plavo, plastificirano



Frami-anker pojas 0,40m	4,4	588489000
--------------------------------	------------	------------------

Frami-Ankerriegel 0,40m


lakirano u plavo



Frami-gredica za podešavanje 10x9cm 1,50m	6,0	176035000
Frami-gredica za podešavanje 5x9cm 1,50m	3,0	176034000
Frami-gredica za podešavanje 3x9cm 1,50m	1,9	176033000
Frami-gredica za podešavanje 2x9cm 1,50m	1,2	176032000
Frami-gredica za podešavanje 10x9cm 2,70m	12,3	176083000
Frami-gredica za podešavanje 5x9cm 2,70m	6,1	176082000
Frami-gredica za podešavanje 3x9cm 2,70m	3,7	176081000
Frami-gredica za podešavanje 2x9cm 2,70m	2,5	176080000

Frami-Passholz

obojeno u žuto



Frami-ugaoni element oplatne ploče 27mm	2,0	588473000
Frami-ugaoni element oplatne ploče 21mm	2,1	588474000
Frami-ugaoni element oplatne ploče 18mm	2,2	588499000


Frami-Schalhautwinkel

pocinkovano
visina: 56 cm

Framax-ugaoni element oplate I 2,70m	171,0	588675000
Framax-ugaoni element oplate I 1,35m	90,0	588614000
Framax-ugaoni element oplate I 3,30m	209,9	588676000

Framax-Ausschalecke I

pocinkovano, plastificirano



Framax-vreteno za skidanje oplate I	3,2	588618000
--	------------	------------------

Framax-Ausschalspindel I

pocinkovano
visina: 25 cm


Framax-vreteno za skidanje opl. I sa mehaniz.	5,5	588653000
--	------------	------------------

Framax-Ausschalspindel I mit Ratsche

pocinkovano
visina: 24,8 cm


Dodatni set Framax vretena za skidanje oplate I	0,89	588947000
--	-------------	------------------

Erweiterungsset Framax-Ausschalspindel I

pocinkovano
visina: 2,5 cm


Alat za demontažu Framax-vreteno za skid. opl. I	4,0	588948000
---	------------	------------------

Lösewerkzeug Framax-Ausschalspindel I

pocinkovano
visina: 27,5 cm


Frami-adapter anкера za pod. ugaoni element I	0,47	588492000
--	-------------	------------------

Frami-Ankeradapter für Ausschalecke I

pocinkovano
visina: 11 cm


Frami-adapter za podešavajući ugaoni elem. I	0,60	588491000
---	-------------	------------------

Frami-Profiladapter für Ausschalecke I

pocinkovano
visina: 8 cm


Framax-brzi stezač RU	3,3	588153400
------------------------------	------------	------------------

Framax-Schnellspanner RU

pocinkovano
dužina: 20 cm

Frami-stopa panela	1,3	588490000
---------------------------	------------	------------------

Frami-Elementschuh

pocinkovano
dužina: 16 cm

Frami brzi stezač	1,2	588433000
--------------------------	------------	------------------

Frami-Spanner

pocinkovano
dužina: 11 cm

[kg] br.art.

Frami-stega za poravnavanje

Frami-Richtspanner

3,2 588435000pocinkovano
dužina: 62 cm


[kg] br.art.

Kosi podupirač 260 IB

Justierstütze 260 IB

12,8 588437500pocinkovano
dužina: 146,8 - 256,7 cm**Frami-podesiva stega**

Frami-Ausgleichsspanner

3,6 588436000pocinkovano
dužina: 40 cm**Stabilizator podupirač 340 IB**

Elementstütze 340 IB

24,3 580365000

sastoji se od:


(A) Kosi podupirač 340 IBpocinkovano
dužina: 190,8 - 341,8 cm**16,7 588696000****(B) Podupirač za podešavanje 120 IB**pocinkovano
dužina: 81,5 - 130,6 cm**7,6 588248500****Frami-univerzalni pojas 0,70m**

Frami-univerzalni pojas 1,25m



3,7 588439000**6,4 588440000**

Frami-Klemmschiene


lakirano u plavo

**Frami-stega**


Frami-Klemme

1,1 588441000pocinkovano
dužina: 16 cmpocinkovano
stanje isporuke: sklopljeno**Frami-univerzalni vijak 5-12cm**


Frami-Universalverbinder 5-12cm

0,43 588479000pocinkovano
dužina: 23 cm**Glava podupirača EB**


Strebenkopf EB

1,4 588945000pocinkovano
širina: 9 cm
visina: 14 cm**Frami-vijak 5-18cm**


Frami-Profilverbinder 5-18cm

0,80 588493000pocinkovano
dužina: 33 cm**Univerzalni alat za demontažu**

Universal-Lösewerkzeug

3,7 582768000pocinkovano
dužina: 75,5 cm**Frami-ugaoni konektor**


Frami-Eckverbinder

0,40 588446000pocinkovano
dužina: 19 cm**Doka-ekspres anker 16x125mm**

Doka-Expressanker 16x125mm

0,31 588631000pocinkovano
dužina: 18 cm
Pridržavajte se uputstva za ugradnju!**Frami-stega čeone oplata 15-45cm**


Frami-Stirnabschalzwinge 15-45cm

8,8 588498000pocinkovano
dužina: 85 cm**Doka-opruga 16mm**

Doka-Coil 16mm

0,009 588633000pocinkovano
prečnik: 1,6 cm**Frami-kuka za dizanje**

Frami-Umsetzbügel

7,5 588438000pocinkovano
širina: 15 cm
visina: 21 cm
Pridržavajte se uputstva za
upotrebu!

CE



[kg] br.art.

Frami-konzola 60


Frami-Konsole 60

7,7 588442000

Spojnica sa zavrtnjem 48mm 50

Anschraubkupplung 48mm 50

0,84 682002000



pocinkovano
dužina: 98 cm
visina: 157 cm



pocinkovano
veličina ključa: 22 mm
Pridržavajte se uputstva za ugradnju!

Frami-anker čep

Frami-Ankerstopfen

0,002 588444000



plavo
prečnik: 2,5 cm

Obloga konzole 60/270cm

Konsolenbelag 60/270cm

51,0 583030000

Frami-čep

Frami-Abdeckstopfen

0,003 588445000



žuto
prečnik: 2 cm

čelični delovi pocinkovani
drveni delovi obojeni žutom bojom
(bez prikaza)

Ograda konzole 240-270cm

Konsolengeländer 240-270cm

20,5 583032000

Framax-trougona lajsna 2,70m

Framax-Dreikanteleiste 2,70m

0,38 588170000

pocinkovano
(bez prikaza)

**Frami-fiksna konzola**

Frami-Standkonsole

14,3 588451000

Frami-čeaona trouglasta lajsna 2,70m

Frami-čeaona trouglasta lajsna 3,00m


1,5 588496000

1,7 588497000

pocinkovano
dužina: 103 cm
visina: 94 - 143 cm

Frami-Stirndreikanteleiste

sivo

**Zaštitna ograda 1,00m**

Geländer 1,00m

3,8 584335000

pocinkovano
dužina: 124 cm

**Klema za kutiju 24cm**

Klema za kutiju 25cm

3,3 580063000


3,5 580064000

Klema za kutiju 30cm

3,8 580065000

Aussparungsklemme

pocinkovano
dužina kraka: 10 cm

**Cev skele 48,3mm 0,50m**

Cev skele 48,3mm 1,00m

Cev skele 48,3mm 1,50m

Cev skele 48,3mm 2,00m

Cev skele 48,3mm 2,50m

Cev skele 48,3mm 3,00m

Cev skele 48,3mm 3,50m

Cev skele 48,3mm 4,00m

Cev skele 48,3mm 4,50m

Cev skele 48,3mm 5,00m

Cev skele 48,3mm 5,50m

Cev skele 48,3mm 6,00m

Cev skele 48,3mmm

Gerüstrohr 48,3mm

1,7 682026000

3,6 682014000

5,4 682015000

7,2 682016000

9,0 682017000

10,8 682018000

12,6 682019000

14,4 682021000

16,2 682022000


18,0 682023000

19,8 682024000

21,6 682025000

3,6 682001000

pocinkovano

**Klema za kutiju tip 1cm**


Klema za kutiju tip 2cm

20,0 580066000

17,4 580067000

Aussparungsklemmecm

lakirano u plavo
dužina kraka: 10 cm

**Frami-ugaoni anker profil**

Frami-Ankerhaltewinkel

0,58 588453000

pocinkovano

**Nastavak cevi za skelu**

Gerüstrohranschluss

0,27 584375000


Frami-ravni anker 10-80cm

Frami-Flachanker 10-80cm

2,1 588475000


pocinkovano
visina: 7 cm

pocinkovano
dužina: 97 cm




[kg] br.art.

Frami-utikač 0,26 588434000
Frami-Stecker




pocinkovano
širina: 3 cm
visina: 12 cm

Frami-stezač za podlogu 0,53 588495000
Frami-Bodenhalter



pocinkovano
dužina: 12,7 cm
širina: 6,7 cm

Frami-stega za temelj 1,6 588452000
Frami-Fundamentspanner




pocinkovano
visina: 9 cm

Doka-perforirana traka 50x2,0mm 25m 17,0 588206000
Doka-Lochband 50x2,0mm 25m




Ugaoni element za podupiranje 10,7 588477000
Abstützwinkel



pocinkovano
dužina: 66 cm
širina: 37 cm
visina: 91 cm

Doka-četverostruki lanac 3,20m 15,0 588620000
Doka-Vierstrangkette 3,20m



Pridržavajte se uputstva za
upotrebu!

CE

Frami-transportna kuka 2,5kN 0,56 588494000
Frami-Transporthaken 2,5kN



pocinkovano
dužina: 17,5 cm
Pridržavajte se uputstva za
upotrebu!

CE

Dokamatic-gurtina za manipulaciju 13,00m 10,5 586231000
Dokamatic-Umsetzgurt 13,00m




zeleno
Pridržavajte se uputstva za
upotrebu!

CE




[kg] br.art.

Grebalica za beton Xlife 100/150mm 1,40m 2,8 588674000
Doppelschaber Xlife 100/150mm 1,40m



Pokretna skela DF 44,0 586157000
Mobilgerüst DF



aluminijumski
dužina: 185 cm
širina: 80 cm
visina: 255 cm
stanje isporuke: složeno

Doka sigurnosni sistemi



Informacije o radnim i zaštitnim platformama, sistemima zaštitnih ograda i sistemima za penjanje naći ćete u poglavlju "Doka sigurnosni sistemi".