



doka

No surprises
from above
Xsafe Catch Fan


EN 1263-1

Comprehensively
tested & certified

No surprises from above.

Xsafe Catch Fan

Xsafe Catch Fan is the state-of-the-art catch fan system for full protection against falling objects on construction sites. The system is certified to EN 1263-1 and enables easy assembly and quick repositioning in all project phases. With its triple-layer net, it can catch large objects as well as small pieces of debris.



1.

Easy-lock system

- Reduced crane time due to pre-installation of floor shoes.
- Faster installation of catch fan units due to the easy-locking mechanism and the intermittent net suspension on horizontal tubes.



2.

Quick-folding mechanism


- Time-saving thanks to the innovative 2-in-1 folding mechanism which automatically disengages the wind locks from above.
- Quick and easy folding to secure the Xsafe Catch Fan against the effects of adverse weather conditions.

Extra-wide units

- For additional safety where objects could fall past standard units.
- All features and applications displayed also apply to the Extra-wide units.

The extension of the extra-wide unit is not compliant with EN 1263-1.






3.

Triple-Layer-Net

- The 60x60 mm net is the main net to catch heavy objects.
- The 20x20 mm net is the secondary net and catches medium sized objects like gravel or stones.
- The fine-meshed debris net catches small objects such as nuts and bolts.



3.

2.

4.

Universal vertical support


- Height-independent vertical extension enables use without adjustments up to 4.20 m floor height.
- Incrementally adjustable supporting bracket, suitable for all slab thicknesses up to 40 cm.



4.

Corner Unit

- Easy installation due to the easy-lock system.
- Quick repositioning through the folding mechanism.
- Fully EN 1263 compliant.





facebook.com/dokacom



youtube.com/doka



linkedin.com/groups/13590836



instagram.com/doka_international