

Ringlock

One Scaffold System.
Limitless Applications.

doka



One Scaffold System. Limitless Applications.

With Ringlock, Doka offers an extensive product portfolio of modular working scaffolding for numerous construction applications, making it your high-performance all-round provider of formwork and scaffolding. This tried-and-tested scaffold system solution has been established on the market for decades and is the ideal complement for carrying out reinforcement and formwork operations safely and efficiently.

Ringlock impresses with its customary Doka quality at an attractive price/performance ratio. Thanks to its modular capabilities, the system is flexible and user friendly. With their in-depth construction expertise, our technicians provide you with tailored solutions to match your project requirements, to drive cost optimization and a successful project execution.



Available at short notice

- Reliable supply and fast delivery times thanks to worldwide distribution network
- Large quantities of material available at short notice for sale and rental



One Partner. Multiple Solutions

- A single point of contact for formwork and scaffolding
- Optimally coordinated formwork and scaffolding solutions
- Cost reduction through joint transport



Fully rentable

- High-performance and high-quality rental park for formwork and scaffolding
- Professional and streamlined rental process guarantees simple and smooth handling
- Add-on rental enables the handling of larger construction projects without high investments in new material



Global Certifications

General Building-Inspectorate Approval DIBT Z-8.22-992



Limitless Applications

Ringlock is one system with many applications and benefits for contractors.

Ringlock is the ideal add-on for Doka formwork systems. With this modular scaffolding system, reinforcement and formwork operations can be carried out safely and quickly. Thanks to its versatile and compatible design, it can be used in a variety of ways to suit your project requirements.




Rebar Scaffolding



Stair Tower




Mobile Scaffolding




Hanging Scaffolding



Birdcage Scaffolding



Shoring



Façade Scaffolding

Technical Information.

Ringlock

Tube diameter	1.9"
Wall thickness	1/8"
Steel grade	S355 J0H
Surface protection	Hot-dip galvanised
Possible applications	Infrastructure ■ Building ■ Industrial ■ Events
Type of Scaffolding	Façade ■ Suspended ■ Shoring ■ Access towers ■ Rebar ■ Working Platforms ■ Birdcage ■ Flyovers ■ Mobile Scaffolding
Steel decks 3.07 m and 2.57 m *	Class 4 / Class 5
Steel decks < 2.07 m *	Class 6
Access decks and Stair cases *	Class 3
Available standards	1'-8" ■ 3'-3" ■ 4'-11" ■ 6'-6" ■ 8'-2" ■ 9'-9" ■ 13'-1"
Available ledgers	6" ■ 1'-3" ■ 2'-5" ■ 3'-5" ■ 3'-7" ■ 4'-7" ■ 5'-2" ■ 6'-10" ■ 8'-5" ■ 10'-1"
Crane liftable	✓
Cladding	✓
Rubbish retaining	✓

*load class according to EN 12810-1

Ringlock

One Scaffold System.
Limitless Applications.

10/2023 en_GB
We reserve the right to make alterations in the interests of technical progress.



Doka Australia New South Wales | Doka Formwork Australia Pty. Ltd. | 52 Airds Road | Minto NSW 2566 | Australia | T +61 2 8796 0500 | australia@doka.com
Doka Australia Queensland | Doka Formwork Australia Pty. Ltd. | Unit1, 30 Pritchard Street | Lytton 4178 QLD | Australia | T +61 7 3396 1235 | australia@doka.com
Doka Australia Victoria | Doka Formwork Australia Pty. Ltd. | 175-135 Maygar Blvd, Melbourne VIC 3047 | Australia | T + 61 432 776 268 | australia@doka.com